

## Section B



# COUNTY OF KINGS

## Mid-blocks

## Transition Plan

February 2016



# TABLE OF CONTENTS

- I. Access Compliance Survey Report
  - i. Report Navigation and Legend, Abbreviations
  - ii. Cost Summary
  
- II. Survey Data for PRow
  - i. Survey Data for Mid-block Barriers



## NAVIGATION & LEGEND

County of Kings										Access Compliance Report Public Rights-of-Way (Mid-Block Barriers)					1217-1230-E	
Year to be Completed		FY 16-17								Priority		1				
Street Side	St ID #1	Survey Street	St ID #2	Starting Street	St ID #3	Ending Street										
E	1217	EAST DR	1230	SOUTH DR	1218	FORUM DR										
Dist. from Corner	P-Code	Barrier Type	As-is Measurement:			Qty	Unit	Cost	Total							
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0% - 4.0%			16	SF	\$40	\$640							
7 to 46 feet		Driveway				313										
10 to 12 feet	PR10A	Cross Slope (Driveway)	3.0% - 4.0%			16	SF	\$40	\$640							
10 to 12 feet	PR11AREF	Running Slope	5.0% - 6.0%			16	REF									
12 to 14 feet	PR11AREF	Running Slope	7.0% - 8.0%			16	REF									

1. Street Side: Corresponds to the side of the street surveyed:  
- N, S, E and W.
2. Dist. from Corner: The location of the identified barrier, measured in feet from the intersection/starting street.
3. Street ID Number: Numeric indicator denoting each Street ID #s of Survey Street Name, Starting Street Name, and End Street Name listed.
4. P-Code: Specifies the relevant SSA database code.
5. Year to be Completed: Expected fiscal year that the barrier identified is to be addressed and repaired into compliance using County's Road Fund.
6. Survey Street: Name of arterial/primary Street for which barriers are being surveyed.
7. Barrier Type: Type of Barrier recorded.
8. Starting Street: Name of the intersecting starting street from which barrier locations are being measured.
9. As-is Measurement: Existing condition/dimension.
10. End Street: Name of the intersecting ending street from which barrier locations are being measured.
11. Qty: Number of solutions required.
12. Unit: Unit of measurement used to compute estimate. LF=linear feet; SF=square feet; JOB=lump sum; REF=reference
13. Cost: Estimated cost of specific solution per one unit (The final cost of barrier removal may exceed this estimate based on the year of mitigation, design approach, and chosen method of mitigation).
14. Total: Total estimated cost for removing identified barrier (multiplied Qty by Cost).
15. Priority #: Assigned priority for scheduling repairs based on a scale of 1 to 5, with 1 being the highest priority and 5 being the lowest priority. Priority is based on the severity of repairing the feature in question as well as its geographic location in regards to the feature's expected frequency of use by pedestrians.

## LEGEND ABBREVIATIONS

ADA	Americans with Disabilities Act	MoM	Method of mitigation
ADAAG	ADA Accessibility Guidelines	MP	Master priority
ADACO	ADA-Coordinator	MRR	Men's restroom
AFF	Above finished floor	N	North
C.T.P.	Contact third party	N.A.R.	No action required
CA	State of California	NE	Northeast
CDD	Community Development Director	NT	Non-typical
C.L.	Center line	NW	Northwest
CMGR	City Manager	NWn	Northwest: North side
CP	Chief of Police	NWs	Northwest: South side
CSAS	CA State Accessibility Standards	O.C.	On center
D.A.	Designated accessible	O/R	Official responsible
Dep.	Deputy	PAR	Public Access Route
Dept. Rep	Department representative	P.A.	Physical alteration
DF	Drinking fountain	P.M.	Program modification
DH	Department Head	POT	Path of travel
Dir.	Director	PROW	Public Right of Way
E	East	PTD	Paper towel dispenser
E.D.	Executive Director	PWD	Public Works Director
E.F.	Equivalent facilitation	Qty	Quantity
F-B-F	Facility-Building-Floor	REF	Reference
FC	Fire Chief	S	South
FD	Finance Director	SCD	Seat cover dispenser
Fig.	Figure	SD	Soap dispenser
FM&O	Facilities, Maintenance & Operations	sec.	Second
FND	Feminine napkin dispenser	Sec.	Section
FTD	Feminine tampon dispenser	SE	Southeast
Gov.	Government	SF	Square foot
HQ	Headquarters	SW	Southwest
JOB	per one job (lump sum)	TBD	To be determined
Lab	Laboratory	up	Ramp or stair direction up
Lav	Lavatory	W	West
lbs.	Pounds	WC	Water Closet
LF	Linear foot	WRR	Women's Restroom
MOD	Modernization project		





<b>Year to be Completed:</b>	<b>FY 16-17</b>		<b>\$56,375.00</b>
	4TH AVE	N Starting at: 20216 4TH Ending at: 20290 4TH	\$56,375.00
<b>Year to be Completed:</b>	<b>FY 17-18</b>		<b>\$84,781.20</b>
	CROSS ST	E Starting at: 19359 CROSS Ending at: 2ND ST	\$31,959.00
	4TH AVE	S Starting at: 20235 4TH Ending at: 20231 4TH	\$27,535.00
	MAIN ST	S Starting at: RAILROAD ST Ending at: CROSS ST	\$25,287.20
<b>Year to be Completed:</b>	<b>FY 18-19</b>		<b>\$99,922.45</b>
	MAIN ST	S Starting at: RAILROAD ST Ending at: CROSS ST	\$18,034.45
	MAIN ST	N Starting at: CROSS ST Ending at: 30' E/O RAILROAD	\$63,936.00
	FORUM DR	N Starting at: EAST DR Ending at: CLYDE DR	\$17,952.00
<b>Year to be Completed:</b>	<b>FY 19-20</b>		<b>\$94,346.40</b>
	FORUM DR	N Starting at: EAST DR Ending at: CLYDE DR	\$37,699.20
	MAIN ST	N Starting at: 20224 MAIN Ending at: 20242 MAIN	\$28,207.20
	EAST DR	E Starting at: FORUM DR Ending at: NORTH DR	\$28,440.00
<b>Year to be Completed:</b>	<b>FY 20-21</b>		<b>\$95,994.00</b>
	EAST DR	E Starting at: FORUM DR Ending at: NORTH DR	\$79,560.00
	CROSS ST	W Starting at: 50' S/O 2ND Ending at: 3RD ST	\$16,434.00
<b>Year to be Completed:</b>	<b>FY 21-22</b>		<b>\$75,699.86</b>
	EAST DR	W Starting at: 120' N/O FORUM DR Ending at: FORUM DR	\$16,609.88
	RAILROAD ST	E Starting at: ALLEY Ending at: MAIN ST	\$24,057.48
	SOUTH DR	N Starting at: EAST DR Ending at: MATHER DR	\$35,032.50
<b>Year to be Completed:</b>	<b>FY 22-23</b>		<b>\$90,540.00</b>
	SOUTH DR	N Starting at: EAST DR Ending at: MATHER DR	\$39,600.00
	MATHER DR	W Starting at: SOUTH DR Ending at: LACEY BLVD	\$50,940.00
<b>Year to be Completed:</b>	<b>FY 23-24</b>		<b>\$71,023.92</b>
	EAST DR	E Starting at: SOUTH DR Ending at: FORUM DR	\$41,248.00
	EAST DR	E Starting at: 60' S/O FORUM DR Ending at: FORUM DR	\$7,328.00
	FORUM DR	N Starting at: 40' E/O EAST DR Ending at: EAST DR	\$5,904.00
	SOUTH DR	S Starting at: MATHER DR Ending at: EAST DR	\$15,223.92
	3RD ST	N Starting at: 40' E/O CROSS Ending at: CROSS ST	\$1,320.00
<b>Year to be Completed:</b>	<b>FY 24-25</b>		<b>\$37,440.00</b>
	NORTH DR	N Starting at: 1340 NORTH DR Ending at: END	\$37,440.00
<b>Year to be Completed:</b>	<b>TBD</b>		<b>\$8,735,388.43</b>
	CLYDE DR	W Starting at: CLYDE END Ending at: FORUM DR	\$13,215.00
	DAN DR	E Starting at: HOOD AVE Ending at: PIMO ST	\$88,700.00
	SEQUOIA DR	E Starting at: VISTA DR Ending at: DAN DR	\$94,760.00
	CLYDE DR	E Starting at: FORUM DR Ending at: 88' N/O FORUM DR	\$5,440.00
	DAN DR	E Starting at: VISTA DR Ending at: HOOD AVE	\$52,460.00
	VISTA DR	S Starting at: SEQUOIA DR Ending at: HOOD AVE	\$146,940.00
	REDWOOD ST	E Starting at: HUME AVE Ending at: PARK ST	\$38,080.00
	SEQUOIA DR	W Starting at: DAN DR Ending at: ROSEMARY CIR	\$86,428.00
	PIMO ST	S Starting at: CORNELIA DR Ending at: DAN DR	\$77,588.00
	SHORT ST	N Starting at: EMPIRE ST Ending at: RAILROAD ST	\$176,542.76
	14TH AVE	W Starting at: ALMOND ST Ending at: HUME AVE	\$59,520.00
	FORUM DR	N Starting at: CLYDE DR Ending at: PARKING LOT ENTRY	\$640.00
	SHORT ST	S Starting at: RAILROAD ST Ending at: EMPIRE ST	\$180,431.10
	6TH ST	N Starting at: EMPIRE ST Ending at: RAILROAD ST	\$175,040.25

DAN DR	W	Starting at: SEQUOIA DR Ending at: VISTA DR	\$95,820.00
14TH AVE	W	Starting at: LOCUST ST Ending at: FRONT ST	\$88,648.00
REDWOOD ST	W	Starting at: PARK ST Ending at: HUME AVE	\$63,040.00
GRANT ST	W	Starting at: PARK ST Ending at: HUME AVE	\$43,720.00
NORTH DR	S	Starting at: EAST DR Ending at: CAMPUS DR	\$54,631.61
PALM CIR	W	Starting at: PALM END Ending at: VISTA DR	\$23,592.00
RAILROAD ST	W	Starting at: 10670 RAILROAD Ending at: 10748 RAILROAD	\$85,127.80
DANA CIR	W	Starting at: DANA END Ending at: BERNARD DR	\$47,448.00
GRANT ST	E	Starting at: HUME AVE Ending at: PARK ST	\$61,540.00
PIMO ST	N	Starting at: RANDALL CIR Ending at: CORNELIA DR	\$66,208.00
BERNARD DR	S-W	Starting at: HWY 41 NB OFFRAMP Ending at: WARD DR	\$109,813.00
ALEN WY	N	Starting at: ADA ST Ending at: ALVIN ST	\$241,334.50
HUME CIR	E	Starting at: HUME AVE Ending at: HUME END	\$20,460.00
PARK ST	N	Starting at: GRANT ST Ending at: REDWOOD ST	\$51,520.00
ADA ST	S	Starting at: LYN ST Ending at: ALVIN ST	\$128,154.52
5TH ST	S	Starting at: RAILROAD ST Ending at: EMPIRE ST	\$185,040.00
HOOD AVE	S	Starting at: DAN DR Ending at: VISTA DR	\$36,296.00
PARK ST	S	Starting at: 14211 PARK Ending at: GRANT ST	\$37,860.00
ADA ST	N	Starting at: ALVIN ST Ending at: LYN ST	\$68,623.75
ALVIN ST	W	Starting at: LYN ST Ending at: ADA ST	\$56,737.85
CRISTIE CIR	E	Starting at: ADA ST Ending at: CRISTIE END	\$42,680.00
HUME CIR	W	Starting at: HUME END Ending at: HUME AVE	\$21,540.00
FERN CIR	E	Starting at: VISTA DR Ending at: FERN END	\$8,620.00
CRISTIE CIR	W	Starting at: 11276 CRISTIE Ending at: ADA ST	\$23,870.00
HUME AVE	N	Starting at: HUME CIR Ending at: REDWOOD ST	\$20,532.00
LYN ST	S	Starting at: ALVIN ST Ending at: OAK ST	\$194,617.50
14TH AVE	E	Starting at: LOCUST ST Ending at: 10691 14TH	\$76,621.50
FLORA WAY	E	Starting at: ADA ST Ending at: ALEN WY	\$108,218.00
JENSEN ST	W	Starting at: 60' N/O PEACH Ending at: 14200 LOCUST	\$91,350.00
RANDALL CIR	E	Starting at: PIMO ST Ending at: RANDALL END	\$33,280.00
SEQUOIA DR	W	Starting at: ROSEMARY CIR Ending at: VISTA DR	\$31,360.00
RANDALL CIR	W	Starting at: RANDALL END Ending at: PIMO ST	\$30,720.00
FERN CIR	W	Starting at: FERN END Ending at: VISTA DR	\$11,520.00
POWERS DR	W	Starting at: BERNARD DR Ending at: POWERS END	\$93,005.00
WARD DR	S	Starting at: HWY 41 NB OFFRAMP Ending at: BERNARD DR	\$45,619.00
DAN DR	W	Starting at: PIMO ST Ending at: PIMO ST	\$21,840.00
CROSS ST	E-S	Starting at: CROSS ST Ending at: LANSING AVE	\$22,950.00
C ST	E	Starting at: WALKER ST Ending at: HANFORD ARMONA RD	\$100,450.00
MATTHEW WAY	E	Starting at: MATTHEW END Ending at: ROSEMARY CIR	\$66,420.00
LYN ST	E-S	Starting at: ADA ST Ending at: ALVIN ST	\$165,814.00
ADA ST	S	Starting at: ALVIN ST Ending at: OAK AVE	\$176,671.00
FLORA WAY	W	Starting at: ALEN WY Ending at: ADA ST	\$77,220.00
HANFORD ARMONA RD	S	Starting at: RANDALL ST Ending at: 14205 HANFORD-ARMONA	\$15,680.00
PIMO ST	N	Starting at: DAN DR Ending at: RANDALL CIR	\$48,956.00
VISTA DR	W-N	Starting at: HOOD AVE Ending at: FERN CIR	\$32,600.00
OAK ST	W	Starting at: LYN ST Ending at: ADA ST	\$109,989.00
1ST ST	S	Starting at: CROSS ST Ending at: EMPIRE ST	\$93,050.00
CORNELIA DR	W	Starting at: CORNELIA END Ending at: CHRISTOPHER ST	\$59,248.00
LOCUST ST	S	Starting at: 7TH DAV ACADEMY Ending at: ACROSS FR 14356 LOCUST	\$82,800.00
LYN ST	W	Starting at: ADA ST Ending at: LYN END	\$36,670.40

DAN DR	W	Starting at: HANFORD ARMONA RD Ending at: PIMO ST	\$26,928.00
CHRISTOPHER CIR	S	Starting at: CHRISTOPHER END Ending at: MATTHEW WAY	\$29,000.00
BERNARD DR	N	Starting at: HUBERT WAY Ending at: BERNARD END	\$396,550.00
WARD DR	N	Starting at: BERNARD DR Ending at: HWY 41 NB OFFRAMP	\$74,280.00
MULBERRY ST	N	Starting at: 20278 MULBERRY Ending at: CROSS ST	\$25,112.00
CORNELIA DR	E	Starting at: PIMO ST Ending at: CORNELIA END	\$20,160.00
HUME AVE	N	Starting at: GRANT ST Ending at: HUME CIR	\$15,360.00
MULBERRY ST	S	Starting at: 20259 MULBERRY Ending at: 20259 MULBERRY	\$7,709.00
WALKER ST	S	Starting at: 14TH AVE Ending at: 13923 WALKER	\$13,720.00
CROSS ST	W	Starting at: MULBERRY ST Ending at: CENTER ST	\$76,560.00
HUME AVE	N	Starting at: 14TH AVE Ending at: MANZANITA ST	\$27,840.00
ALVIN ST	E	Starting at: ADA ST Ending at: ALEN WY	\$32,539.65
BERNARD DR	W	Starting at: WARD DR Ending at: BERNARD END	\$38,255.00
1ST ST	N	Starting at: EMPIRE ST Ending at: 20238 1ST	\$24,840.00
CHRISTOPHER CIR	N	Starting at: MATTHEW WAY Ending at: CORNELIA DR	\$18,560.00
CROSS ST	W	Starting at: 19144 CROSS Ending at: 19144 CROSS	\$15,795.00
LYN ST	W	Starting at: LYN ST Ending at: ADA ST	\$45,760.00
POWERS DR	E	Starting at: POWERS END Ending at: BERNARD DR	\$57,725.00
PALM CIR	E	Starting at: VISTA DR Ending at: PALM END	\$19,200.00
DAN DR	W	Starting at: PIMO ST Ending at: SEQUOIA DR	\$37,760.00
5TH ST	N	Starting at: 20334 5TH Ending at: 20362 5TH	\$19,756.80
CENTER ST	N	Starting at: 20258 CENTER ST Ending at: 20258 CENTER ST	\$8,928.00
HANFORD ARMONA RD	S	Starting at: C ST Ending at: MAHOGANY ST	\$90,440.00
VISTA DR	N	Starting at: DAN DR Ending at: SEQUOIA DR	\$29,760.00
14TH AVE	E	Starting at: HOOD AVE Ending at: WALKER ST	\$28,040.00
EMPIRE ST	W	Starting at: CENTER ST Ending at: ALLEY	\$10,248.80
LYN ST	E	Starting at: LYN END Ending at: ADA ST	\$34,938.15
APRIL CIR	S	Starting at: APRIL END Ending at: MATTHEW WAY	\$14,060.00
DANA CIR	E	Starting at: BERNARD DR Ending at: DANA END	\$60,967.50
MATTHEW WAY	E	Starting at: ROSEMARY CIR Ending at: CHRISTOPHER ST	\$27,500.00
ROSEMARY CIR	N	Starting at: SEQUOIA DR Ending at: MATTHEW WAY	\$16,800.00
ADA ST	S	Starting at: 14TH AVE Ending at: LYN ST	\$41,536.80
CENTER ST	S	Starting at: 20269 CENTER Ending at: 20269 CENTER	\$10,242.00
EMPIRE ST	W	Starting at: 1ST ST Ending at: 3RD ST	\$30,525.15
HUME AVE	N	Starting at: MANZANITA ST Ending at: GRANT ST	\$7,460.00
ADA ST	S	Starting at: LYN ST Ending at: 13893 ADA	\$11,763.31
BERNARD DR	N	Starting at: HWY 41 SB ONRAMP Ending at: HUBERT WAY	\$77,990.00
ROSEMARY CIR	N	Starting at: MATTHEW WAY Ending at: ROSEMARY END	\$16,840.00
ALMOND ST	S	Starting at: MANZANITA ST Ending at: 14TH AVE	\$39,856.00
APRIL CIR	N	Starting at: MATTHEW WAY Ending at: APRIL END	\$17,920.00
ROSEMARY CIR	S	Starting at: ROSEMARY END Ending at: MATTHEW WAY	\$21,760.00
BERNARD DR	S	Starting at: POWERS DR Ending at: HWY 41 SB ONRAMP	\$174,120.00
14TH AVE	E	Starting at: 11403 14TH Ending at: ADA ST	\$42,049.60
FRONT ST	N	Starting at: OAK AVE Ending at: 755' W/O OAK	\$159,120.00
HUBERT WAY	E	Starting at: BERNARD DR Ending at: 230' N/O BERNARD	\$180,400.00
JENSEN ST	E	Starting at: 10753 JENSEN Ending at: 14198 BARBARA	\$9,337.50
ADA ST	N	Starting at: LYN ST Ending at: 14TH AVE	\$33,440.00
VISTA DR	N	Starting at: FERN CIR Ending at: PALM CIR	\$8,320.00
1ST ST	N	Starting at: 20372 1ST Ending at: RAILROAD ST	\$4,743.20
14TH AVE	W	Starting at: WALNUT ST Ending at: HANFORD ARMONA RD	\$21,600.00

EMPIRE ST	W	Starting at: 19110 EMPIRE Ending at: CENTER ST	\$10,188.00
MANZANITA ST	E	Starting at: HUME AVE Ending at: WILLOW CIR	\$28,140.00
ADA ST	N	Starting at: OAK AVE Ending at: FLORA WAY	\$36,272.50
SHAW PL	E	Starting at: 11899 SHAW PL Ending at: TEMPLE DR	\$110,106.00
PIMO ST	S	Starting at: 13961 PIMO ST Ending at: C ST	\$12,100.00
14TH AVE	W	Starting at: PIMO ST Ending at: HOOD AVE	\$57,280.00
MANZANITA ST	W	Starting at: ALMOND ST Ending at: HUME AVE	\$69,816.00
LOCUST ST	N	Starting at: 430' E/O 14 1/2 AVE Ending at: 14 1/2 AVE	\$13,545.90
PARK ST	S	Starting at: REDWOOD ST Ending at: 14211 PARK	\$9,280.00
GARDEN DR	S	Starting at: 2ND PL Ending at: 3RD PL	\$32,760.00
CENTER ST	N	Starting at: CROSS ST Ending at: PROSPECT AVE	\$43,560.00
WILLOW CIR	N	Starting at: WILLOW END Ending at: MANZANITA ST	\$38,032.00
GARDEN DR	N	Starting at: 3RD PL Ending at: 2ND PL	\$23,400.00
EMPIRE ST	W	Starting at: STRATFORD SCHOOL Ending at: 3RD ST	\$28,580.00
BERNARD DR	E	Starting at: BERNARD END Ending at: DANA CIR	\$46,900.00
HANFORD ARMONA RD	N	Starting at: 14TH AVE Ending at: 50' W/O 14TH	\$7,200.00
GARDEN DR	N	Starting at: 1ST PL Ending at: 10TH AVE	\$59,058.00
14TH AVE	E	Starting at: ALLEY Ending at: 6TH ST	\$8,074.55
ADA ST	N	Starting at: CRISTIE CIR Ending at: ALVIN ST	\$26,449.50
GARDEN DR	S	Starting at: 3RD PL Ending at: SHAW PL	\$48,168.00
14TH AVE	E	Starting at: FRONT ST Ending at: 132' N/O FRONT	\$15,000.00
ALMOND ST	N	Starting at: 14TH AVE Ending at: MANZANITA ST	\$41,088.00
ASPEN CIR	S	Starting at: MANZANITA ST Ending at: ASPEN END	\$40,000.00
HANFORD ARMONA RD	S	Starting at: 14141 HANFORD ARMONA Ending at: DAN DR	\$9,920.00
MANZANITA ST	E	Starting at: 11441 MANZANITA Ending at: ASPEN CIR	\$15,040.00
MATTHEW WAY	W	Starting at: ROSEMARY CIR Ending at: APRIL CIR	\$25,280.00
ROSEMARY CIR	S	Starting at: MATTHEW WAY Ending at: B/O 11251 MATTHEW	\$5,760.00
GARDEN DR	S	Starting at: 1ST PL Ending at: 2ND PL	\$17,469.00
HOOD AVE	N	Starting at: 14TH AVE Ending at: DAN DR	\$44,680.00
FRONT ST	N	Starting at: 13946 FRONT Ending at: 14TH AVE	\$11,272.50
EMPIRE ST	W	Starting at: ALLEY Ending at: 1ST ST	\$3,263.16
HOOD AVE	S	Starting at: VISTA DR Ending at: 14TH AVE	\$9,160.00
MATTHEW WAY	W	Starting at: CHRISTOPHER ST Ending at: ROSEMARY CIR	\$16,720.00
VISTA DR	N	Starting at: PALM CIR Ending at: DAN DR	\$25,900.00
CORNELIA DR	E	Starting at: CHRISTOPHER ST Ending at: PIMO ST	\$35,556.00
14TH AVE	W	Starting at: HOOD AVE Ending at: HWY 198 WB ONRAMP	\$25,888.00
CALLIE DR	N	Starting at: MATTHEW WAY Ending at: CALLIE END	\$17,552.00
HOOD AVE	N	Starting at: 13922 HOOD Ending at: 14TH AVE	\$11,840.00
MATTHEW WAY	W	Starting at: APRIL CIR Ending at: CALLIE DR	\$8,100.00
GARDEN DR	N	Starting at: SHAW PL Ending at: 3RD PL	\$59,328.00
BERNARD DR	N	Starting at: DANA CIR Ending at: HWY 41 NB ONRAMP	\$27,600.00
FRONT ST	N	Starting at: 390' E/O OAK ST Ending at: OAK ST	\$44,200.00
SHAW PL	E	Starting at: TEMPLE DR Ending at: GARDEN DR	\$6,480.00
14TH AVE	W	Starting at: HWY 198 EB ONRAMP Ending at: ALMOND ST	\$34,768.00
EMPIRE ST	W	Starting at: SHORT ST Ending at: 6TH ST	\$60,469.56
6TH ST	S	Starting at: 14TH AVE Ending at: 13957 6TH ST	\$6,400.00
ALVIN ST	E	Starting at: ALEN WY Ending at: LYN ST	\$16,203.20
BALM OF GILEAD	E	Starting at: 10689 BALM OF GILEAD Ending at: 10669 BALM OF GILEAD	\$1,960.00
HANFORD ARMONA RD	S	Starting at: MAHOGANY ST Ending at: OAK AVE	\$198,512.00
MANZANITA ST	E	Starting at: WILLOW CIR Ending at: 11441 MANZANITA	\$22,720.00

---

OAK AVE	W	Starting at: ADA ST Ending at: 96' S/O ADA	\$17,028.00
ADA ST	N	Starting at: FLORA WAY Ending at: CRISTIE CIR	\$39,886.00
PIMO ST	S	Starting at: YALE WAY Ending at:	\$35,640.00
CHRISTOPHER CIR	N	Starting at: CORNELIA DR Ending at: CHRISTOPHER END	\$9,920.00
SHAW PL	W	Starting at: 11899 SHAW PL (ACROSS) Ending at: HOUSTON AVE	\$53,082.00
RAILROAD ST	E	Starting at: SHORT ST Ending at: 5TH ST	\$52,964.56
14TH AVE	W	Starting at: HANFORD ARMONA RD Ending at: PIMO ST	\$400.00

---

**Total Cost for County of Kings PROW - Mid-Blocks:**

**\$9,441,511.26**



## SURVEY DATA

Year to be Completed **FY 16-17**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	107	<b>4TH AVE</b>	107	<b>20216 4TH</b>	107	<b>20290 4TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
21 to 35 feet		Driveway				74			
22 to 24 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			10	SF	\$40	<b>\$400</b>
22 to 23 feet	PR26BREF	<b>Vertical Change</b>	1.3"			5	REF		
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			20	SF	\$40	<b>\$800</b>
28 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			20	SF	\$40	<b>\$800</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$400</b>
34 to 38 feet	PR11AREF	Running Slope	8.0-9.0%			20	REF		
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	<b>\$400</b>
38 to 39 feet	PR26BREF	<b>Vertical Change</b>	1.6"			5	REF		
38 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
46 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
56 to 62 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			20	SF	\$40	<b>\$800</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
74 to 78 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40	<b>\$800</b>
78 to 88 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			50	SF	\$40	<b>\$2,000</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	<b>\$400</b>
89 to 107 feet		Driveway				89			
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40	<b>\$400</b>
91 to 92 feet	PR26BREF	<b>Vertical Change</b>	1.5"			5	REF		
92 to 94 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF		
92 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			60	SF	\$40	<b>\$2,400</b>
102 to 106 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>

Year to be Completed **FY 16-17**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	107	<b>4TH AVE</b>	107	<b>20216 4TH</b>	107	<b>20290 4TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			20	SF	\$40	<b>\$800</b>
110 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			50	SF	\$40	<b>\$2,000</b>
120 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
134 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			50	SF	\$40	<b>\$2,000</b>
146 to 164 feet		Driveway				89			
148 to 149 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF		
148 to 150 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$400</b>
150 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			20	SF	\$40	<b>\$800</b>
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40	<b>\$400</b>
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$400</b>
162 to 164 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			10	SF	\$40	<b>\$400</b>
168 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
174 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40	<b>\$1,200</b>
174 to 175 feet	PS24B	<b>Protruding Object</b>	48" to tree limbs			5	JOB	\$75	<b>\$375</b>
180 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
184 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
186 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
194 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
198 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40	<b>\$1,200</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
206 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
209 to 224 feet		Driveway				77			
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40	<b>\$400</b>
210 to 211 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF		
212 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			50	SF	\$40	<b>\$2,000</b>
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40	<b>\$400</b>

Year to be Completed **FY 16-17**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	107	<b>4TH AVE</b>	107	<b>20216 4TH</b>	107	<b>20290 4TH</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
224 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		20	SF	\$40	<b>\$800</b>		
228 to 234 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		30	SF	\$40	<b>\$1,200</b>		
234 to 236 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>		
236 to 242 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		30	SF	\$40	<b>\$1,200</b>		
242 to 250 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		40	SF	\$40	<b>\$1,600</b>		
250 to 256 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		30	SF	\$40	<b>\$1,200</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>		
258 to 260 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>		
260 to 262 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>		
262 to 278 feet		Driveway			80					
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>		
263 to 264 feet	PR26BREF	<b>Vertical Change</b>	1.0"		5	REF				
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		10	SF	\$40	<b>\$400</b>		
266 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		30	SF	\$40	<b>\$1,200</b>		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		10	SF	\$40	<b>\$400</b>		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		10	SF	\$40	<b>\$400</b>		
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		10	SF	\$40	<b>\$400</b>		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		10	SF	\$40	<b>\$400</b>		
280 to 286 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		30	SF	\$40	<b>\$1,200</b>		
286 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		20	SF	\$40	<b>\$800</b>		
290 to 292 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>		
292 to 294 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>		
294 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>		
357 to 375 feet		Driveway			88					
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		10	SF	\$40	<b>\$400</b>		
359 to 360 feet	PR26BREF	<b>Vertical Change</b>	1.8"		5	REF				
360 to 362 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF				
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		10	SF	\$40	<b>\$400</b>		
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		10	SF	\$40	<b>\$400</b>		
364 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		40	SF	\$40	<b>\$1,600</b>		
372 to 374 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF				
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		10	SF	\$40	<b>\$400</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<b>side of 4TH AVE</b>	<b>Starting at: 20216 4TH</b>	<b>\$56,375.00</b>

Year to be Completed **FY 16-17**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	107	<b>4TH AVE</b>	107	<b>20216 4TH</b>	107	<b>20290 4TH</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 4TH AVE</b>													<b>\$56,375.00</b>	

Year to be Completed **FY 16-17**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	107	<b>4TH AVE</b>	107	<b>20216 4TH</b>	107	<b>20290 4TH</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 16-17</b>	<b>\$56,375.00</b>

Year to be Completed **FY 17-18**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1315	<b>CROSS ST</b>	1315	<b>19359 CROSS</b>	349	<b>2ND ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
24 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
24 to 25 feet	PS24B	<b>Protruding Object</b>	60" to tree limbs			5	JOB	\$75	<b>\$338</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
38 to 53 feet		Driveway				68			
39 to 40 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
40 to 42 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
66 to 92 feet		Driveway				115			
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
72 to 74 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
82 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **FY 17-18**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1315	<b>CROSS ST</b>	1315	<b>19359 CROSS</b>	349	<b>2ND ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
88 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			18	SF	\$40	<b>\$720</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			9	SF	\$40	<b>\$360</b>
96 to 97 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			5	REF		
96 to 98 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			9	SF	\$40	<b>\$360</b>
98 to 99 feet	PS24B	<b>Protruding Object</b>	57" to tree limbs			5	JOB	\$75	<b>\$338</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
98 to 99 feet	PR26BREF	<b>Vertical Change</b>	1.0"			5	REF		
100 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
108 to 120 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			54	SF	\$40	<b>\$2,160</b>
120 to 126 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			27	SF	\$40	<b>\$1,080</b>
126 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
134 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
140 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
142 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
146 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
150 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
160 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
164 to 174 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			45	SF	\$40	<b>\$1,800</b>
174 to 176 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
178 to 182 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
182 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			54	SF	\$40	<b>\$2,160</b>
194 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$324</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>CROSS ST</b>	<i>Starting at:</i> <b>19359 CROSS</b>					<b>\$31,959.00</b>

Year to be Completed **FY 17-18**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1315	<b>CROSS ST</b>	1315	<b>19359 CROSS</b>	349	<b>2ND ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CROSS ST</b>													<b>\$31,959.00</b>	

Year to be Completed **FY 17-18**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	107	<b>4TH AVE</b>	107	<b>20235 4TH</b>	107	<b>20231 4TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			30	SF	\$40	<b>\$1,200</b>
6 to 14 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			40	SF	\$40	<b>\$1,600</b>
10 to 11 feet	PS24B	<b>Protruding Object</b>	60" to tree			5	JOB	\$75	<b>\$375</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			10	SF	\$40	<b>\$400</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			20	SF	\$40	<b>\$800</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			10	SF	\$40	<b>\$400</b>
22 to 26 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			20	SF	\$40	<b>\$800</b>
26 to 32 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			30	SF	\$40	<b>\$1,200</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	<b>\$400</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			30	SF	\$40	<b>\$1,200</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
47 to 63 feet		Driveway				80			
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>
48 to 49 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$400</b>
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			20	SF	\$40	<b>\$800</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$400</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$400</b>
64 to 68 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			20	SF	\$40	<b>\$800</b>
67 to 87 feet		Driveway				101			
68 to 69 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40	<b>\$400</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$400</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			10	SF	\$40	<b>\$400</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$400</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$400</b>
78 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			20	SF	\$40	<b>\$800</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$400</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>

Year to be Completed **FY 17-18**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	107	<b>4TH AVE</b>	107	<b>20235 4TH</b>	107	<b>20231 4TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
90 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		60	SF	\$40	<b>\$2,400</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
108 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
112 to 122 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		50	SF	\$40	<b>\$2,000</b>	
122 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		50	SF	\$40	<b>\$2,000</b>	
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<b>side of 4TH AVE</b>	<b>Starting at: 20235 4TH</b>				<b>\$27,535.00</b>	

Year to be Completed **FY 17-18**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	107	<b>4TH AVE</b>	107	<b>20235 4TH</b>	107	<b>20231 4TH</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 4TH AVE</b>													<b>\$27,535.00</b>	

Year to be Completed **FY 17-18**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 8 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
22 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			26	SF	\$40	<b>\$1,039</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
61 to 91 feet		Driveway				130			
62 to 63 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
62 to 64 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>
64 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			17	SF	\$40	<b>\$693</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$346</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>
72 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			43	SF	\$40	<b>\$1,732</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
84 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			17	SF	\$40	<b>\$693</b>

Year to be Completed **FY 17-18**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
88 to 90 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
94 to 96 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
96 to 98 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
100 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
104 to 106 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
108 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
112 to 114 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
116 to 118 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
120 to 124 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>		
124 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,386</b>		
132 to 140 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>		
140 to 142 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<b>side of MAIN ST Starting at: RAILROAD ST</b>		<b>\$25,287.20</b>

Year to be Completed **FY 17-18**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MAIN ST</b>													<b>\$25,287.20</b>	

Year to be Completed **FY 17-18**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>								
<b>Total Costs for</b>											<b>Year to be Completed: FY 17-18</b>		<b>\$84,781.20</b>	

Year to be Completed **FY 18-19**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
146 to 148 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
152 to 156 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			17	SF	\$40	<b>\$693</b>		
156 to 158 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
158 to 160 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
160 to 162 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$346</b>		
162 to 164 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
164 to 170 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			26	SF	\$40	<b>\$1,039</b>		
170 to 172 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>		
172 to 173 feet	PR26B	<b>Vertical Change</b>	0.8"			4	SF	\$25	<b>\$108</b>		
186 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			130	SF	\$40	<b>\$5,196</b>		
218 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		
236 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
240 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			43	SF	\$40	<b>\$1,732</b>		
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
278 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		
284 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
300 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
308 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
390 to 394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		
394 to 396 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
396 to 398 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
398 to 400 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
400 to 402 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
420 to 422 feet	PR11A	Running Slope	12.0-13.0%			6	SF	\$40	<b>\$260</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of MAIN ST</i>		<i>Starting at: RAILROAD ST</i>				<b>\$18,034.45</b>		

Year to be Completed **FY 18-19**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1313	<b>MAIN ST</b>	1317	<b>RAILROAD ST</b>	1315	<b>CROSS ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MAIN ST</b>													<b>\$18,034.45</b>	

Year to be Completed **FY 18-19**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1313	<b>MAIN ST</b>	1315	<b>CROSS ST</b>	1317	<b>30' E/O RAILROAD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
6 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
20 to 22 feet	PR11AREF	Running Slope	5.0-6.0%			16	REF		
22 to 24 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
23 to 24 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			8	REF		
24 to 26 feet	PR11AREF	Running Slope	6.0-7.0%			16	REF		
24 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
58 to 77 feet		Driveway				156			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			16	SF	\$40	<b>\$640</b>
62 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			48	SF	\$40	<b>\$1,920</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
70 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			48	SF	\$40	<b>\$1,920</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
79 to 80 feet	PR26BREF	<b>Vertical Change</b>	0.6"			8	REF		
89 to 90 feet	PR26B	<b>Vertical Change</b>	0.7"			8	SF	\$25	<b>\$200</b>
92 to 94 feet	PR11A	Running Slope	10.0-11.0%			16	SF	\$40	<b>\$640</b>
92 to 93 feet	PR26B	<b>Vertical Change</b>	-1.8"			8	SF	\$25	<b>\$200</b>
95 to 96 feet	PR26B	<b>Vertical Change</b>	1.7"			8	SF	\$25	<b>\$200</b>
105 to 106 feet	PR26B	<b>Vertical Change</b>	0.6"			8	SF	\$25	<b>\$200</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
110 to 111 feet	PR26A	<b>Vertical Change</b>	-0.5"			8	LF	\$25	<b>\$200</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
118 to 119 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			8	REF		
118 to 120 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
121 to 122 feet	PR26BREF	<b>Vertical Change</b>	0.8"			8	REF		
126 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
136 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>

Year to be Completed **FY 18-19**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1313	<b>MAIN ST</b>	1315	<b>CROSS ST</b>	1317	<b>30' E/O RAILROAD</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
146 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			48	SF	\$40	<b>\$1,920</b>		
152 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			80	SF	\$40	<b>\$3,200</b>		
162 to 170 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			64	SF	\$40	<b>\$2,560</b>		
168 to 169 feet	PS24B	<b>Protruding Object</b>	65" to tree			8	JOB	\$75	<b>\$600</b>		
170 to 184 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			112	SF	\$40	<b>\$4,480</b>		
184 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
186 to 187 feet	PR26AREF	<b>Vertical Change</b>	0.5"			8	REF				
188 to 190 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
190 to 192 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			16	SF	\$40	<b>\$640</b>		
194 to 196 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>		
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
196 to 215 feet		Driveway				150					
198 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
204 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
210 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>		
216 to 218 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
218 to 222 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>		
222 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
224 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
406 to 408 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
410 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>		
418 to 420 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
422 to 430 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			64	SF	\$40	<b>\$2,560</b>		
430 to 446 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			128	SF	\$40	<b>\$5,120</b>		
435 to 446 feet		Driveway				91					
446 to 449 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$896</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<b>side of MAIN ST</b>		<b>Starting at: CROSS ST</b>				<b>\$63,936.00</b>		

Year to be Completed **FY 18-19**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1313	<b>MAIN ST</b>	1315	<b>CROSS ST</b>	1317	<b>30' E/O RAILROAD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MAIN ST</b>													<b>\$63,936.00</b>	

Year to be Completed **FY 18-19**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$544</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$272</b>
6 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$816</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$272</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	<b>\$272</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			14	SF	\$40	<b>\$544</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			14	SF	\$40	<b>\$544</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			14	SF	\$40	<b>\$544</b>
28 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,088</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$272</b>
50 to 81 feet		Driveway				105			
56 to 58 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$272</b>
58 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			14	SF	\$40	<b>\$544</b>
62 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			14	SF	\$40	<b>\$544</b>
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			14	SF	\$40	<b>\$544</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$272</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			7	SF	\$40	<b>\$272</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$272</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			7	SF	\$40	<b>\$272</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$272</b>
80 to 82 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			7	SF	\$40	<b>\$272</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$272</b>
82 to 83 feet	PR26BREF	<b>Vertical Change</b>	1.3"			2	REF		
84 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,088</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$272</b>
94 to 98 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	<b>\$544</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$272</b>
100 to 108 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			27	SF	\$40	<b>\$1,088</b>
108 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$544</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$272</b>
114 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$544</b>
118 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,088</b>

Year to be Completed **FY 18-19**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
126 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	54	SF	\$40	<b>\$2,176</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	7	SF	\$40	<b>\$272</b>
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	7	SF	\$40	<b>\$272</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	7	SF	\$40	<b>\$272</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	7	SF	\$40	<b>\$272</b>

<b>TOTAL COST FOR:</b>	<b>N</b>	<i>side of</i> <b>FORUM DR</b>	<i>Starting at:</i> <b>EAST DR</b>				<b>\$17,952.00</b>
------------------------	----------	--------------------------------	------------------------------------	--	--	--	--------------------

Year to be Completed **FY 18-19**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FORUM DR</b>													<b>\$17,952.00</b>	

Year to be Completed **FY 18-19**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>								
<b>Total Costs for</b>											<b>Year to be Completed: FY 18-19</b>		<b>\$99,922.45</b>	

Year to be Completed **FY 19-20**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
162 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		54	SF	\$40	<b>\$2,176</b>		
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
180 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$544</b>		
184 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$544</b>		
188 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		68	SF	\$40	<b>\$2,720</b>		
205 to 241 feet		Driveway			122					
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		7	SF	\$40	<b>\$272</b>		
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$272</b>		
212 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	<b>\$1,088</b>		
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$272</b>		
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$272</b>		
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$272</b>		
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$272</b>		
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		7	SF	\$40	<b>\$272</b>		
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		7	SF	\$40	<b>\$272</b>		
232 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		14	SF	\$40	<b>\$544</b>		
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		7	SF	\$40	<b>\$272</b>		
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		7	SF	\$40	<b>\$272</b>		
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		7	SF	\$40	<b>\$272</b>		
242 to 244 feet	PR05A	Cross Slope (PAR)	11.0-12.0%		7	SF	\$40	<b>\$272</b>		
244 to 246 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$272</b>		
244 to 245 feet	PR26BREF	<b>Vertical Change</b>	0.7"		3	REF				
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
250 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$544</b>		
254 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		27	SF	\$40	<b>\$1,088</b>		
262 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
264 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		20	SF	\$40	<b>\$816</b>		
270 to 274 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		14	SF	\$40	<b>\$544</b>		
274 to 278 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$544</b>		
322 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		54	SF	\$40	<b>\$2,176</b>		
340 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
350 to 352 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
354 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$272</b>		
368 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,088</b>		

Year to be Completed **FY 19-20**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
376 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	\$272	
378 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	\$1,088	
382 to 411 feet		Driveway			99				
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		7	SF	\$40	\$272	
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		7	SF	\$40	\$272	
392 to 394 feet	PR11AREF	Running Slope	5.0-6.0%		7	REF			
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	\$272	
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		7	SF	\$40	\$272	
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		7	SF	\$40	\$272	
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		7	SF	\$40	\$272	
400 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		27	SF	\$40	\$1,088	
408 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		14	SF	\$40	\$544	
412 to 414 feet	PR05A	Cross Slope (PAR)	12.0-13.0%		7	SF	\$40	\$272	
414 to 416 feet	PR05A	Cross Slope (PAR)	10.0-11.0%		7	SF	\$40	\$272	
416 to 418 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	\$272	
417 to 418 feet	PR26BREF	<b>Vertical Change</b>	0.7"		3	REF			
418 to 424 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		20	SF	\$40	\$816	
424 to 432 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		27	SF	\$40	\$1,088	
432 to 434 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	\$272	
434 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	\$816	
442 to 448 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	\$816	
450 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	\$816	
460 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		34	SF	\$40	\$1,360	
484 to 486 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	\$272	
488 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	\$272	
516 to 520 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	\$544	
522 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	\$272	
534 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	\$816	
546 to 548 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	\$272	
554 to 556 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	\$272	
558 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	\$3,536	
584 to 586 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	\$272	
586 to 587 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		4	SF	\$40	\$163	
<b>TOTAL COST FOR:</b>		<b>N</b>	<b>side of FORUM DR</b>	<b>Starting at: EAST DR</b>				<b>\$37,699.20</b>	

Year to be Completed **FY 19-20**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>EAST DR</b>	883	<b>CLYDE DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FORUM DR</b>													<b>\$37,699.20</b>	

Year to be Completed **FY 19-20**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1313	<b>MAIN ST</b>	1313	<b>20224 MAIN</b>	1313	<b>20242 MAIN</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$773</b>
6 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			58	SF	\$40	<b>\$2,318</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			19	SF	\$40	<b>\$773</b>
22 to 32 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			48	SF	\$40	<b>\$1,932</b>
30 to 48 feet		Driveway				86			
31 to 32 feet	PR26BREF	<b>Vertical Change</b>	1.1"			5	REF		
32 to 34 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$386</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			10	SF	\$40	<b>\$386</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$386</b>
38 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			19	SF	\$40	<b>\$773</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			10	SF	\$40	<b>\$386</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			10	SF	\$40	<b>\$386</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$386</b>
48 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			58	SF	\$40	<b>\$2,318</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$386</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$773</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
72 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			39	SF	\$40	<b>\$1,546</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$386</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$386</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
90 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			29	SF	\$40	<b>\$1,159</b>
96 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$773</b>
100 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$773</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			29	SF	\$40	<b>\$1,159</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$386</b>
112 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			29	SF	\$40	<b>\$1,159</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$386</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$386</b>
126 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,932</b>

Year to be Completed **FY 19-20**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1313	<b>MAIN ST</b>	1313	<b>20224 MAIN</b>	1313	<b>20242 MAIN</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
134 to 153 feet		Driveway				91			
136 to 137 feet	PR26BREF	<b>Vertical Change</b>	1.0"			5	REF		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40	<b>\$386</b>
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			10	SF	\$40	<b>\$386</b>
140 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			39	SF	\$40	<b>\$1,546</b>
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40	<b>\$386</b>
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$386</b>
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40	<b>\$386</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of MAIN ST</i>		<i>Starting at: 20224 MAIN</i>				<b>\$28,207.20</b>

Year to be Completed **FY 19-20**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1313	<b>MAIN ST</b>	1313	<b>20224 MAIN</b>	1313	<b>20242 MAIN</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MAIN ST</b>													<b>\$28,207.20</b>	

Year to be Completed **FY 19-20**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
6 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>
32 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
40 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
46 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
60 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
78 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
88 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			153	SF	\$40	<b>\$6,120</b>
122 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
136 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
144 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
150 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
156 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
164 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>

<b>TOTAL COST FOR:</b>	<b>E</b>	<i>side of</i> <b>EAST DR</b>	<i>Starting at:</i> <b>FORUM DR</b>	<b>\$28,440.00</b>
------------------------	----------	-------------------------------	-------------------------------------	--------------------

Year to be Completed **FY 19-20**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EAST DR</b>													<b>\$28,440.00</b>	

Year to be Completed **FY 19-20**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 19-20</b>	<b>\$94,346.40</b>

Year to be Completed **FY 20-21**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
166 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
174 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
182 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>	
206 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
208 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
218 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>	
232 to 234 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
236 to 238 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
238 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
242 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
260 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
268 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>	
292 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>	
302 to 304 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
304 to 314 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>	
314 to 326 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>	
332 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
336 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
344 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
348 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
354 to 356 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
356 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
358 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
360 to 366 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>	
366 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
366 to 398 feet		Driveway				144				
370 to 374 feet	PR11AREF	Running Slope	7.0-8.0%			18	REF			
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
374 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			63	SF	\$40	<b>\$2,520</b>	
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>	
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>	

Year to be Completed **FY 20-21**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
398 to 400 feet	PR11AREF	Running Slope	9.0-10.0%			9	REF		
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
400 to 402 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
400 to 406 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
401 to 402 feet	PR26BREF	<b>Vertical Change</b>	1.6"			5	REF		
406 to 412 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
412 to 414 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
414 to 416 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
416 to 418 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
418 to 420 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			9	SF	\$40	<b>\$360</b>
418 to 419 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF		
420 to 422 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
422 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
424 to 428 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
428 to 430 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
430 to 456 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			117	SF	\$40	<b>\$4,680</b>
456 to 458 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
458 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
462 to 470 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
470 to 474 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
474 to 476 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
476 to 478 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
478 to 480 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
480 to 484 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
484 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
494 to 502 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
502 to 514 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>
511 to 512 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
514 to 520 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
520 to 522 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
522 to 524 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **FY 20-21**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total			
524 to 526 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>			
526 to 527 feet	PR26AREF	<b>Vertical Change</b>	-0.9"			5	REF					
526 to 528 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
528 to 532 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>			
532 to 536 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>			
536 to 538 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>			
538 to 548 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>			
548 to 554 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>			
554 to 564 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>			
564 to 568 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>			
568 to 572 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>			
572 to 576 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
576 to 580 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>			
580 to 582 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>			
582 to 584 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
584 to 586 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>			
586 to 600 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			63	SF	\$40	<b>\$2,520</b>			
600 to 604 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>			
604 to 608 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>			
608 to 610 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>			
610 to 614 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>			
614 to 618 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>			
618 to 628 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>			
628 to 632 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
632 to 634 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
636 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of</i>	<b>EAST DR</b>	<i>Starting at:</i>	<b>FORUM DR</b>	<b>\$79,560.00</b>

Year to be Completed **FY 20-21**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>FORUM DR</b>	1216	<b>NORTH DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EAST DR</b>													<b>\$79,560.00</b>	

Year to be Completed **FY 20-21**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1315	<b>CROSS ST</b>	349	<b>50' S/O 2ND</b>	1312	<b>3RD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
22 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
32 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
36 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
39 to 54 feet		Driveway				69			
40 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
44 to 46 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
46 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			27	SF	\$40	<b>\$1,080</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			18	SF	\$40	<b>\$720</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			9	SF	\$40	<b>\$360</b>
57 to 73 feet		Driveway				68			
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
75 to 76 feet	PR26AREF	<b>Vertical Change</b>	-1.2"			5	REF		
75 to 85 feet		Driveway				45			
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **FY 20-21**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>W</b>	1315	<b>CROSS ST</b>	349	<b>50' S/O 2ND</b>	1312	<b>3RD ST</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%	9	SF	\$40	<b>\$360</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%	9	SF	\$40	<b>\$360</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%	9	SF	\$40	<b>\$360</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%	9	SF	\$40	<b>\$360</b>
86 to 91 feet	PR05A	Cross Slope (PAR)	9.0-10.0%	24	SF	\$40	<b>\$954</b>

<b>TOTAL COST FOR:</b>	<b>W</b>	<i>side of</i>	<b>CROSS ST</b>	<i>Starting at:</i>	<b>50' S/O 2ND</b>	<b>\$16,434.00</b>
------------------------	----------	----------------	-----------------	---------------------	--------------------	--------------------

Year to be Completed **FY 20-21**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1315	<b>CROSS ST</b>	349	<b>50' S/O 2ND</b>	1312	<b>3RD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CROSS ST</b>													<b>\$16,434.00</b>	

Year to be Completed **FY 20-21**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>W</b>	1315	<b>CROSS ST</b>	349	<b>50' S/O 2ND</b>	1312	<b>3RD ST</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 20-21</b>	<b>\$95,994.00</b>

Year to be Completed **FY 21-22**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1217	<b>EAST DR</b>	1218	<b>120' N/O FORUM DR</b>	1218	<b>FORUM DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		69	SF	\$40	<b>\$2,771</b>	
16 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		121	SF	\$40	<b>\$4,850</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
47 to 93 feet		Driveway			200				
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		17	SF	\$40	<b>\$693</b>	
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
78 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
86 to 88 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		17	SF	\$40	<b>\$693</b>	
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
92 to 94 feet	PR11AREF	Running Slope	8.0-9.0%		9	REF			
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
96 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		26	SF	\$40	<b>\$1,039</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
104 to 106 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
108 to 112 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		17	SF	\$40	<b>\$693</b>	
112 to 114 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
112 to 113 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
114 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$675</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<b>side of EAST DR Starting at: 120' N/O FORUM DR</b>					<b>\$16,609.88</b>	

Year to be Completed **FY 21-22**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1217	<b>EAST DR</b>	1218	<b>120' N/O FORUM DR</b>	1218	<b>FORUM DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EAST DR</b>													<b>\$16,609.88</b>	

Year to be Completed **FY 21-22**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1317	<b>RAILROAD ST</b>	8000	<b>ALLEY</b>	1313	<b>MAIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			26	SF	\$40	<b>\$1,039</b>
6 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
22 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
30 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
44 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$346</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$346</b>
58 to 66 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
66 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
76 to 84 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
84 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
94 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
98 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
102 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
110 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
124 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
131 to 132 feet	PR03A	Continuous Width	24" to FH			4	SF	\$40	<b>\$173</b>
132 to 134 feet	PR11AREF	Running Slope	10.0-11.0%			9	REF		
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
132 to 133 feet	PR26AREF	<b>Vertical Change</b>	-1.6"			4	REF		
134 to 136 feet	PR11AREF	Running Slope	9.0-10.0%			9	REF		
134 to 138 feet	PR05A	Cross Slope (PAR)	>15.0%			17	SF	\$40	<b>\$693</b>
135 to 136 feet	PR26BREF	<b>Vertical Change</b>	1.9"			4	REF		
138 to 140 feet	PR05A	Cross Slope (PAR)	14.0-15.0%			9	SF	\$40	<b>\$346</b>

Year to be Completed **FY 21-22**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	1317	<b>RAILROAD ST</b>	8000	<b>ALLEY</b>	1313	<b>MAIN ST</b>				
Dist. from Corner	P-Code	Barrier Type		As-is Measurement/Notes		Qty	Unit	Cost	Total	
140 to 142 feet	PR05A	Cross Slope (PAR)		9.0-10.0%		8	SF	\$40	<b>\$329</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of RAILROAD ST</i>		<i>Starting at: ALLEY</i>				<b>\$24,057.48</b>	

Year to be Completed **FY 21-22**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1317	<b>RAILROAD ST</b>	8000	<b>ALLEY</b>	1313	<b>MAIN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: RAILROAD ST</b>													<b>\$24,057.48</b>	

Year to be Completed **FY 21-22**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
16 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
50 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
60 to 66 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
68 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
84 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
104 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
116 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
124 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
152 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
164 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>
178 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
188 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
194 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
196 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
197 to 211 feet		Curb Ramp				63			
198 to 200 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
202 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **FY 21-22**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
206 to 208 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF						
208 to 210 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF						
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>				
210 to 212 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		9	SF	\$40	<b>\$360</b>				
213 to 236 feet		Crosswalk			106							
216 to 218 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>				
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>				
238 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>				
238 to 247 feet		Curb Ramp			37							
242 to 244 feet	PR11AREF	Running Slope	8.0-9.0%		9	REF						
242 to 244 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>				
244 to 246 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF						
244 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>				
246 to 248 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF						
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>				
249 to 250 feet	PR26B	<b>Vertical Change</b>	0.9"		5	SF	\$25	<b>\$113</b>				
278 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>				
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i>	<b>SOUTH DR</b>	<i>Starting at:</i>	<b>EAST DR</b>	<b>\$35,032.50</b>

Year to be Completed **FY 21-22**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SOUTH DR</b>													<b>\$35,032.50</b>	

Year to be Completed **FY 21-22**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 21-22</b>	<b>\$75,699.86</b>

Year to be Completed **FY 22-23**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
280 to 282 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
282 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
290 to 326 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			162	SF	\$40	\$6,480		
356 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
360 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
366 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
372 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
380 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
390 to 394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
394 to 398 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
398 to 402 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
402 to 404 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
404 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
408 to 412 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	\$720		
412 to 418 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	\$1,080		
418 to 420 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
420 to 422 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	\$360		
422 to 424 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
424 to 426 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	\$360		
425 to 434 feet		Curb Ramp				43					
426 to 428 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	\$360		
428 to 430 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
430 to 432 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	\$360		
432 to 434 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
434 to 436 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
436 to 438 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
438 to 440 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
456 to 458 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
460 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	\$1,800		
478 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
482 to 484 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
484 to 486 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
486 to 494 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	\$1,440		

Year to be Completed **FY 22-23**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
494 to 498 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
498 to 500 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
500 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>		
510 to 512 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
512 to 532 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>		
532 to 550 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			81	SF	\$40	<b>\$3,240</b>		
542 to 554 feet		Curb Ramp				53					
550 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
560 to 562 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
582 to 596 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>SOUTH DR</b>	<i>Starting at:</i> <b>EAST DR</b>					<b>\$39,600.00</b>		

Year to be Completed **FY 22-23**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1230	<b>SOUTH DR</b>	1217	<b>EAST DR</b>	804	<b>MATHER DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SOUTH DR</b>													<b>\$39,600.00</b>	

Year to be Completed **FY 22-23**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	804	<b>MATHER DR</b>	1230	<b>SOUTH DR</b>	287	<b>LACEY BLVD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
4 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
12 to 22 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			45	SF	\$40	<b>\$1,800</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
29 to 45 feet		Curb Ramp				69			
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
36 to 40 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
64 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
78 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
100 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
110 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
114 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
126 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
138 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>

Year to be Completed **FY 22-23**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	804	<b>MATHER DR</b>	1230	<b>SOUTH DR</b>	287	<b>LACEY BLVD</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
142 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
154 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>		
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
164 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>		
172 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
174 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>		
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
182 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
184 to 186 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
186 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>		
190 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
196 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
198 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
204 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
210 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
214 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
230 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>		
240 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
242 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>		
253 to 288 feet		Driveway				157					
258 to 260 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>		
260 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			72	SF	\$40	<b>\$2,880</b>		
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>		
278 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			27	SF	\$40	<b>\$1,080</b>		
284 to 286 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF				
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>		
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
290 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
292 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
306 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
314 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		

Year to be Completed **FY 22-23**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	804	<b>MATHER DR</b>	1230	<b>SOUTH DR</b>	287	<b>LACEY BLVD</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
354 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
358 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
370 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>		
380 to 386 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>		
386 to 389 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$540</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>MATHER DR</b>	<i>Starting at:</i> <b>SOUTH DR</b>					<b>\$50,940.00</b>		

Year to be Completed **FY 22-23**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	804	<b>MATHER DR</b>	1230	<b>SOUTH DR</b>	287	<b>LACEY BLVD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATHER DR</b>													<b>\$50,940.00</b>	

Year to be Completed **FY 22-23**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	804	<b>MATHER DR</b>	1230	<b>SOUTH DR</b>	287	<b>LACEY BLVD</b>								
<b>Total Costs for</b>											<b>Year to be Completed: FY 22-23</b>		<b>\$90,540.00</b>	

Year to be Completed **FY 23-24**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1217	<b>EAST DR</b>	1230	<b>SOUTH DR</b>	1218	<b>FORUM DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
20 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
26 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
36 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
62 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
106 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
134 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
149 to 163 feet		Curb Ramp				55			
154 to 156 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
158 to 160 feet	PR11A	Running Slope	5.0-6.0%			8	SF	\$40	<b>\$320</b>
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
184 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
194 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
204 to 217 feet		Curb Ramp				54			
206 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
218 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
220 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
222 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
224 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
230 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
234 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
242 to 244 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
244 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
246 to 248 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
248 to 250 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
250 to 252 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
254 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1217	<b>EAST DR</b>	1230	<b>SOUTH DR</b>	1218	<b>FORUM DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
258 to 271 feet		Curb Ramp			53				
260 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
262 to 264 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
264 to 268 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
268 to 270 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
274 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
300 to 304 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
308 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
316 to 318 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
318 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
322 to 328 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
328 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
336 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
342 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
346 to 358 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>	
358 to 360 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
360 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
364 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
370 to 374 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
374 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
376 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
378 to 382 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
382 to 386 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
386 to 388 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$288</b>	

**TOTAL COST FOR: E side of EAST DR Starting at: SOUTH DR \$41,248.00**

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1217	<b>EAST DR</b>	1230	<b>SOUTH DR</b>	1218	<b>FORUM DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EAST DR</b>													<b>\$41,248.00</b>	

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>60' S/O FORUM DR</b>	1218	<b>FORUM DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
0 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	88	SF	\$40	<b>\$3,520</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	8	SF	\$40	<b>\$320</b>
24 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	24	SF	\$40	<b>\$960</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	8	SF	\$40	<b>\$320</b>
32 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	24	SF	\$40	<b>\$960</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	24	SF	\$40	<b>\$960</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	7	SF	\$40	<b>\$288</b>

<b>TOTAL COST FOR:</b>	<b>E</b>	<i>side of</i> <b>EAST DR</b>	<i>Starting at:</i> <b>60' S/O FORUM DR</b>	<b>\$7,328.00</b>
------------------------	----------	-------------------------------	---	-------------------

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1217	<b>EAST DR</b>	1218	<b>60' S/O FORUM DR</b>	1218	<b>FORUM DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EAST DR</b>													<b>\$7,328.00</b>	

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>40' E/O EAST DR</b>	1217	<b>EAST DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
10 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	45	SF	\$40	<b>\$1,800</b>
20 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	54	SF	\$40	<b>\$2,160</b>
32 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>
36 to 41 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	22	SF	\$40	<b>\$864</b>
<b>TOTAL COST FOR:</b>						<b>N</b>	<b>\$5,904.00</b>
		<i>side of</i> <b>FORUM DR</b>	<i>Starting at:</i> <b>40' E/O EAST DR</b>				

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1218	<b>FORUM DR</b>	1217	<b>40' E/O EAST DR</b>	1217	<b>EAST DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FORUM DR</b>													<b>\$5,904.00</b>	

Year to be Completed **FY 23-24**Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1230	<b>SOUTH DR</b>	804	<b>MATHER DR</b>	1217	<b>EAST DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,093</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$547</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$547</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,093</b>
32 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			68	SF	\$40	<b>\$2,733</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$547</b>
44 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,187</b>
54 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			41	SF	\$40	<b>\$1,640</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
218 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$547</b>
222 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			39	SF	\$40	<b>\$1,558</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>SOUTH DR</b>		<i>Starting at:</i> <b>MATHER DR</b>				<b>\$15,223.92</b>

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1230	<b>SOUTH DR</b>	804	<b>MATHER DR</b>	1217	<b>EAST DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SOUTH DR</b>													<b>\$15,223.92</b>	

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1312	<b>3RD ST</b>	1315	<b>40' E/ O CROSS</b>	1315	<b>CROSS ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
16 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of 3RD ST</i>		<i>Starting at: 40' E/ O CROSS</i>				<b>\$1,320.00</b>	

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1312	<b>3RD ST</b>	1315	<b>40' E/ O CROSS</b>	1315	<b>CROSS ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 3RD ST</b>													<b>\$1,320.00</b>	

Year to be Completed **FY 23-24**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	1312	<b>3RD ST</b>	1315	<b>40' E/ O CROSS</b>	1315	<b>CROSS ST</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 23-24</b>	<b>\$71,023.92</b>

Year to be Completed **FY 24-25**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1216	<b>NORTH DR</b>	1216	<b>1340 NORTH DR</b>	1216	<b>END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
4 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
10 to 18 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			36	SF	\$40	<b>\$1,440</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
24 to 48 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			108	SF	\$40	<b>\$4,320</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
52 to 56 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			9	SF	\$40	<b>\$360</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
60 to 64 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			18	SF	\$40	<b>\$720</b>
64 to 70 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			27	SF	\$40	<b>\$1,080</b>
70 to 76 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			27	SF	\$40	<b>\$1,080</b>
76 to 84 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			36	SF	\$40	<b>\$1,440</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
86 to 94 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			36	SF	\$40	<b>\$1,440</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
96 to 100 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
100 to 104 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
104 to 108 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			18	SF	\$40	<b>\$720</b>
108 to 116 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			36	SF	\$40	<b>\$1,440</b>
116 to 120 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
122 to 126 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
126 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
132 to 138 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
138 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			63	SF	\$40	<b>\$2,520</b>
152 to 158 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
162 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
166 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>

Year to be Completed **FY 24-25**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1216	<b>NORTH DR</b>	1216	<b>1340 NORTH DR</b>	1216	<b>END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
170 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
180 to 219 feet		Driveway				176				
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
224 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
230 to 232 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
266 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
276 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
284 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
292 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
296 to 298 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
300 to 330 feet		Driveway				133				
334 to 336 feet	PR11A	Running Slope	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>NORTH DR</b>	<i>Starting at:</i> <b>1340 NORTH DR</b>					<b>\$37,440.00</b>	

Year to be Completed **FY 24-25**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1216	<b>NORTH DR</b>	1216	<b>1340 NORTH DR</b>	1216	<b>END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: NORTH DR</b>													<b>\$37,440.00</b>	

Year to be Completed **FY 24-25**

Priority **1**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>N</b>	1216	<b>NORTH DR</b>	1216	<b>1340 NORTH DR</b>	1216	<b>END</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>Total Costs for</b>						<b>Year to be Completed: FY 24-25</b>	<b>\$37,440.00</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	883	<b>CLYDE DR</b>	883	<b>CLYDE END</b>	1218	<b>FORUM DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			6	SF	\$40	<b>\$240</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
26 to 27 feet	PR26B	<b>Vertical Change</b>	-0.6"			3	SF	\$25	<b>\$75</b>
40 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
48 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$240</b>
54 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
64 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
80 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			6	SF	\$40	<b>\$240</b>
90 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$240</b>
98 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
110 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
114 to 120 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
120 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
125 to 126 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			3	REF		
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
128 to 129 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			3	REF		
130 to 132 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			5	SF	\$40	<b>\$180</b>
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>CLYDE DR</b>		<i>Starting at:</i> <b>CLYDE END</b>				<b>\$13,215.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	883	<b>CLYDE DR</b>	883	<b>CLYDE END</b>	1218	<b>FORUM DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CLYDE DR</b>													<b>\$13,215.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	\$320	
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	\$640	
27 to 48 feet		Driveway			84				
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	\$320	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	\$320	
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	\$320	
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	\$320	
38 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	\$960	
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	\$320	
46 to 48 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	\$320	
54 to 89 feet		Driveway			138				
56 to 58 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	\$320	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	\$320	
60 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	\$640	
64 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	\$960	
70 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	\$960	
76 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	\$960	
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	\$320	
84 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	\$640	
86 to 90 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	\$320	
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	\$640	
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	\$320	
112 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	\$2,240	
126 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	\$960	
132 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	\$960	
146 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	\$2,880	
163 to 181 feet		Driveway			75				
164 to 166 feet	PR11AREF	Running Slope	10.0-11.0%		8	REF			
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	\$320	
164 to 165 feet	PR26BREF	<b>Vertical Change</b>	1.8"		4	REF			
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	\$320	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
172 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
178 to 180 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
180 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			64	SF	\$40	<b>\$2,560</b>
196 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			104	SF	\$40	<b>\$4,160</b>
223 to 241 feet		Driveway				72			
224 to 225 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
224 to 226 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
226 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
234 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
238 to 240 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
240 to 242 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
250 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
252 to 274 feet		Driveway				90			
254 to 256 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
264 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
272 to 274 feet	PR11AREF	Running Slope	12.0-13.0%			8	REF		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
275 to 276 feet	PR04B	Continuous Width	30" to shrubs			4	JOB	\$50	<b>\$200</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
284 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
294 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
298 to 300 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
300 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
307 to 308 feet	PR04B	Continuous Width	end 30" to shrubs			4	JOB	\$50	<b>\$200</b>
324 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
348 to 365 feet		Driveway				70			
348 to 350 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
349 to 350 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
350 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			32	SF	\$40	<b>\$1,280</b>
358 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
362 to 364 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
366 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
376 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			184	SF	\$40	<b>\$7,360</b>
385 to 386 feet	PS24B	<b>Protruding Object</b>	65" to tree			4	JOB	\$75	<b>\$300</b>
420 to 433 feet		Driveway				54			
421 to 422 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
422 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
424 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			32	SF	\$40	<b>\$1,280</b>
430 to 432 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
434 to 436 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
436 to 446 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
446 to 448 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
448 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
450 to 451 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
452 to 454 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
456 to 476 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
475 to 494 feet		Driveway				75			
476 to 478 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
476 to 477 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
478 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
482 to 488 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
488 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
492 to 494 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
514 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
526 to 530 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
530 to 532 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
532 to 544 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
546 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
552 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
554 to 556 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
556 to 558 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
558 to 560 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
560 to 564 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
564 to 566 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
566 to 572 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
574 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
580 to 586 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
586 to 588 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
590 to 600 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
604 to 624 feet		Driveway				77			
606 to 608 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
606 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
606 to 607 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
620 to 622 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
622 to 624 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
622 to 624 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
624 to 628 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
628 to 634 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
634 to 636 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
636 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
640 to 656 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>		
656 to 658 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
658 to 680 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
680 to 686 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>		
686 to 688 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
690 to 692 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
692 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
704 to 706 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
706 to 708 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
708 to 712 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>DAN DR</b>	<i>Starting at:</i> <b>HOOD AVE</b>				<b>\$88,700.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	396	<b>DAN DR</b>	262	<b>HOOD AVE</b>	413	<b>PIMO ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>													<b>\$88,700.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
55 to 77 feet		Driveway			88				
57 to 58 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
58 to 60 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
62 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		40	SF	\$40	<b>\$1,600</b>	
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
127 to 148 feet		Driveway			84				
128 to 130 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
129 to 130 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
134 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		48	SF	\$40	<b>\$1,920</b>	
146 to 148 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
165 to 187 feet		Driveway			86				
166 to 168 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
167 to 168 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
170 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
174 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
180 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
184 to 188 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
198 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
202 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
210 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
212 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
214 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
240 to 260 feet		Driveway				77			
242 to 244 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
242 to 243 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
246 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
258 to 260 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
260 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
272 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
274 to 275 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			4	REF		
287 to 309 feet		Driveway				87			
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
296 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
300 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
304 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			16	SF	\$40	<b>\$640</b>
306 to 308 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
314 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
320 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
329 to 348 feet		Driveway				75			
330 to 332 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
331 to 332 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
334 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
336 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,280</b>	
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
346 to 348 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
392 to 411 feet		Driveway			78				
393 to 394 feet	PR26BREF	<b>Vertical Change</b>	1.5"		4	REF			
394 to 396 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
400 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		40	SF	\$40	<b>\$1,600</b>	
410 to 412 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
479 to 498 feet		Driveway			78				
480 to 481 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
480 to 482 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
482 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
486 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
490 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
494 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
496 to 498 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
505 to 506 feet	PR26B	<b>Vertical Change</b>	0.6"		4	SF	\$25	<b>\$100</b>	
524 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
530 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
542 to 561 feet		Driveway			78				
543 to 544 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
544 to 546 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
544 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
546 to 550 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
550 to 554 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
554 to 556 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
556 to 558 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
558 to 560 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
560 to 562 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
578 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
590 to 598 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>	
599 to 618 feet		Driveway				79				
600 to 601 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF			
600 to 602 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
602 to 604 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
604 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
610 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>	
616 to 618 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
626 to 632 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
630 to 650 feet		Driveway				78				
632 to 633 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF			
632 to 634 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
632 to 634 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
634 to 636 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
636 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>	
638 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
640 to 646 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>	
646 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
648 to 650 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
648 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
658 to 664 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
664 to 678 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>	
678 to 680 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
680 to 684 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
684 to 688 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
688 to 694 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960		
694 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
698 to 700 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
700 to 708 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	\$1,280		
708 to 712 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
718 to 720 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
726 to 736 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
740 to 742 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
744 to 750 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960		
750 to 754 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
754 to 760 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960		
760 to 766 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	\$960		
766 to 770 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640		
770 to 776 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	\$960		
776 to 778 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
778 to 782 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640		
783 to 802 feet		Driveway				75					
784 to 786 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
784 to 786 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	\$320		
784 to 785 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF				
786 to 790 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	\$640		
790 to 800 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			40	SF	\$40	\$1,600		
800 to 802 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
800 to 802 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	\$320		
804 to 810 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
810 to 812 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
812 to 826 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	\$2,240		
841 to 861 feet		Driveway				79					
842 to 844 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	\$320		
843 to 844 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF				
844 to 846 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
844 to 846 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	\$320		
846 to 850 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	\$640		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
850 to 852 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
852 to 854 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
854 to 856 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
856 to 858 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
858 to 860 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
858 to 860 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
860 to 862 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
890 to 900 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
904 to 923 feet		Driveway			76				
904 to 906 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
905 to 906 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
906 to 908 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
906 to 908 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
908 to 910 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
910 to 916 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
916 to 918 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
918 to 920 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
920 to 922 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
920 to 922 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
924 to 926 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
932 to 934 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
948 to 950 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
954 to 956 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
962 to 980 feet		Driveway			72				
963 to 964 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
964 to 966 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
966 to 970 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
970 to 972 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
972 to 976 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
976 to 978 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
978 to 980 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
978 to 980 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
980 to 986 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
986 to 988 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
988 to 996 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
1009 to 1010 feet	PS24B	<b>Protruding Object</b>	58" to tree		4	JOB	\$75	<b>\$300</b>	
1016 to 1037 feet		Driveway			86				
1018 to 1020 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
1018 to 1020 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1020 to 1024 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
1024 to 1026 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
1026 to 1030 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
1030 to 1034 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
1034 to 1036 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
1034 to 1036 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
1040 to 1060 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		80	SF	\$40	<b>\$3,200</b>	
1042 to 1043 feet	PS24B	<b>Protruding Object</b>	42" to tree		4	JOB	\$75	<b>\$300</b>	
1059 to 1060 feet	PS24B	<b>Protruding Object</b>	36" to trees		4	JOB	\$75	<b>\$300</b>	
1064 to 1074 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
1094 to 1096 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1096 to 1098 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1098 to 1100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1106 to 1114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
1116 to 1118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1124 to 1126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1128 to 1130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1130 to 1136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>SEQUOIA DR</b>	<i>Starting at:</i> <b>VISTA DR</b>				<b>\$94,760.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SEQUOIA DR</b>													<b>\$94,760.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	883	<b>CLYDE DR</b>	1218	<b>FORUM DR</b>	1218	<b>88' N/O FORUM DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
30 to 36 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
36 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
70 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>CLYDE DR</b>		<i>Starting at:</i> <b>FORUM DR</b>				<b>\$5,440.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	883	<b>CLYDE DR</b>	1218	<b>FORUM DR</b>	1218	<b>88' N/O FORUM DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CLYDE DR</b>													<b>\$5,440.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
44 to 62 feet		Driveway				75				
44 to 46 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
45 to 46 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF			
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
50 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
60 to 62 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
83 to 102 feet		Driveway				74				
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
84 to 85 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF			
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
88 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			32	SF	\$40	<b>\$1,280</b>	
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
100 to 102 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
116 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
122 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
128 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
134 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
140 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
178 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>	
184 to 204 feet		Driveway				80				
185 to 186 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF			
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
188 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
200 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
202 to 204 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
244 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
252 to 269 feet		Driveway				70			
254 to 256 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
258 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
262 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
266 to 268 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
268 to 270 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
296 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
306 to 323 feet		Driveway				68			
308 to 309 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
308 to 310 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
312 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
318 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
320 to 322 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
322 to 324 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
340 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
344 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
350 to 356 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
356 to 362 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
358 to 359 feet	PS24B	<b>Protruding Object</b>	58" to tree			4	JOB	\$75	<b>\$300</b>
362 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
364 to 368 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
368 to 370 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
370 to 372 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
372 to 387 feet		Driveway				63					
372 to 373 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF				
372 to 374 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
374 to 376 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
378 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>		
384 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
386 to 388 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
396 to 398 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
408 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
412 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
426 to 430 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
432 to 434 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
446 to 450 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
451 to 472 feet		Driveway				81					
452 to 454 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
453 to 454 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
456 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
458 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>		
460 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>		
464 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
466 to 468 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
468 to 472 feet	PR11AREF	Running Slope	6.0-7.0%			16	REF				
468 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>		
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
474 to 476 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
480 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
481 to 482 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
491 to 511 feet		Driveway				80				
492 to 494 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
492 to 493 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF			
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
500 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
508 to 510 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
510 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
514 to 516 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
516 to 518 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
518 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
522 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
524 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			104	SF	\$40	<b>\$4,160</b>	
552 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
554 to 556 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
556 to 574 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
574 to 576 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
576 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
580 to 584 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
584 to 588 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of</i> <b>DAN DR</b>	<i>Starting at:</i> <b>VISTA DR</b>	<b>\$52,460.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>													<b>\$52,460.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
0 to 1 feet	PR04B	Continuous Width	30" to foliage			4	JOB	\$50	<b>\$200</b>
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
8 to 27 feet		Driveway				78			
8 to 10 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
9 to 10 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
24 to 26 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
26 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			24	SF	\$40	<b>\$960</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
40 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
46 to 65 feet		Driveway				77			
48 to 50 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
48 to 49 feet	PR26BREF	<b>Vertical Change</b>	1.6"			4	REF		
50 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
58 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>
62 to 66 feet	PR11AREF	Running Slope	7.0-8.0%			16	REF		
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
66 to 67 feet	PR04B	Continuous Width	30" to shrubs			4	JOB	\$50	<b>\$200</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
86 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
106 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
112 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
122 to 141 feet		Driveway				77			
124 to 125 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
136 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
138 to 140 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
140 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
148 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
154 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
157 to 158 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
158 to 160 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
158 to 160 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			8	SF	\$40	<b>\$320</b>
160 to 174 feet		Driveway				58			
160 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			40	SF	\$40	<b>\$1,600</b>
161 to 162 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			4	REF		
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
172 to 174 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
207 to 229 feet		Driveway				86			
208 to 210 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
208 to 209 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF		
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
216 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
222 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
226 to 228 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
228 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
242 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
254 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
260 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
268 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
304 to 322 feet		Driveway				72			
306 to 307 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
306 to 308 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
310 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
320 to 322 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
328 to 329 feet	PR26B	<b>Vertical Change</b>	0.6"			4	SF	\$25	<b>\$100</b>
328 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
336 to 338 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
338 to 340 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
340 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
348 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
362 to 380 feet		Driveway				70			
363 to 364 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
364 to 366 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
378 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
398 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
422 to 442 feet		Driveway				79			
424 to 425 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
424 to 426 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
426 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
428 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			24	SF	\$40	<b>\$960</b>
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
440 to 442 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
442 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
460 to 462 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
480 to 504 feet		Driveway				94			
482 to 483 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
482 to 484 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
484 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
486 to 488 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
488 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
490 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
498 to 500 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
500 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
506 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
510 to 516 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
518 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
524 to 544 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
543 to 563 feet		Driveway				78			
544 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
545 to 546 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
546 to 548 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
548 to 554 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
554 to 560 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
560 to 562 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
564 to 578 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
580 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
588 to 598 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
600 to 619 feet		Driveway				75			
601 to 602 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
602 to 604 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
604 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
606 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
616 to 618 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
620 to 622 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
628 to 630 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
633 to 650 feet		Driveway				71			
634 to 636 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
634 to 636 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
634 to 635 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
636 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
638 to 644 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
644 to 646 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
646 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
648 to 650 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
648 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
650 to 660 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
660 to 662 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
662 to 664 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
666 to 668 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
668 to 670 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
670 to 672 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
672 to 678 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
678 to 686 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
686 to 688 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
688 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
698 to 700 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
702 to 704 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
706 to 712 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
712 to 716 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
716 to 718 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
718 to 722 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
719 to 739 feet		Driveway				78			
720 to 722 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
720 to 721 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
722 to 724 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
724 to 726 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
726 to 734 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			32	SF	\$40	<b>\$1,280</b>
734 to 736 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
736 to 738 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
736 to 738 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
738 to 740 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
740 to 754 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
752 to 770 feet		Driveway				73			
753 to 754 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
754 to 756 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
756 to 758 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
758 to 760 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
760 to 766 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
766 to 768 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
768 to 770 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
768 to 770 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
774 to 778 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
796 to 824 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			112	SF	\$40	<b>\$4,480</b>
840 to 856 feet		Driveway				64			
840 to 842 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
840 to 842 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
841 to 842 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF		
842 to 844 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
844 to 846 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			8	SF	\$40	<b>\$320</b>
846 to 852 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
852 to 854 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
854 to 856 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
854 to 856 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
866 to 868 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
870 to 874 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
873 to 889 feet		Driveway				64			
874 to 875 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
874 to 876 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
874 to 876 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
876 to 878 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
878 to 880 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
880 to 884 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
884 to 888 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
886 to 888 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
888 to 890 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
896 to 898 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
900 to 904 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
920 to 922 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
924 to 930 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
930 to 932 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
932 to 942 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
944 to 954 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
959 to 978 feet		Driveway				74			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
960 to 962 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
960 to 962 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
960 to 961 feet	PR26BREF	<b>Vertical Change</b>	1.6"		4	REF			
962 to 964 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
964 to 966 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
966 to 968 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
968 to 970 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
970 to 972 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
972 to 974 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
974 to 976 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
976 to 978 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
976 to 978 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
994 to 996 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1016 to 1018 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1022 to 1024 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1026 to 1042 feet		Driveway			63				
1026 to 1028 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1027 to 1028 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
1028 to 1030 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
1030 to 1034 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
1034 to 1036 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
1036 to 1038 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
1038 to 1040 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
1040 to 1042 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1048 to 1050 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1050 to 1052 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1052 to 1054 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1054 to 1056 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
1056 to 1058 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
1058 to 1078 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		80	SF	\$40	<b>\$3,200</b>	
1074 to 1092 feet		Driveway			73				
1075 to 1076 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
1076 to 1078 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
1078 to 1080 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
1080 to 1082 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			8	SF	\$40	<b>\$320</b>
1082 to 1086 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
1086 to 1088 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			8	SF	\$40	<b>\$320</b>
1088 to 1090 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
1090 to 1092 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
1090 to 1092 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
1092 to 1094 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
1092 to 1094 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
1094 to 1098 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1098 to 1100 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
1100 to 1108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
1109 to 1110 feet	PR26B	<b>Vertical Change</b>	0.6"			4	SF	\$25	<b>\$100</b>
1111 to 1112 feet	PR26B	<b>Vertical Change</b>	-0.7"			4	SF	\$25	<b>\$100</b>
1112 to 1134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
1135 to 1151 feet		Driveway				66			
1136 to 1138 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
1137 to 1138 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
1138 to 1140 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
1140 to 1148 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			32	SF	\$40	<b>\$1,280</b>
1148 to 1150 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
1148 to 1150 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
1160 to 1164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1166 to 1178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
1182 to 1186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1190 to 1208 feet		Driveway				72			
1191 to 1192 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
1192 to 1194 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
1194 to 1196 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
1196 to 1198 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
1198 to 1200 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
1200 to 1202 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
1202 to 1204 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
1204 to 1206 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
1206 to 1208 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
1214 to 1216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1218 to 1222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1224 to 1226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1240 to 1242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1252 to 1254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1254 to 1273 feet		Driveway				75			
1256 to 1258 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
1258 to 1260 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
1260 to 1262 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
1262 to 1264 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
1264 to 1266 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
1266 to 1268 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
1268 to 1270 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
1270 to 1272 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
1278 to 1286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
1310 to 1327 feet		Driveway				69			
1312 to 1314 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
1312 to 1314 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
1314 to 1320 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			24	SF	\$40	<b>\$960</b>
1320 to 1324 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
1324 to 1326 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
1326 to 1328 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
1334 to 1336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1341 to 1361 feet		Driveway				79			
1344 to 1346 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
1346 to 1350 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
1350 to 1352 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
1352 to 1354 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
1354 to 1356 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
1356 to 1358 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
1358 to 1360 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
1366 to 1370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1372 to 1376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
1380 to 1384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
1386 to 1394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
1396 to 1400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
1400 to 1404 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
1404 to 1406 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
1406 to 1408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
1408 to 1410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
1410 to 1416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<i>side of</i> <b>VISTA DR</b>		<i>Starting at:</i> <b>SEQUOIA DR</b>	<b>\$146,940.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	367	<b>VISTA DR</b>	350	<b>SEQUOIA DR</b>	262	<b>HOOD AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: VISTA DR</b>													<b>\$146,940.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	387	<b>REDWOOD ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
4 to 5 feet	PR04B	Continuous Width	SW blocked at corner by foliage			4	JOB	\$50	<b>\$200</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
9 to 10 feet	PR04B	Continuous Width	24" - 30" to hedge entire lot			4	JOB	\$50	<b>\$200</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
27 to 28 feet	PS24B	<b>Protruding Object</b>	50" to tree limb			4	JOB	\$75	<b>\$300</b>
31 to 45 feet		Driveway				58			
32 to 34 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
32 to 33 feet	PR26BREF	<b>Vertical Change</b>	1.6"			4	REF		
34 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			40	SF	\$40	<b>\$1,600</b>
44 to 46 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
48 to 49 feet	PR26A	<b>Vertical Change</b>	0.5"			4	LF	\$25	<b>\$100</b>
55 to 71 feet		Driveway				63			
56 to 58 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
56 to 57 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
60 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
64 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			24	SF	\$40	<b>\$960</b>
68 to 70 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
74 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
80 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
92 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
118 to 135 feet		Driveway				68			
118 to 120 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	387	<b>REDWOOD ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
119 to 120 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
132 to 134 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
142 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
204 to 223 feet		Driveway				76			
206 to 207 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF		
206 to 208 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
208 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
212 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
222 to 224 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
232 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
240 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
242 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
272 to 287 feet		Driveway				62			
273 to 274 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
276 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			24	SF	\$40	<b>\$960</b>
282 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
292 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
325 to 343 feet		Driveway				70			
326 to 328 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
326 to 327 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
328 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	387	<b>REDWOOD ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
334 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
338 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
340 to 342 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
358 to 375 feet		Driveway				68			
358 to 360 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
358 to 359 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
362 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
368 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
372 to 374 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
394 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
406 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
412 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
424 to 426 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
438 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
442 to 444 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
450 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
458 to 460 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
462 to 464 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
464 to 466 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
466 to 468 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
468 to 470 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
470 to 471 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			4	SF	\$40	<b>\$160</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of REDWOOD ST</i>		<i>Starting at: HUME AVE</i>				<b>\$38,080.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	387	<b>REDWOOD ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: REDWOOD ST</b>													<b>\$38,080.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
31 to 48 feet		Driveway				71			
32 to 34 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
32 to 33 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
36 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
56 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
62 to 84 feet		Driveway				88			
64 to 66 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
78 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
82 to 84 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
88 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
110 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
115 to 131 feet		Driveway				64			
116 to 118 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
116 to 117 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
120 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,280</b>	
128 to 130 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
132 to 133 feet	PR04B	Continuous Width	34" to hedge		4	JOB	\$50	<b>\$200</b>	
164 to 165 feet	PS24B	<b>Protruding Object</b>	50" to tree		4	JOB	\$75	<b>\$300</b>	
164 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
174 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
179 to 198 feet		Driveway			74				
180 to 182 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
180 to 181 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
182 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
186 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
196 to 198 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
198 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
202 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
210 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
214 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
222 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
224 to 226 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
230 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
244 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
246 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
262 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
267 to 286 feet		Driveway			77				
269 to 270 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
270 to 272 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
276 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>	
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
284 to 286 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
290 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
294 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
298 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>	
318 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
320 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
322 to 324 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
324 to 326 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
326 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
331 to 346 feet		Driveway				60				
332 to 334 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
332 to 333 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF			
334 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>	
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
344 to 346 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
350 to 362 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>	
362 to 364 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
364 to 366 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
366 to 368 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
368 to 376 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>	
376 to 378 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
378 to 382 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
382 to 401 feet		Driveway				78				
382 to 384 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
382 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
383 to 384 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
384 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
386 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
396 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
398 to 400 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
400 to 402 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
406 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
410 to 412 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
412 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
414 to 416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
415 to 434 feet		Driveway				77				
416 to 417 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
416 to 418 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
416 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
418 to 420 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
420 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>	
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
426 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
428 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>	
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
434 to 436 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
436 to 454 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>	
454 to 458 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
458 to 460 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
460 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
466 to 470 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
470 to 474 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
478 to 484 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
490 to 491 feet	PS24B	<b>Protruding Object</b>	60" to tree		4	JOB	\$75	<b>\$300</b>	
494 to 500 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
498 to 518 feet		Driveway			80				
498 to 500 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
499 to 500 feet	PR26BREF	<b>Vertical Change</b>	1.7"		4	REF			
500 to 502 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
500 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
510 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
514 to 516 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
516 to 518 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
516 to 518 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
518 to 522 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
524 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
536 to 538 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
540 to 544 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
552 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
556 to 558 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
565 to 581 feet		Driveway			64				
566 to 568 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
566 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
566 to 567 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
568 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
570 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
572 to 574 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
574 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
578 to 580 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
578 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>				
581 to 583 feet		Driveway			8							
582 to 588 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>				
588 to 590 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
590 to 604 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>				
608 to 610 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>				
612 to 620 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>				
620 to 626 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>				
623 to 624 feet	PS24B	<b>Protruding Object</b>	55" to tree		4	JOB	\$75	<b>\$300</b>				
625 to 640 feet		Driveway			61							
626 to 627 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF						
626 to 628 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF						
626 to 628 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>				
628 to 630 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>				
630 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,280</b>				
638 to 640 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF						
638 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>				
640 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>				
650 to 652 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>				
652 to 654 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>				
654 to 662 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>				
662 to 666 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>				
666 to 667 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		5	SF	\$40	<b>\$208</b>				
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i>	<b>SEQUOIA DR</b>	<i>Starting at:</i>	<b>DAN DR</b>	<b>\$86,428.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	350	<b>SEQUOIA DR</b>	396	<b>DAN DR</b>	342	<b>ROSEMARY CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SEQUOIA DR</b>													<b>\$86,428.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
4 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
16 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
36 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
50 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
60 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
70 to 87 feet		Driveway				67			
72 to 73 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
76 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			32	SF	\$40	<b>\$1,280</b>
84 to 86 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
88 to 92 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
92 to 96 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
102 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
104 to 129 feet		Driveway				102			
108 to 110 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
116 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
122 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			32	SF	\$40	<b>\$1,280</b>
130 to 132 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
130 to 132 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
131 to 132 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
138 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
146 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
162 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
166 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
170 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
176 to 178 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
178 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
194 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
198 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
205 to 229 feet		Driveway				95					
210 to 212 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>		
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
218 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>		
222 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>		
226 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>		
232 to 234 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
232 to 234 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
232 to 233 feet	PR26AREF	<b>Vertical Change</b>	-1.3"			4	REF				
234 to 235 feet	PR26B	<b>Vertical Change</b>	1.2"			4	SF	\$25	<b>\$100</b>		
238 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
242 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
252 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
258 to 260 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
260 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
265 to 279 feet		Driveway				55					
266 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
280 to 282 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			8	SF	\$40	<b>\$320</b>
282 to 283 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			4	REF		
282 to 284 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
282 to 284 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>
284 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
285 to 286 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
290 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
296 to 300 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
297 to 308 feet		Driveway				41			
300 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
306 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
310 to 312 feet	PR05A	Cross Slope (PAR)	12.0-13.0%			8	SF	\$40	<b>\$320</b>
312 to 313 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			4	REF		
312 to 314 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
312 to 314 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>
314 to 315 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
314 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
316 to 318 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
318 to 324 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			24	SF	\$40	<b>\$960</b>
319 to 320 feet	PR26AREF	<b>Vertical Change</b>	0.5"			4	REF		
324 to 330 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			24	SF	\$40	<b>\$960</b>
330 to 334 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
336 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
359 to 372 feet		Driveway				54			
366 to 368 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
368 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
374 to 376 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
374 to 376 feet	PR05A	Cross Slope (PAR)	13.0-14.0%			8	SF	\$40	<b>\$320</b>
376 to 377 feet	PR26B	<b>Vertical Change</b>	1.8"			4	SF	\$25	<b>\$100</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
379 to 397 feet		Driveway				72				
386 to 388 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
392 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			32	SF	\$40	<b>\$1,280</b>	
400 to 402 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
401 to 402 feet	PR04B	Continuous Width	30" to hedge			4	JOB	\$50	<b>\$200</b>	
401 to 402 feet	PR26AREF	<b>Vertical Change</b>	-1.6"			4	REF			
402 to 404 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
402 to 404 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
403 to 404 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF			
448 to 468 feet		Driveway				78				
454 to 456 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
456 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
460 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>	
464 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
466 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>	
471 to 472 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			4	REF			
472 to 474 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
472 to 474 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
473 to 474 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF			
480 to 484 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
497 to 507 feet		Driveway				42				
498 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
502 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
508 to 510 feet	PR05A	Cross Slope (PAR)	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
510 to 512 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
514 to 516 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
518 to 522 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
522 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
526 to 528 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
528 to 532 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
529 to 540 feet		Driveway				41			
536 to 538 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
538 to 542 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
542 to 544 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
542 to 543 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			4	REF		
558 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
574 to 578 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
574 to 584 feet		Driveway				39			
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
584 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
586 to 588 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
586 to 588 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			8	SF	\$40	<b>\$320</b>
586 to 587 feet	PR26AREF	<b>Vertical Change</b>	-1.2"			4	REF		
588 to 589 feet	PR26B	<b>Vertical Change</b>	1.4"			4	SF	\$25	<b>\$100</b>
590 to 592 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
598 to 602 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
604 to 622 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
617 to 629 feet		Driveway				48			
624 to 626 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
626 to 632 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
632 to 634 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			8	SF	\$40	<b>\$320</b>
632 to 633 feet	PR26AREF	<b>Vertical Change</b>	-1.1"			4	REF		
634 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
634 to 635 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
642 to 660 feet		Driveway				74			
642 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
650 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
652 to 654 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
654 to 656 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
656 to 658 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
658 to 662 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>		
662 to 664 feet	PR05A	Cross Slope (PAR)	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
664 to 666 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
665 to 666 feet	PR26AREF	<b>Vertical Change</b>	-1.1"			4	REF				
666 to 668 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
667 to 668 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				
685 to 686 feet	PS24B	<b>Protruding Object</b>	48" to tree limb			4	JOB	\$75	<b>\$300</b>		
695 to 696 feet	PR26B	<b>Vertical Change</b>	1.1"			4	SF	\$25	<b>\$100</b>		
696 to 698 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
698 to 699 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			5	SF	\$40	<b>\$208</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>PIMO ST</b>	<i>Starting at:</i> <b>CORNELIA DR</b>					<b>\$77,588.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA DR</b>	396	<b>DAN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PIMO ST</b>													<b>\$77,588.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
6 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
30 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
37 to 61 feet		Driveway			101				
40 to 42 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
42 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>	
50 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>	
56 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		17	SF	\$40	<b>\$693</b>	
58 to 60 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
64 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
68 to 92 feet		Driveway			105				
70 to 72 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
84 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>	
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
92 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
104 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		87	SF	\$40	<b>\$3,464</b>	
124 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
126 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
128 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			61	SF	\$40	<b>\$2,425</b>		
142 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>		
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
148 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>		
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
158 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>		
163 to 187 feet		Driveway				104					
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
164 to 165 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF				
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
168 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			69	SF	\$40	<b>\$2,771</b>		
184 to 186 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
190 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		
194 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
195 to 218 feet		Driveway				100					
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
196 to 197 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF				
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>		
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>		
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>		
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>		
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>		
210 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			26	SF	\$40	<b>\$1,039</b>		
216 to 218 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>		
218 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			43	SF	\$40	<b>\$1,732</b>		
228 to 232 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>		
232 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
234 to 236 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
236 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
240 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>		
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
246 to 266 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		87	SF	\$40	<b>\$3,464</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
268 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>		
272 to 286 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		61	SF	\$40	<b>\$2,425</b>		
286 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>		
291 to 314 feet		Driveway			100					
291 to 292 feet	PR26BREF	<b>Vertical Change</b>	0.7"		4	REF				
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
296 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		26	SF	\$40	<b>\$1,039</b>		
302 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
308 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
314 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>		
320 to 324 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>		
321 to 344 feet		Driveway			98					
322 to 324 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
322 to 323 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF				
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
328 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>		
334 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>		
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
342 to 344 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
348 to 350 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
350 to 358 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>		
358 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
360 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
364 to 368 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
368 to 372 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
372 to 374 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
374 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>	
380 to 384 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
386 to 396 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>	
396 to 398 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
402 to 416 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			61	SF	\$40	<b>\$2,425</b>	
416 to 418 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
418 to 419 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
418 to 420 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
418 to 420 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
419 to 440 feet		Driveway				90				
420 to 422 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
422 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
426 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			26	SF	\$40	<b>\$1,039</b>	
432 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>	
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>	
440 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			43	SF	\$40	<b>\$1,732</b>	
447 to 471 feet		Driveway				105				
448 to 449 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF			
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>	
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
456 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
458 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			35	SF	\$40	<b>\$1,386</b>	
466 to 468 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
468 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>	
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
472 to 502 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			130	SF	\$40	<b>\$5,196</b>	
502 to 504 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
504 to 506 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
508 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
518 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
524 to 540 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		69	SF	\$40	<b>\$2,771</b>		
529 to 530 feet	PS24B	<b>Protruding Object</b>	55" to tree		4	JOB	\$75	<b>\$325</b>		
540 to 544 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
543 to 566 feet		Driveway			98					
544 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
546 to 548 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
548 to 550 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
550 to 556 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>		
556 to 558 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>		
558 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
564 to 566 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
566 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
572 to 576 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
573 to 597 feet		Driveway			105					
576 to 578 feet	PR11AREF	Running Slope	8.0-9.0%		9	REF				
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>		
578 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>		
580 to 588 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>		
588 to 592 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		17	SF	\$40	<b>\$693</b>		
592 to 594 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
594 to 596 feet	PR11AREF	Running Slope	9.0-10.0%		9	REF				
594 to 596 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>		
596 to 598 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF				
596 to 598 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
598 to 600 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
600 to 612 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		52	SF	\$40	<b>\$2,078</b>		
612 to 614 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
613 to 614 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		4	REF				
614 to 626 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		52	SF	\$40	<b>\$2,078</b>		
617 to 618 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
626 to 664	feet PR05A	Cross Slope (PAR)	3.0-4.0%		165	SF	\$40	<b>\$6,582</b>		
664 to 666	feet PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
666 to 672	feet PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>		
670 to 692	feet	Driveway			97					
671 to 672	feet PR26BREF	<b>Vertical Change</b>	0.8"		4	REF				
672 to 674	feet PR11AREF	Running Slope	5.0-6.0%		9	REF				
672 to 674	feet PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>		
674 to 676	feet PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
676 to 682	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>		
682 to 684	feet PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
684 to 686	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
686 to 688	feet PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
688 to 690	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
690 to 692	feet PR11AREF	Running Slope	5.0-6.0%		9	REF				
690 to 692	feet PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
692 to 694	feet PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
694 to 698	feet PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>		
698 to 700	feet PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
700 to 702	feet PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
701 to 724	feet	Driveway			102					
702 to 703	feet PR26BREF	<b>Vertical Change</b>	1.1"		4	REF				
702 to 704	feet PR11AREF	Running Slope	6.0-7.0%		9	REF				
702 to 704	feet PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
704 to 710	feet PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>		
710 to 712	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
712 to 714	feet PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
714 to 722	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		35	SF	\$40	<b>\$1,386</b>		
720 to 722	feet PR11AREF	Running Slope	5.0-6.0%		9	REF				
722 to 724	feet PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>		
724 to 726	feet PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
726 to 740	feet PR05A	Cross Slope (PAR)	4.0-5.0%		61	SF	\$40	<b>\$2,425</b>		
740 to 744	feet PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
744 to 754	feet PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>		
754 to 756	feet PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
756 to 758 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
758 to 760 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
760 to 764 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
764 to 766 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
766 to 778 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			52	SF	\$40	<b>\$2,078</b>	
778 to 784 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			26	SF	\$40	<b>\$1,039</b>	
784 to 792 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			35	SF	\$40	<b>\$1,386</b>	
792 to 798 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			26	SF	\$40	<b>\$1,039</b>	
795 to 819 feet		Driveway				101				
797 to 798 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF			
798 to 800 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
798 to 800 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>	
800 to 802 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
802 to 808 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			26	SF	\$40	<b>\$1,039</b>	
808 to 810 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
810 to 812 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
812 to 814 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
814 to 816 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
816 to 818 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
816 to 818 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
818 to 820 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
818 to 820 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
820 to 828 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>	
827 to 850 feet		Driveway				101				
828 to 829 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF			
828 to 830 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
828 to 830 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>	
830 to 832 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
830 to 832 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
832 to 836 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>	
836 to 838 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
838 to 842 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>	
842 to 844 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
844 to 848 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
848 to 850 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
850 to 852 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
852 to 858 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
858 to 860 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
860 to 862 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
862 to 866 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
866 to 872 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
872 to 874 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
874 to 876 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
876 to 880 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
880 to 884 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
884 to 886 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
886 to 890 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
890 to 892 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
892 to 894 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
894 to 896 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
896 to 900 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
900 to 904 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
904 to 924 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		87	SF	\$40	<b>\$3,464</b>	
922 to 945 feet		Driveway			100				
924 to 926 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
926 to 928 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
928 to 930 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
930 to 934 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
934 to 940 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>	
940 to 942 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
942 to 944 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
944 to 946 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
946 to 948 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
948 to 950 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
950 to 952 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
952 to 954 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
952 to 976 feet		Driveway			102				
954 to 956 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
954 to 956 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
956 to 958 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
958 to 962 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
962 to 974 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		52	SF	\$40	<b>\$2,078</b>	
974 to 976 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
974 to 976 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
976 to 978 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
980 to 982 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
982 to 984 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
984 to 986 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
986 to 992 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
992 to 996 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
996 to 998 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
998 to 1000 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
1000 to 1002 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
1002 to 1004 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
1004 to 1006 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
1006 to 1010 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
1010 to 1014 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
1015 to 1039 feet		Driveway			101				
1016 to 1018 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
1018 to 1020 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
1018 to 1020 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
1020 to 1022 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
1022 to 1024 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
1024 to 1032 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		35	SF	\$40	<b>\$1,386</b>	
1032 to 1036 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		17	SF	\$40	<b>\$693</b>	
1036 to 1038 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
1036 to 1038 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
1058 to 1062 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
1065 to 1066 feet	PR26B	<b>Vertical Change</b>	0.8"		4	SF	\$25	<b>\$108</b>	
1068 to 1071 feet	PR11A	Running Slope	5.0-6.0%		12	SF	\$40	<b>\$485</b>	

<b>TOTAL COST FOR:</b>	<b>N</b>	<i>side of</i> <b>SHORT ST</b>	<i>Starting at:</i> <b>EMPIRE ST</b>	<b>\$176,542.76</b>
------------------------	----------	--------------------------------	--------------------------------------	---------------------

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1318	<b>SHORT ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SHORT ST</b>													<b>\$176,542.76</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
3 to 4 feet	PR03A	Continuous Width	32" to power pole		4	SF	\$40	<b>\$160</b>	
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
18 to 38 feet		Driveway			81				
18 to 20 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
19 to 20 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
36 to 38 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
38 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		104	SF	\$40	<b>\$4,160</b>	
66 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
79 to 96 feet		Driveway			66				
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
80 to 81 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
84 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
108 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
124 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
132 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
134 to 136 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
136 to 142 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>	
140 to 156 feet		Driveway				64				
141 to 142 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>	
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>	
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
158 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
180 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>	
194 to 195 feet	PR03A	Continuous Width	32" to power pole			4	SF	\$40	<b>\$160</b>	
206 to 221 feet		Driveway				62				
207 to 208 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
220 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
282 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
306 to 322 feet		Driveway				66				
308 to 309 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF			
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
320 to 322 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
328 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
334 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
335 to 353 feet		Driveway			69				
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
336 to 337 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
338 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
340 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
346 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
350 to 352 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
350 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
352 to 354 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
358 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
362 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
400 to 401 feet	PR03A	Continuous Width	30" to power pole		4	SF	\$40	<b>\$160</b>	
402 to 404 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
439 to 455 feet		Driveway			63				
440 to 441 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
440 to 442 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
442 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
444 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
448 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
452 to 454 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
460 to 466 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
467 to 482 feet		Driveway				64			
468 to 470 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
468 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
468 to 469 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
472 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
476 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
480 to 482 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
486 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
502 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
530 to 548 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
552 to 553 feet	PR03A	Continuous Width	32" to power pole			4	SF	\$40	<b>\$160</b>
568 to 585 feet		Driveway				66			
569 to 570 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
570 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
572 to 574 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
574 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
576 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
582 to 584 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
586 to 596 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
598 to 600 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
610 to 625 feet		Driveway				62			
610 to 611 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
616 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
620 to 624 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>		
624 to 626 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF				
624 to 626 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
630 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
638 to 640 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
640 to 642 feet	PR05A	Cross Slope (PAR)	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
642 to 644 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
644 to 646 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
646 to 650 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
650 to 664 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>		
666 to 668 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of 14TH AVE Starting at: ALMOND ST</b>		<b>\$59,520.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$59,520.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1218	<b>FORUM DR</b>	883	<b>CLYDE DR</b>	1218	<b>PARKING LOT ENTRY</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>FORUM DR</b>	<i>Starting at:</i> <b>CLYDE DR</b>					<b>\$640.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1218	<b>FORUM DR</b>	883	<b>CLYDE DR</b>	1218	<b>PARKING LOT ENTRY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FORUM DR</b>													<b>\$640.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
10 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
29 to 53 feet		Driveway				102			
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>
30 to 31 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>
42 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>
50 to 52 feet	PR11AREF	Running Slope	8.0-9.0%			9	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>
52 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
58 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			61	SF	\$40	<b>\$2,425</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
74 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
80 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,386</b>
88 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
92 to 115 feet		Driveway				102			
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>
93 to 94 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
94 to 96 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
100 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
114 to 116 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
116 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
123 to 146 feet		Driveway			100				
124 to 125 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
124 to 126 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
126 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
132 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>	
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
146 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
152 to 154 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
154 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		78	SF	\$40	<b>\$3,118</b>	
172 to 174 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
174 to 176 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
176 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
180 to 184 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
184 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
194 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
198 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
204 to 206 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
206 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
214 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
219 to 242 feet		Driveway				101			
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>
224 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			35	SF	\$40	<b>\$1,386</b>
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>
236 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>
242 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
248 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
249 to 274 feet		Driveway				108			
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>
251 to 252 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>
262 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			35	SF	\$40	<b>\$1,386</b>
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>
274 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			17	SF	\$40	<b>\$693</b>
280 to 284 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
284 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
286 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
292 to 294 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
294 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
296 to 298 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
298 to 304 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
306 to 318 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			52	SF	\$40	<b>\$2,078</b>
318 to 320 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
320 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
326 to 328 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
328 to 344 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			69	SF	\$40	<b>\$2,771</b>	
344 to 346 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
344 to 367 feet		Driveway				99				
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
350 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			52	SF	\$40	<b>\$2,078</b>	
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>	
368 to 374 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>	
371 to 372 feet	PS24B	<b>Protruding Object</b>	65" to tree			4	JOB	\$75	<b>\$325</b>	
374 to 378 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
376 to 398 feet		Driveway				96				
377 to 378 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF			
378 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>	
380 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
382 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
384 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
390 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>	
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
396 to 398 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>	
398 to 406 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>	
406 to 408 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
408 to 416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>	
416 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
418 to 422 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
422 to 426 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
426 to 432 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>	
432 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
440 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			52	SF	\$40	<b>\$2,078</b>	
452 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
462 to 464	feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
464 to 466	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
466 to 468	feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
468 to 470	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
470 to 494	feet		Driveway				104				
472 to 474	feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
472 to 474	feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
474 to 476	feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
476 to 480	feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>	
480 to 484	feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>	
484 to 488	feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>	
488 to 492	feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			17	SF	\$40	<b>\$693</b>	
492 to 494	feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
492 to 494	feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>	
494 to 498	feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			17	SF	\$40	<b>\$693</b>	
498 to 502	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
502 to 525	feet		Driveway				100				
502 to 504	feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
504 to 506	feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
504 to 506	feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
506 to 508	feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
508 to 514	feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			26	SF	\$40	<b>\$1,039</b>	
514 to 516	feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
516 to 518	feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
518 to 522	feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			17	SF	\$40	<b>\$693</b>	
522 to 524	feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>	
524 to 526	feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
526 to 528	feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
530 to 534	feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
534 to 558	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			104	SF	\$40	<b>\$4,157</b>	
558 to 560	feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
560 to 582	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			95	SF	\$40	<b>\$3,810</b>	
582 to 584	feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
584 to 598	feet	PR05A	Cross Slope (PAR)	3.0-4.0%			61	SF	\$40	<b>\$2,425</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
596 to 620 feet		Driveway			100				
598 to 599 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
598 to 600 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
598 to 600 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
602 to 604 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
604 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		43	SF	\$40	<b>\$1,732</b>	
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
618 to 620 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
620 to 626 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
626 to 628 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
626 to 652 feet		Driveway			111				
628 to 630 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
629 to 630 feet	PS24B	<b>Protruding Object</b>	70" to tree		4	JOB	\$75	<b>\$325</b>	
630 to 632 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
632 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		35	SF	\$40	<b>\$1,386</b>	
640 to 644 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		17	SF	\$40	<b>\$693</b>	
644 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
648 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
650 to 652 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
650 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
652 to 668 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		69	SF	\$40	<b>\$2,771</b>	
668 to 670 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
670 to 674 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
674 to 680 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
680 to 682 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
682 to 684 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
684 to 686 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
686 to 688 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
688 to 692 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
692 to 714 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		95	SF	\$40	<b>\$3,810</b>	
714 to 716 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
S	1318	SHORT ST	1317	RAILROAD ST	146	EMPIRE ST			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
716 to 718 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$346
718 to 720 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$346
720 to 728 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	\$1,386
725 to 747 feet		Driveway				95			
728 to 730 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
728 to 730 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			9	SF	\$40	\$346
730 to 732 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			9	SF	\$40	\$346
732 to 738 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			26	SF	\$40	\$1,039
738 to 740 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			9	SF	\$40	\$346
740 to 742 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			9	SF	\$40	\$346
742 to 746 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			17	SF	\$40	\$693
744 to 746 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
746 to 748 feet	PR10A	Cross Slope (Driveway)	5.0-6.0%			9	SF	\$40	\$346
748 to 750 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$346
750 to 756 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	\$1,039
754 to 779 feet		Driveway				108			
756 to 757 feet	PR26BREF	Vertical Change	1.0"			4	REF		
756 to 758 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
756 to 758 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			9	SF	\$40	\$346
758 to 760 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			9	SF	\$40	\$346
760 to 762 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			9	SF	\$40	\$346
762 to 768 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			26	SF	\$40	\$1,039
768 to 774 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			26	SF	\$40	\$1,039
774 to 776 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			9	SF	\$40	\$346
776 to 778 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			9	SF	\$40	\$346
778 to 780 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			9	SF	\$40	\$346
780 to 782 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$346
782 to 792 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	\$1,732
792 to 794 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$346
794 to 802 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	\$1,386
802 to 804 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$346
804 to 808 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	\$693
808 to 814 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	\$1,039
822 to 830 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	\$1,386

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
832 to 838 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>		
838 to 846 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>		
846 to 848 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
848 to 850 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
849 to 873 feet		Driveway				105					
850 to 852 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
852 to 854 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
852 to 854 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>		
854 to 858 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>		
858 to 870 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			52	SF	\$40	<b>\$2,078</b>		
870 to 872 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>		
872 to 874 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
872 to 874 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
878 to 880 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
881 to 904 feet		Driveway				102					
882 to 884 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
882 to 883 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF				
884 to 886 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>		
886 to 888 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>		
888 to 890 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>		
890 to 896 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			26	SF	\$40	<b>\$1,039</b>		
896 to 898 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>		
898 to 902 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			17	SF	\$40	<b>\$693</b>		
902 to 904 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>		
904 to 906 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
906 to 920 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			61	SF	\$40	<b>\$2,425</b>		
920 to 922 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>		
922 to 924 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>		
924 to 926 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
926 to 930 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		
930 to 932 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
932 to 938 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>		
940 to 942 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>		
942 to 946 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
946 to 948 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
948 to 950 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
950 to 952 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
952 to 956 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
956 to 960 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
960 to 964 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
964 to 966 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
966 to 970 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
970 to 972 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
972 to 974 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
974 to 978 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
976 to 1000 feet		Driveway				101				
978 to 979 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF			
978 to 980 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
978 to 980 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
980 to 982 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
982 to 984 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
984 to 986 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
986 to 988 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
988 to 990 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
990 to 998 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			35	SF	\$40	<b>\$1,386</b>	
998 to 1000 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
998 to 1000 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$346</b>	
1000 to 1002 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
1002 to 1004 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
1004 to 1008 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>	
1007 to 1031 feet		Driveway				106				
1008 to 1010 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
1008 to 1010 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$346</b>	
1008 to 1009 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF			
1010 to 1012 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
1012 to 1014 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	
1014 to 1016 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$346</b>	
1016 to 1018 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
1018 to 1024	feet PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		26	SF	\$40	<b>\$1,039</b>		
1024 to 1026	feet PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
1026 to 1028	feet PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
1028 to 1030	feet PR11AREF	Running Slope	5.0-6.0%		9	REF				
1028 to 1030	feet PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>		
1030 to 1048	feet PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		78	SF	\$40	<b>\$3,118</b>		
1048 to 1050	feet PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
1050 to 1056	feet PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>		
1056 to 1058	feet PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
1058 to 1060	feet PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
1060 to 1062	feet PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
1062 to 1064	feet PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
1064 to 1066	feet PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>SHORT ST</b>	<i>Starting at:</i> <b>RAILROAD ST</b>				<b>\$180,431.10</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1318	<b>SHORT ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SHORT ST</b>													<b>\$180,431.10</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
10 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
24 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
32 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
36 to 59 feet		Driveway			99				
38 to 40 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
44 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
56 to 58 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
60 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
72 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
80 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
90 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
91 to 92 feet	PS24B	<b>Protruding Object</b>	64" to tree		4	JOB	\$75	<b>\$325</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
100 to 124 feet		Driveway			105				
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
101 to 102 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
102 to 104 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
120 to 122 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
122 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
129 to 154 feet		Driveway			104				
131 to 132 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
132 to 134 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
142 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
152 to 154 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
158 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
161 to 162 feet	PS24B	<b>Protruding Object</b>	62" to tree		4	JOB	\$75	<b>\$325</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
164 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
166 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
168 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,386</b>	
176 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
180 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
190 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
198 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		130	SF	\$40	<b>\$5,196</b>		
224 to 249 feet		Driveway			109					
228 to 230 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
230 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
234 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>		
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
250 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>		
257 to 280 feet		Driveway			100					
259 to 260 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF				
260 to 262 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>		
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
264 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		61	SF	\$40	<b>\$2,425</b>		
278 to 280 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>		
284 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
296 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
308 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
312 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>		
320 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		61	SF	\$40	<b>\$2,425</b>		
334 to 350 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		69	SF	\$40	<b>\$2,771</b>		
350 to 352 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
352 to 376 feet		Driveway			103					
352 to 354 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
354 to 356 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
354 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>		
356 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		43	SF	\$40	<b>\$1,732</b>		
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
376 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
380 to 382 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
382 to 405 feet		Driveway			102				
382 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
390 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		17	SF	\$40	<b>\$693</b>	
394 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		26	SF	\$40	<b>\$1,039</b>	
400 to 402 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
402 to 404 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
402 to 404 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
404 to 406 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
404 to 406 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
406 to 448 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		182	SF	\$40	<b>\$7,274</b>	
448 to 454 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
454 to 460 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
476 to 478 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
478 to 501 feet		Driveway			96				
480 to 481 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
480 to 482 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
484 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
486 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
490 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		26	SF	\$40	<b>\$1,039</b>	
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
500 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
502 to 508 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
508 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
509 to 533 feet		Driveway			103				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
510 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
510 to 511 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
514 to 520 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>	
520 to 522 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
522 to 524 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
524 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
528 to 532 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		17	SF	\$40	<b>\$693</b>	
532 to 552 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		87	SF	\$40	<b>\$3,464</b>	
552 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
554 to 574 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		87	SF	\$40	<b>\$3,464</b>	
574 to 580 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
580 to 582 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
582 to 584 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
584 to 590 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
590 to 598 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
598 to 600 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
600 to 602 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
602 to 604 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
604 to 608 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
605 to 628 feet		Driveway			97				
607 to 608 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
608 to 610 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
614 to 622 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>	
622 to 626 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		17	SF	\$40	<b>\$693</b>	
624 to 626 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
626 to 628 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
626 to 628 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
628 to 636 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
635 to 659 feet		Driveway			102				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
636 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
637 to 638 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
638 to 640 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
638 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
640 to 642 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
642 to 644 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
644 to 646 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
646 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
648 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		17	SF	\$40	<b>\$693</b>	
652 to 654 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
654 to 656 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
656 to 658 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
656 to 658 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
658 to 692 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		147	SF	\$40	<b>\$5,889</b>	
694 to 698 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
698 to 700 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
700 to 704 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
704 to 722 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		78	SF	\$40	<b>\$3,118</b>	
722 to 724 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
724 to 726 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
726 to 728 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
728 to 732 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
731 to 754 feet		Driveway			98				
732 to 734 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
734 to 736 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
734 to 736 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
736 to 738 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
738 to 740 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
740 to 742 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
742 to 750 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>	
750 to 752 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
750 to 752 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
752 to 754 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
754 to 758 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		17	SF	\$40	<b>\$693</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
758 to 762 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
761 to 786 feet		Driveway			107				
762 to 764 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
762 to 763 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
764 to 766 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
764 to 766 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
766 to 770 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>	
770 to 776 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>	
776 to 778 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
778 to 780 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
780 to 782 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
782 to 784 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
782 to 784 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
784 to 786 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
786 to 788 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
788 to 792 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
792 to 794 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
794 to 802 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
797 to 798 feet	PS24B	<b>Protruding Object</b>	57" to tree		4	JOB	\$75	<b>\$325</b>	
802 to 808 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
808 to 810 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
810 to 814 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
814 to 818 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
818 to 822 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
822 to 828 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
828 to 830 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
830 to 836 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
836 to 838 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
838 to 856 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		78	SF	\$40	<b>\$3,118</b>	
856 to 858 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
858 to 860 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
859 to 880 feet		Driveway			94				
860 to 861 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
860 to 862 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
860 to 862 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
862 to 876 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		61	SF	\$40	<b>\$2,425</b>	
876 to 878 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>	
878 to 880 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
878 to 880 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
880 to 886 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
886 to 888 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
888 to 890 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
888 to 911 feet		Driveway			97				
889 to 890 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
890 to 892 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
890 to 892 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
892 to 900 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		35	SF	\$40	<b>\$1,386</b>	
900 to 902 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
902 to 904 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
904 to 906 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>	
906 to 908 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
908 to 910 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
910 to 912 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
912 to 914 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
914 to 924 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
924 to 926 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
926 to 930 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
930 to 934 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
934 to 936 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
936 to 938 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
938 to 940 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
940 to 942 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
942 to 944 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
944 to 946 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
946 to 948 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
948 to 956 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>	
956 to 960 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
960 to 968 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
968 to 974 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>		
974 to 978 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>		
978 to 988 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>		
984 to 1007 feet		Driveway			99					
986 to 988 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
986 to 987 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF				
988 to 990 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
990 to 992 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$346</b>		
992 to 1000 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		35	SF	\$40	<b>\$1,386</b>		
1000 to 1002 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
1002 to 1006 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
1004 to 1006 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
1006 to 1008 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
1010 to 1012 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
1015 to 1038 feet		Driveway			101					
1016 to 1018 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
1016 to 1017 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF				
1018 to 1020 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
1018 to 1020 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>		
1020 to 1026 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		26	SF	\$40	<b>\$1,039</b>		
1026 to 1030 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		17	SF	\$40	<b>\$693</b>		
1030 to 1032 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>		
1032 to 1036 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		17	SF	\$40	<b>\$693</b>		
1036 to 1038 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>		
1038 to 1060 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		95	SF	\$40	<b>\$3,810</b>		
1060 to 1062 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>		
1062 to 1064 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
1064 to 1068 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>		
1068 to 1069 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		4	SF	\$40	<b>\$173</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<b>side of 6TH ST Starting at: EMPIRE ST</b>		<b>\$175,040.25</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	164	<b>6TH ST</b>	146	<b>EMPIRE ST</b>	1317	<b>RAILROAD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 6TH ST</b>													<b>\$175,040.25</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
14 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			104	SF	\$40	\$4,160		
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
46 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	\$3,200		
72 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			104	SF	\$40	\$4,160		
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
110 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	\$3,200		
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
134 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
136 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	\$1,920		
150 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	\$2,880		
167 to 190 feet		Driveway				94					
168 to 170 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
168 to 170 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			8	SF	\$40	\$320		
168 to 169 feet	PR26BREF	Vertical Change	1.2"			4	REF				
170 to 172 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			8	SF	\$40	\$320		
172 to 176 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			16	SF	\$40	\$640		
176 to 180 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			16	SF	\$40	\$640		
180 to 182 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			8	SF	\$40	\$320		
182 to 184 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			8	SF	\$40	\$320		
184 to 188 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			16	SF	\$40	\$640		
188 to 190 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF				
188 to 190 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			8	SF	\$40	\$320		
194 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	\$1,920		
208 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
209 to 236 feet		Driveway				108					
210 to 212 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			8	SF	\$40	\$320		
212 to 214 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
212 to 214 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			8	SF	\$40	\$320		
214 to 216 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			8	SF	\$40	\$320		
216 to 220 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			16	SF	\$40	\$640		
220 to 222 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			8	SF	\$40	\$320		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
222 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
226 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
232 to 234 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
238 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
248 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
258 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
264 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
268 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
282 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
292 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
298 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
316 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
322 to 341 feet		Driveway			75				
324 to 325 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
324 to 326 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
328 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
332 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
338 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
340 to 342 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
346 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
380 to 396 feet		Driveway			66				
380 to 382 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
380 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
381 to 382 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
382 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
384 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
390 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
392 to 394 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
398 to 400 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
400 to 402 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
402 to 404 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
403 to 404 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
408 to 410 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
410 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
429 to 430 feet	PS24B	<b>Protruding Object</b>	68" to tree			4	JOB	\$75	<b>\$300</b>
432 to 452 feet		Driveway				79			
432 to 434 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
433 to 434 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
436 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			32	SF	\$40	<b>\$1,280</b>
444 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
446 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
448 to 452 feet	PR11AREF	Running Slope	6.0-7.0%			16	REF		
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
454 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
460 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
468 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
486 to 498 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
498 to 513 feet		Driveway				60			
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
499 to 500 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
500 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
502 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
510 to 512 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
510 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
534 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
542 to 546 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
549 to 568 feet		Driveway				72			
551 to 552 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF		
552 to 554 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
552 to 554 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
554 to 556 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
556 to 560 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
560 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
564 to 566 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
566 to 568 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
566 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
568 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
581 to 601 feet		Driveway				77			
582 to 584 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
583 to 584 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
584 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
586 to 598 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			48	SF	\$40	<b>\$1,920</b>
598 to 600 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
598 to 600 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
616 to 618 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
636 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
644 to 646 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
671 to 687 feet		Driveway				64			
672 to 676 feet	PR11AREF	Running Slope	5.0-6.0%			16	REF		
673 to 674 feet	PR26BREF	<b>Vertical Change</b>	1.9"			4	REF		
674 to 676 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
676 to 678 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
678 to 682 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
682 to 684 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
684 to 686 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
684 to 686 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
686 to 688 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
686 to 688 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
688 to 690 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
696 to 698 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
701 to 726 feet		Driveway				98			
702 to 704 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
704 to 706 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
704 to 706 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
706 to 708 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
708 to 712 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
712 to 714 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
714 to 720 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
720 to 722 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
722 to 724 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
724 to 726 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
726 to 728 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
732 to 734 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
736 to 740 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
740 to 742 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
742 to 744 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
744 to 746 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
746 to 750 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
751 to 770 feet		Driveway				76			
752 to 753 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
752 to 754 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
752 to 754 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
754 to 758 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
758 to 760 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
760 to 762 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
762 to 764 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
764 to 768 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
768 to 770 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>				
784 to 790 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>				
788 to 806 feet		Driveway			75							
788 to 790 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF						
789 to 790 feet	PR26BREF	<b>Vertical Change</b>	1.7"		4	REF						
790 to 792 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>				
792 to 800 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		32	SF	\$40	<b>\$1,280</b>				
800 to 804 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		16	SF	\$40	<b>\$640</b>				
804 to 806 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF						
804 to 806 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>				
806 to 808 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>				
810 to 816 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>				
821 to 840 feet		Driveway			78							
822 to 824 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
824 to 826 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>				
826 to 830 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>				
830 to 836 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>				
836 to 838 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>				
838 to 840 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF						
838 to 840 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>				
840 to 844 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>				
844 to 846 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
846 to 876 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		120	SF	\$40	<b>\$4,800</b>				
900 to 902 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>				
902 to 904 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
904 to 906 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>				
906 to 908 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
908 to 910 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>				
910 to 914 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>				
914 to 915 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		4	SF	\$40	<b>\$160</b>				
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i>	<b>DAN DR</b>	<i>Starting at:</i>	<b>SEQUOIA DR</b>	<b>\$95,820.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>	367	<b>VISTA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>													<b>\$95,820.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	241	<b>FRONT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
5 to 50 feet		Driveway			310				
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		14	SF	\$40	<b>\$560</b>	
12 to 14 feet	PR11AREF	Running Slope	5.0-6.0%		14	REF			
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		14	SF	\$40	<b>\$560</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		14	SF	\$40	<b>\$560</b>	
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		14	SF	\$40	<b>\$560</b>	
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		14	SF	\$40	<b>\$560</b>	
22 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		28	SF	\$40	<b>\$1,120</b>	
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		14	SF	\$40	<b>\$560</b>	
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		14	SF	\$40	<b>\$560</b>	
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		14	SF	\$40	<b>\$560</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		14	SF	\$40	<b>\$560</b>	
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		28	SF	\$40	<b>\$1,120</b>	
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		14	SF	\$40	<b>\$560</b>	
40 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		28	SF	\$40	<b>\$1,120</b>	
44 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		28	SF	\$40	<b>\$1,120</b>	
48 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		42	SF	\$40	<b>\$1,680</b>	
52 to 53 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		7	REF			
54 to 58 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		28	SF	\$40	<b>\$1,120</b>	
55 to 56 feet	PR26BREF	<b>Vertical Change</b>	0.9"		7	REF			
58 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		28	SF	\$40	<b>\$1,120</b>	
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		14	SF	\$40	<b>\$560</b>	
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>	
66 to 68 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		14	SF	\$40	<b>\$560</b>	
68 to 70 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		14	SF	\$40	<b>\$560</b>	
69 to 70 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		7	REF			
70 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		14	SF	\$40	<b>\$560</b>	
72 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
74 to 78 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,120</b>	
78 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		56	SF	\$40	<b>\$2,240</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>	
88 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		28	SF	\$40	<b>\$1,120</b>	
92 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		42	SF	\$40	<b>\$1,680</b>	
93 to 118 feet		Driveway			178				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	241	<b>FRONT ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
100 to 102 feet	PR11AREF	Running Slope	6.0-7.0%			14	REF				
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			14	SF	\$40	<b>\$560</b>		
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	<b>\$560</b>		
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			14	SF	\$40	<b>\$560</b>		
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	<b>\$560</b>		
108 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			42	SF	\$40	<b>\$1,680</b>		
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	<b>\$560</b>		
116 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			56	SF	\$40	<b>\$2,240</b>		
122 to 124 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF				
123 to 124 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			7	REF				
124 to 126 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	<b>\$560</b>		
125 to 126 feet	PR26BREF	<b>Vertical Change</b>	1.0"			7	REF				
126 to 128 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>		
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>		
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>		
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>		
134 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			84	SF	\$40	<b>\$3,360</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>		
152 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>		
154 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>		
160 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>		
161 to 169 feet		Curb Ramp				55					
164 to 166 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	<b>\$560</b>		
166 to 168 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>		
168 to 170 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			14	SF	\$40	<b>\$560</b>		
170 to 172 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			14	SF	\$40	<b>\$560</b>		
172 to 174 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			14	SF	\$40	<b>\$560</b>		
173 to 174 feet	PR26BREF	<b>Vertical Change</b>	0.7"			7	REF				
174 to 182 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			56	SF	\$40	<b>\$2,240</b>		
182 to 186 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			28	SF	\$40	<b>\$1,120</b>		
186 to 188 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			14	SF	\$40	<b>\$560</b>		
188 to 194 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			42	SF	\$40	<b>\$1,680</b>		
194 to 202 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			56	SF	\$40	<b>\$2,240</b>		
202 to 204 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	<b>\$560</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	241	<b>FRONT ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
204 to 208 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			28	SF	\$40	\$1,120		
233 to 255 feet		Driveway				149					
240 to 242 feet	PR11AREF	Running Slope	7.0-8.0%			14	REF				
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			14	SF	\$40	\$560		
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			14	SF	\$40	\$560		
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			14	SF	\$40	\$560		
256 to 258 feet	PR11AREF	Running Slope	8.0-9.0%			14	REF				
256 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	\$560		
258 to 260 feet	PR11AREF	Running Slope	6.0-7.0%			14	REF				
258 to 260 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			14	SF	\$40	\$560		
260 to 261 feet	PR26BREF	<b>Vertical Change</b>	1.4"			7	REF				
260 to 284 feet		Driveway				165					
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	\$560		
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			14	SF	\$40	\$560		
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	\$560		
266 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			28	SF	\$40	\$1,120		
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			14	SF	\$40	\$560		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			14	SF	\$40	\$560		
274 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			28	SF	\$40	\$1,120		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			14	SF	\$40	\$560		
280 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			28	SF	\$40	\$1,120		
284 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			28	SF	\$40	\$1,120		
286 to 288 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF				
287 to 288 feet	PR26AREF	<b>Vertical Change</b>	-1.2"			7	REF				
288 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
289 to 308 feet		Driveway				139					
289 to 290 feet	PR26BREF	<b>Vertical Change</b>	1.4"			7	REF				
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			14	SF	\$40	\$560		
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			14	SF	\$40	\$560		
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			14	SF	\$40	\$560		
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			14	SF	\$40	\$560		
298 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			84	SF	\$40	\$3,360		
310 to 312 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			14	SF	\$40	\$560		
311 to 312 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			7	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	241	<b>FRONT ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
312 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			28	SF	\$40	\$1,120		
313 to 314 feet	PR26BREF	<b>Vertical Change</b>	1.1"			7	REF				
316 to 318 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	\$560		
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
332 to 334 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	\$560		
334 to 336 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	\$560		
336 to 338 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	\$560		
338 to 344 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			42	SF	\$40	\$1,680		
344 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	\$560		
346 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			28	SF	\$40	\$1,120		
352 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			42	SF	\$40	\$1,680		
356 to 376 feet		Driveway				143					
358 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			28	SF	\$40	\$1,120		
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			14	SF	\$40	\$560		
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			14	SF	\$40	\$560		
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			14	SF	\$40	\$560		
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			14	SF	\$40	\$560		
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			14	SF	\$40	\$560		
372 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			28	SF	\$40	\$1,120		
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			14	SF	\$40	\$560		
378 to 380 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			14	SF	\$40	\$560		
380 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			28	SF	\$40	\$1,120		
381 to 382 feet	PR26BREF	<b>Vertical Change</b>	1.3"			7	REF				
454 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
466 to 468 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
484 to 486 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
490 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560		
498 to 501 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$728		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of 14TH AVE</i>		<i>Starting at: LOCUST ST</i>				<b>\$88,648.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	241	<b>FRONT ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$88,648.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
10 to 25 feet		Driveway				57					
12 to 14 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF				
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
12 to 13 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF				
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
16 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>		
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
22 to 24 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
24 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
38 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
74 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
78 to 94 feet		Driveway				66					
80 to 81 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF				
80 to 82 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
82 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>		
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>		
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
92 to 94 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
100 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
110 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
136 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
142 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
152 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
158 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
162 to 164 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
164 to 166 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
164 to 166 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
164 to 184 feet		Driveway				80			
164 to 165 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
172 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
182 to 184 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
186 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
196 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>
197 to 198 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			4	REF		
214 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
218 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
226 to 246 feet		Driveway				79			
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
236 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
244 to 246 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
254 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
258 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
262 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
276 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
280 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
282 to 303 feet		Driveway				84			
284 to 286 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
286 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
296 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
300 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
302 to 304 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
304 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
315 to 334 feet		Driveway			78				
316 to 318 feet	PR11AREF	Running Slope	10.0-11.0%		8	REF			
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
316 to 317 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		8	SF	\$40	<b>\$320</b>	
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
322 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		40	SF	\$40	<b>\$1,600</b>	
332 to 334 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
344 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
373 to 390 feet		Driveway			68				
374 to 376 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
374 to 375 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
378 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		40	SF	\$40	<b>\$1,600</b>	
388 to 390 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
394 to 396 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
400 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
412 to 416 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
420 to 426 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
432 to 434 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
434 to 454 feet		Driveway			83				
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
434 to 435 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
438 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
442 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
448 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
452 to 454 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
454 to 462 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
462 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
470 to 472 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
472 to 474 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
474 to 476 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
476 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
484 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
492 to 498 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
498 to 502 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
502 to 504 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
504 to 506 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
506 to 508 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
508 to 510 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
548 to 552 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
558 to 560 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
560 to 578 feet		Driveway				74			
561 to 562 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
564 to 566 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
566 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
570 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
572 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
576 to 578 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
578 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
580 to 586 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
586 to 588 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
588 to 590 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
590 to 596 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>REDWOOD ST</b>	<i>Starting at:</i> <b>PARK ST</b>					<b>\$63,040.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	387	<b>REDWOOD ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: REDWOOD ST</b>													<b>\$63,040.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	250	<b>GRANT ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
2 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
16 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
26 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
61 to 79 feet		Driveway				70			
62 to 64 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
63 to 64 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
74 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
76 to 78 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
112 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
134 to 148 feet		Driveway				54			
136 to 137 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
136 to 138 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
140 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
146 to 148 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	250	<b>GRANT ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
156 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
193 to 211 feet		Driveway			70				
195 to 196 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
196 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		32	SF	\$40	<b>\$1,280</b>	
204 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
208 to 210 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
212 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
223 to 224 feet	PR04B	Continuous Width	30" to foliage		4	JOB	\$50	<b>\$200</b>	
224 to 226 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
224 to 241 feet		Driveway			68				
225 to 226 feet	PR26BREF	<b>Vertical Change</b>	1.7"		4	REF			
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
230 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
236 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
240 to 242 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
258 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
286 to 306 feet		Driveway			82				
288 to 289 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
288 to 290 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
290 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		56	SF	\$40	<b>\$2,240</b>	
304 to 306 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
332 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
354 to 369 feet		Driveway			60				
355 to 356 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
356 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
358 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,280</b>	
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	250	<b>GRANT ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
384 to 398 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>		
450 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
452 to 474 feet		Driveway			88					
452 to 454 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
452 to 453 feet	PR26BREF	<b>Vertical Change</b>	1.5"		4	REF				
454 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>		
460 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>		
464 to 468 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>		
468 to 470 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
468 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
470 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
482 to 484 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
484 to 503 feet		Driveway			75					
488 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>		
498 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>		
502 to 504 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF				
502 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
504 to 506 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
508 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
516 to 520 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
522 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
526 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
540 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
542 to 546 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
546 to 548 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
548 to 552 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
552 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
554 to 558 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of GRANT ST Starting at: PARK ST</b>		<b>\$43,720.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	250	<b>GRANT ST</b>	326	<b>PARK ST</b>	267	<b>HUME AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GRANT ST</b>													<b>\$43,720.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1216	<b>NORTH DR</b>	1217	<b>EAST DR</b>	872	<b>CAMPUS DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
6 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		87	SF	\$40	<b>\$3,464</b>	
26 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
30 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
40 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		121	SF	\$40	<b>\$4,850</b>	
68 to 76 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>	
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
80 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>	
88 to 90 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$346</b>	
89 to 123 feet		Driveway			149				
90 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
92 to 94 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
94 to 96 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
94 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		17	SF	\$40	<b>\$693</b>	
98 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		35	SF	\$40	<b>\$1,386</b>	
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		17	SF	\$40	<b>\$693</b>	
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$346</b>	
112 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		26	SF	\$40	<b>\$1,039</b>	
118 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		35	SF	\$40	<b>\$1,386</b>	
124 to 126 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
127 to 128 feet	PR26B	<b>Vertical Change</b>	1.0"		4	SF	\$25	<b>\$108</b>	
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
136 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
140 to 142 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
142 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
146 to 156 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		43	SF	\$40	<b>\$1,732</b>	
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
160 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
164 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
168 to 170 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
170 to 182 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		52	SF	\$40	<b>\$2,078</b>	
182 to 186 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
186 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1216	<b>NORTH DR</b>	1217	<b>EAST DR</b>	872	<b>CAMPUS DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
190 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,386</b>	
198 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
200 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
204 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,732</b>	
214 to 216 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
216 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
220 to 222 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
222 to 226 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
226 to 230 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
230 to 234 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
234 to 236 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
236 to 250 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		61	SF	\$40	<b>\$2,425</b>	
250 to 252 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
252 to 254 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
254 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
258 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
262 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
266 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
272 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		121	SF	\$40	<b>\$4,850</b>	
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
306 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
310 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
314 to 328 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		61	SF	\$40	<b>\$2,425</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
332 to 335 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$485</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>NORTH DR</b>		<i>Starting at:</i> <b>EAST DR</b>		<b>\$54,631.61</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1216	<b>NORTH DR</b>	1217	<b>EAST DR</b>	872	<b>CAMPUS DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: NORTH DR</b>													<b>\$54,631.61</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	323	<b>PALM CIR</b>	323	<b>PALM END</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
9 to 29 feet		Driveway			78				
10 to 12 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
10 to 11 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
12 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		8	SF	\$40	<b>\$320</b>	
20 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		16	SF	\$40	<b>\$640</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
26 to 28 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
40 to 41 feet	PR04B	Continuous Width	30" to hedge, vehicles		4	JOB	\$50	<b>\$200</b>	
52 to 68 feet		Driveway			63				
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
53 to 54 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
54 to 56 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
64 to 66 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
71 to 72 feet	PR26B	<b>Vertical Change</b>	0.6"		4	SF	\$25	<b>\$100</b>	
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
106 to 127 feet		Driveway			81				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	323	<b>PALM CIR</b>	323	<b>PALM END</b>	367	<b>VISTA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
108 to 109 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				
108 to 110 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>		
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>		
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>		
116 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			32	SF	\$40	<b>\$1,280</b>		
124 to 126 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
126 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
138 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
164 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
170 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
177 to 192 feet		Driveway				60					
178 to 180 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF				
178 to 179 feet	PR26BREF	<b>Vertical Change</b>	1.8"			4	REF				
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>		
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
190 to 192 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF				
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
199 to 200 feet	PR26A	<b>Vertical Change</b>	0.5"			4	LF	\$25	<b>\$100</b>		
207 to 226 feet		Driveway				80					
208 to 210 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF				
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
208 to 209 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF				
210 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>		
214 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			40	SF	\$40	<b>\$1,600</b>		
224 to 226 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF				
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
238 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	323	<b>PALM CIR</b>	323	<b>PALM END</b>	367	<b>VISTA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
262 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
263 to 264 feet	PR04B	Continuous Width	28" - 32" to hedge at corner			4	JOB	\$50	<b>\$200</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
268 to 270 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
270 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
274 to 276 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
276 to 278 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
278 to 280 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
280 to 282 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
284 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$272</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of PALM CIR</i>		<i>Starting at: PALM END</i>				<b>\$23,592.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	323	<b>PALM CIR</b>	323	<b>PALM END</b>	367	<b>VISTA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PALM CIR</b>													<b>\$23,592.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1317	<b>RAILROAD ST</b>	1317	<b>10670 RAILROAD</b>	1317	<b>10748 RAILROAD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
12 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
20 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
42 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			165	SF	\$40	<b>\$6,582</b>
82 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
90 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,386</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
102 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
114 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			87	SF	\$40	<b>\$3,464</b>
132 to 157 feet		Driveway				105			
134 to 135 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
134 to 136 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$346</b>
136 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			17	SF	\$40	<b>\$693</b>
140 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			17	SF	\$40	<b>\$693</b>
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$346</b>
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$346</b>
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>
152 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			17	SF	\$40	<b>\$693</b>
156 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			43	SF	\$40	<b>\$1,732</b>
166 to 174 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			35	SF	\$40	<b>\$1,386</b>
170 to 171 feet	PS24B	<b>Protruding Object</b>	62" to tree			4	JOB	\$75	<b>\$325</b>
174 to 178 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			17	SF	\$40	<b>\$693</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	1317	<b>RAILROAD ST</b>	1317	<b>10670 RAILROAD</b>	1317	<b>10748 RAILROAD</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
178 to 184 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			26	SF	\$40	<b>\$1,039</b>	
184 to 192 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			35	SF	\$40	<b>\$1,386</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			9	SF	\$40	<b>\$346</b>	
194 to 196 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$346</b>	
196 to 202 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			26	SF	\$40	<b>\$1,039</b>	
201 to 202 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF			
202 to 206 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			17	SF	\$40	<b>\$693</b>	
206 to 212 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			26	SF	\$40	<b>\$1,039</b>	
208 to 209 feet	PS24B	<b>Protruding Object</b>	48" to tree			4	JOB	\$75	<b>\$325</b>	
212 to 214 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>	
212 to 236 feet		Driveway				103				
213 to 214 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF			
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$346</b>	
216 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			43	SF	\$40	<b>\$1,732</b>	
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>	
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			9	SF	\$40	<b>\$346</b>	
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$346</b>	
232 to 234 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			9	SF	\$40	<b>\$346</b>	
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$346</b>	
236 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>	
242 to 248 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			26	SF	\$40	<b>\$1,039</b>	
248 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>	
258 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>	
264 to 280 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			69	SF	\$40	<b>\$2,771</b>	
280 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>	
282 to 294 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			52	SF	\$40	<b>\$2,078</b>	
294 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			61	SF	\$40	<b>\$2,425</b>	
308 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
312 to 316 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			17	SF	\$40	<b>\$693</b>	
316 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>	
318 to 343 feet		Driveway				111				
320 to 321 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF			
320 to 322 feet	PR11AREF	Running Slope	9.0-10.0%			9	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1317	<b>RAILROAD ST</b>	1317	<b>10670 RAILROAD</b>	1317	<b>10748 RAILROAD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	<b>\$346</b>	
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$346</b>	
324 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		26	SF	\$40	<b>\$1,039</b>	
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$346</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
334 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		26	SF	\$40	<b>\$1,039</b>	
340 to 342 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
344 to 350 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
349 to 350 feet	PS24B	<b>Protruding Object</b>	65" to tree		4	JOB	\$75	<b>\$325</b>	
350 to 354 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
354 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		69	SF	\$40	<b>\$2,771</b>	
370 to 372 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
372 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		26	SF	\$40	<b>\$1,039</b>	
378 to 382 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
382 to 386 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
383 to 384 feet	PS24B	<b>Protruding Object</b>	55" to tree		4	JOB	\$75	<b>\$325</b>	
386 to 398 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		52	SF	\$40	<b>\$2,078</b>	
398 to 402 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		17	SF	\$40	<b>\$693</b>	
402 to 408 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		26	SF	\$40	<b>\$1,039</b>	
408 to 426 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		78	SF	\$40	<b>\$3,118</b>	
426 to 430 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		17	SF	\$40	<b>\$693</b>	
428 to 452 feet		Driveway			105				
429 to 430 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
430 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$346</b>	
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$346</b>	
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$346</b>	
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
442 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		17	SF	\$40	<b>\$693</b>	
446 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$346</b>	
448 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$346</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	1317	<b>RAILROAD ST</b>	1317	<b>10670 RAILROAD</b>	1317	<b>10748 RAILROAD</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
450 to 452 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$346</b>		
452 to 462 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>		
462 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>		
466 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		113	SF	\$40	<b>\$4,503</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of RAILROAD ST Starting at: 10670 RAILROAD</b>		<b>\$85,127.80</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1317	<b>RAILROAD ST</b>	1317	<b>10670 RAILROAD</b>	1317	<b>10748 RAILROAD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: RAILROAD ST</b>													<b>\$85,127.80</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1274	<b>DANA CIR</b>	1274	<b>DANA END</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
6 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
10 to 11 feet	PR04B	Continuous Width	24" to shrub			4	JOB	\$50	<b>\$200</b>
12 to 13 feet	PR26AREF	<b>Vertical Change</b>	0.5"			4	REF		
12 to 54 feet		Driveway				168			
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
20 to 22 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
22 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
28 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			24	SF	\$40	<b>\$960</b>
34 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			56	SF	\$40	<b>\$2,240</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>
60 to 66 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			24	SF	\$40	<b>\$960</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
68 to 74 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			24	SF	\$40	<b>\$960</b>
71 to 116 feet		Driveway				177			
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
80 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
90 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
104 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			24	SF	\$40	<b>\$960</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1274	<b>DANA CIR</b>	1274	<b>DANA END</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
112 to 114 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
116 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		72	SF	\$40	<b>\$2,880</b>	
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
136 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
144 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
146 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
152 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
158 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
164 to 166 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
166 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
182 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
190 to 236 feet		Driveway			181				
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
196 to 198 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
196 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
200 to 202 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
202 to 204 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
204 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
206 to 210 feet	PR11AREF	Running Slope	6.0-7.0%		16	REF			
210 to 212 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
210 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
212 to 214 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
214 to 216 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	1274	<b>DANA CIR</b>	1274	<b>DANA END</b>	1325	<b>BERNARD DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
218 to 222 feet	PR11AREF	Running Slope	6.0-7.0%			16	REF			
218 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>	
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>	
226 to 228 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
226 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>	
228 to 230 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
230 to 232 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
232 to 234 feet	PR11AREF	Running Slope	13.0-14.0%			8	REF			
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
234 to 240 feet	PR11AREF	Running Slope	11.0-12.0%			24	REF			
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
238 to 240 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
240 to 242 feet	PR11AREF	Running Slope	12.0-13.0%			8	REF			
240 to 242 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
242 to 244 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF			
242 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
243 to 244 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF			
244 to 246 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
246 to 248 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
246 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
248 to 250 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF			
248 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
249 to 250 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			4	REF			
250 to 254 feet	PR11AREF	Running Slope	8.0-9.0%			16	REF			
250 to 254 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
254 to 256 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
254 to 258 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>	
256 to 258 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
258 to 260 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF			
258 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
260 to 262 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
262 to 264 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	1274	<b>DANA CIR</b>	1274	<b>DANA END</b>	1325	<b>BERNARD DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
262 to 263 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF				
264 to 266 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
264 to 265 feet	PR26AREF	<b>Vertical Change</b>	0.5"			4	REF				
266 to 268 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
268 to 270 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
270 to 274 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			16	SF	\$40	<b>\$640</b>		
274 to 276 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
276 to 278 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
276 to 277 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			4	REF				
280 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
282 to 284 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
284 to 286 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
286 to 288 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
288 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
290 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
296 to 297 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			5	SF	\$40	<b>\$208</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>DANA CIR</b>		<i>Starting at:</i> <b>DANA END</b>				<b>\$47,448.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1274	<b>DANA CIR</b>	1274	<b>DANA END</b>	1325	<b>BERNARD DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DANA CIR</b>													<b>\$47,448.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
38 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
44 to 67 feet		Driveway				90			
46 to 48 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
50 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
62 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
64 to 66 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
70 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
80 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
108 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
114 to 127 feet		Driveway				51			
116 to 117 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
116 to 118 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
118 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
126 to 128 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
140 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
166 to 185 feet		Driveway			76				
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
168 to 170 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
170 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
182 to 184 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
216 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
226 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
231 to 246 feet		Driveway			60				
233 to 234 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
234 to 236 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
238 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
244 to 246 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
250 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
264 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
270 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
274 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
278 to 280 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
280 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
284 to 305 feet		Driveway			85				
286 to 287 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
286 to 288 feet	PR11AREF	Running Slope	10.0-11.0%		8	REF			
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
288 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		32	SF	\$40	<b>\$1,280</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
298 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
310 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
314 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
316 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
317 to 335 feet		Driveway			70				
318 to 320 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
319 to 320 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
320 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
326 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
334 to 336 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
334 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
336 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
340 to 342 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
342 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
376 to 378 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
376 to 377 feet	PR26B	<b>Vertical Change</b>	1.4"		4	SF	\$25	<b>\$100</b>	
376 to 390 feet		Driveway			55				
378 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
382 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
388 to 390 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
394 to 398 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
437 to 456 feet		Driveway			77				
438 to 440 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
438 to 439 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
442 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
446 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
454 to 456 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
496 to 512 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>	
514 to 516 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
518 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
523 to 543 feet		Driveway			80				
524 to 526 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
525 to 526 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
528 to 532 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
532 to 540 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		32	SF	\$40	<b>\$1,280</b>	
540 to 542 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
540 to 542 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
542 to 544 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
546 to 548 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
559 to 577 feet		Driveway			73				
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
564 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
570 to 574 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
574 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
576 to 578 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
578 to 580 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
580 to 582 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
582 to 590 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
635 to 650 feet		Driveway			60				
636 to 638 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
636 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
636 to 637 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
638 to 642 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
642 to 644 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
644 to 646 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
646 to 648 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
646 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
648 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>GRANT ST</b>	<i>Starting at:</i> <b>HUME AVE</b>					<b>\$61,540.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	250	<b>GRANT ST</b>	267	<b>HUME AVE</b>	326	<b>PARK ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GRANT ST</b>													<b>\$61,540.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	413	<b>PIMO ST</b>	339	<b>RANDALL CIR</b>	204	<b>CORNELIA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
6 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
12 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
24 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
34 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
52 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
54 to 75 feet		Driveway				83			
54 to 56 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
55 to 56 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
62 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
72 to 74 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
76 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
84 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
96 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
106 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
109 to 127 feet		Driveway				70			
110 to 112 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
111 to 112 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
112 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
116 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
120 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
124 to 126 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
128 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
142 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	413	<b>PIMO ST</b>	339	<b>RANDALL CIR</b>	204	<b>CORNELIA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
200 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280		
210 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
230 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	\$2,240		
240 to 267 feet		Driveway				107					
242 to 244 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF				
242 to 243 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	\$320		
246 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			56	SF	\$40	\$2,240		
260 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	\$640		
264 to 266 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	\$320		
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	\$320		
268 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640		
276 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
282 to 302 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			80	SF	\$40	\$3,200		
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
304 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
308 to 310 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
310 to 324 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			56	SF	\$40	\$2,240		
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
326 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
328 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
330 to 332 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320		
332 to 334 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
334 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
336 to 340 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	\$640		
340 to 344 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	\$640		
344 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
346 to 352 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
352 to 354 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
353 to 378 feet		Driveway				102					
353 to 354 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	413	<b>PIMO ST</b>	339	<b>RANDALL CIR</b>	204	<b>CORNELIA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
354 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
356 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
358 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		24	SF	\$40	<b>\$960</b>	
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
366 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>	
370 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
378 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
382 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
384 to 390 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
390 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
402 to 404 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
414 to 416 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
456 to 482 feet		Driveway			104				
457 to 458 feet	PR26BREF	<b>Vertical Change</b>	1.2"		4	REF			
458 to 460 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
458 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
460 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
464 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
472 to 474 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
474 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
476 to 478 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
478 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
480 to 482 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
484 to 486 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
486 to 488 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
488 to 494 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
492 to 508 feet		Driveway			64				
493 to 494 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
494 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	413	<b>PIMO ST</b>	339	<b>RANDALL CIR</b>	204	<b>CORNELIA DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>		
500 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>		
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>		
508 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		24	SF	\$40	<b>\$960</b>		
514 to 516 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
516 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>		
521 to 522 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		4	REF				
524 to 530 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		24	SF	\$40	<b>\$960</b>		
530 to 534 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
534 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
542 to 548 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>		
548 to 552 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
554 to 558 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
558 to 560 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
560 to 564 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>		
564 to 566 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
566 to 568 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
568 to 570 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
570 to 572 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
572 to 576 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
576 to 578 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$288</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<b>side of PIMO ST Starting at: RANDALL CIR</b>		<b>\$66,208.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	413	<b>PIMO ST</b>	339	<b>RANDALL CIR</b>	204	<b>CORNELIA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PIMO ST</b>													<b>\$66,208.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
2 to 4 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
4 to 6 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
6 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
8 to 9 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			6	REF		
8 to 10 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$440</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
12 to 14 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
12 to 14 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>
14 to 15 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF		
14 to 16 feet	PR11AREF	Running Slope	10.0-11.0%			11	REF		
14 to 16 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$440</b>
17 to 18 feet	PR26AREF	<b>Vertical Change</b>	-1.3"			6	REF		
18 to 20 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
21 to 22 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF		
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
23 to 61 feet		Driveway				208			
24 to 26 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
26 to 30 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			11	SF	\$40	<b>\$440</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
32 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>
40 to 42 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
40 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
94 to 96 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
94 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
112 to 114 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
118 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
136 to 140 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			22	SF	\$40	<b>\$880</b>
140 to 142 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>
142 to 144 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
142 to 144 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
144 to 146 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			11	SF	\$40	<b>\$440</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
154 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
156 to 202 feet		Driveway				252			
158 to 160 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
160 to 162 feet	PR11AREF	Running Slope	8.0-9.0%			11	REF		
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			11	SF	\$40	<b>\$440</b>
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
168 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
178 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
186 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
194 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
206 to 208 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
208 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
218 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
222 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
230 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
231 to 232 feet	PR03A	Continuous Width	28" to FH			6	SF	\$40	<b>\$220</b>
238 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
240 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
244 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
248 to 250 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
250 to 252 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
254 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
258 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
260 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
270 to 272 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
272 to 278 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
278 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
286 to 288 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
288 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
292 to 300 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
300 to 302 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
302 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
308 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
312 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
328 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
331 to 370 feet		Driveway				217			
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
334 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
338 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
342 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
350 to 354 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
354 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
364 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			22	SF	\$40	<b>\$880</b>
366 to 368 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
368 to 370 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
384 to 392 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
394 to 395 feet	PR26B	<b>Vertical Change</b>	-0.7"			6	SF	\$25	<b>\$138</b>
398 to 400 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
398 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
410 to 414 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
412 to 416 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
414 to 416 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
416 to 420 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
420 to 422 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
422 to 424 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
424 to 426 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
426 to 430 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
430 to 440 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
442 to 444 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
444 to 450 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
450 to 452 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
450 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>
458 to 460 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
462 to 464 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
462 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
464 to 468 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
466 to 470 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
468 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>
472 to 474 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
479 to 531 feet		Driveway				283			
480 to 482 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
484 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
486 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			22	SF	\$40	<b>\$880</b>
488 to 490 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
492 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			22	SF	\$40	<b>\$880</b>
496 to 502 feet	PR11AREF	Running Slope	5.0-6.0%			33	REF		
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			11	SF	\$40	<b>\$440</b>
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			11	SF	\$40	<b>\$440</b>
500 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			22	SF	\$40	<b>\$880</b>
504 to 506 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
504 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			22	SF	\$40	<b>\$880</b>
506 to 508 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
508 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			22	SF	\$40	<b>\$880</b>
510 to 512 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			11	SF	\$40	<b>\$440</b>
514 to 516 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
514 to 516 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			11	SF	\$40	<b>\$440</b>
516 to 520 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			22	SF	\$40	<b>\$880</b>
520 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			33	SF	\$40	<b>\$1,320</b>
524 to 526 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
526 to 528 feet	PR11AREF	Running Slope	8.0-9.0%			11	REF		
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
528 to 530 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
530 to 534 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
532 to 534 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
534 to 536 feet	PR05A	Cross Slope (PAR)	12.0-13.0%			11	SF	\$40	<b>\$440</b>
535 to 536 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			6	REF		
536 to 538 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
538 to 540 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
540 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
542 to 548 feet	PR11AREF	Running Slope	5.0-6.0%			33	REF		
548 to 549 feet	PR26A	<b>Vertical Change</b>	0.5"			6	LF	\$25	<b>\$138</b>
550 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
552 to 554 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
556 to 560 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
556 to 560 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
564 to 566 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
566 to 570 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
570 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
572 to 575 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$638</b>
<b>TOTAL COST FOR: S-W side of BERNARD DR Starting at: HWY 41 NB OFFRAMP</b>									<b>\$109,813.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S-W</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	370	<b>WARD DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>									<b>\$109,813.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	166	<b>ALLEN WY</b>	169	<b>ALVIN ST</b>	237	<b>FLORA WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
8 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
28 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
32 to 54 feet		Driveway			120				
33 to 34 feet	PR26BREF	<b>Vertical Change</b>	0.6"		6	REF			
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
36 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		77	SF	\$40	<b>\$3,080</b>	
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
52 to 54 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
56 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
60 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
64 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
65 to 88 feet		Driveway			125				
66 to 68 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
66 to 67 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF			
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
80 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		33	SF	\$40	<b>\$1,320</b>	
86 to 88 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
88 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
100 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	<b>\$2,200</b>	
110 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
122 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		88	SF	\$40	<b>\$3,520</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	166	<b>ALLEN WY</b>	169	<b>ALVIN ST</b>	237	<b>FLORA WAY</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
140 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>	
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
148 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
151 to 173 feet		Driveway				120				
151 to 152 feet	PR26BREF	<b>Vertical Change</b>	0.8"			6	REF			
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
154 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>	
160 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>	
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>	
168 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>	
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
174 to 176 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
176 to 178 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
182 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
185 to 186 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF			
185 to 207 feet		Driveway				124				
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>	
190 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>	
196 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>	
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
210 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>	
218 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
220 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
228 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>	
242 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>	
252 to 266 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			77	SF	\$40	<b>\$3,080</b>	
254 to 255 feet	PS24B	<b>Protruding Object</b>	36" to tree			6	JOB	\$75	<b>\$413</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	166	<b>ALLEN WY</b>	169	<b>ALVIN ST</b>	237	<b>FLORA WAY</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
266 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
271 to 272 feet	PR26BREF	<b>Vertical Change</b>	1.0"		6	REF				
271 to 293 feet		Driveway			123					
272 to 274 feet	PR11AREF	Running Slope	7.0-8.0%		11	REF				
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
274 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
280 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		44	SF	\$40	<b>\$1,760</b>		
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>		
292 to 294 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF				
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
298 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
304 to 327 feet		Driveway			129					
304 to 305 feet	PR26BREF	<b>Vertical Change</b>	0.7"		6	REF				
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
310 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>		
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
316 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>		
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>		
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
354 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
362 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
386 to 396 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>		
393 to 418 feet		Driveway			135					
396 to 398 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF				
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
398 to 414 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		88	SF	\$40	<b>\$3,520</b>		
414 to 416 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>		
416 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
424 to 432 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	166	<b>ALLEN WY</b>	169	<b>ALVIN ST</b>	237	<b>FLORA WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
430 to 452 feet		Driveway				121			
430 to 431 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF		
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
442 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
444 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
446 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
450 to 452 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
458 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
480 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
486 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
526 to 528 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
528 to 534 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
534 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
542 to 544 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
544 to 548 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
550 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
556 to 558 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
558 to 584 feet		Driveway				145			
559 to 560 feet	PR26BREF	<b>Vertical Change</b>	0.8"			6	REF		
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
564 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
570 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
572 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			44	SF	\$40	<b>\$1,760</b>
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
584 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
586 to 592 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
590 to 615 feet		Driveway				138			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	166	<b>ALLEN WY</b>	169	<b>ALVIN ST</b>	237	<b>FLORA WAY</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total			
591 to 592 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF					
592 to 594 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>			
594 to 600 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		33	SF	\$40	<b>\$1,320</b>			
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>			
602 to 604 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>			
604 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		11	SF	\$40	<b>\$440</b>			
606 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		22	SF	\$40	<b>\$880</b>			
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>			
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>			
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>			
618 to 622 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>			
624 to 630 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>			
630 to 632 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>			
634 to 636 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>			
636 to 642 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>			
648 to 650 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>			
656 to 657 feet	PR11A	Running Slope	5.0-6.0%		6	SF	\$40	<b>\$242</b>			
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of ALLEN WY</i>		<i>Starting at: ALVIN ST</i>		<b>\$111,094.50</b>				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
6 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
12 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
19 to 48 feet		Driveway				157			
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
22 to 24 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
34 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
40 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
44 to 46 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
50 to 54 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
58 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
70 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
80 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
85 to 112 feet		Driveway				149			
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
92 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
100 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
112 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
116 to 144 feet		Driveway				156			
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
118 to 120 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
120 to 122 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
122 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
126 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	<b>\$1,320</b>
132 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>
140 to 144 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
156 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			132	SF	\$40	<b>\$5,280</b>
180 to 203 feet		Driveway				127			
180 to 182 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
181 to 182 feet	PR26BREF	<b>Vertical Change</b>	0.9"			6	REF		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
192 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>
200 to 202 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
202 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
218 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
272 to 295 feet		Driveway			127				
272 to 273 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF			
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
278 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		77	SF	\$40	<b>\$3,080</b>	
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
294 to 296 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
308 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
312 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
316 to 330 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		77	SF	\$40	<b>\$3,080</b>	
330 to 352 feet		Driveway			121				
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
334 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
338 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		22	SF	\$40	<b>\$880</b>	
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
346 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
350 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
352 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
356 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
368 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
372 to 390 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		99	SF	\$40	<b>\$3,960</b>	
393 to 427 feet		Driveway			185				
395 to 396 feet	PR26BREF	<b>Vertical Change</b>	1.0"		6	REF			
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
400 to 402 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
402 to 404 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
404 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
412 to 414 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
414 to 416 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
416 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
418 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
426 to 430 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
428 to 430 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
430 to 432 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
431 to 432 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			6	REF		
432 to 436 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			22	SF	\$40	<b>\$880</b>
436 to 442 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
442 to 444 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$440</b>
444 to 448 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			22	SF	\$40	<b>\$880</b>
447 to 448 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			6	REF		
448 to 450 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
448 to 450 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
450 to 472 feet		Driveway				123			
450 to 451 feet	PR26BREF	<b>Vertical Change</b>	1.1"			6	REF		
464 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
484 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
492 to 496 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
496 to 498 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
498 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
513 to 536 feet		Driveway				125			
513 to 514 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF		
514 to 516 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
516 to 518 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
518 to 520 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
520 to 524 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
524 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
528 to 532 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
532 to 534 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
534 to 536 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
536 to 538 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
540 to 542 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
542 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
547 to 569 feet		Driveway			122				
550 to 552 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
550 to 552 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
552 to 554 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
554 to 556 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
556 to 560 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
564 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
568 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
570 to 582 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
582 to 588 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
588 to 590 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
590 to 592 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
592 to 594 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
594 to 598 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
598 to 602 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
602 to 610 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
610 to 614 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
614 to 620 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
620 to 624 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
624 to 626 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
626 to 634 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
633 to 634 feet	PR26BREF	<b>Vertical Change</b>	0.9"		6	REF			
633 to 656 feet		Driveway			127				
634 to 636 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
634 to 636 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
636 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
640 to 642 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
642 to 644 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	166	<b>ALEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
644 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>	
652 to 654 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
654 to 656 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
656 to 658 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
660 to 662 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
666 to 690 feet		Driveway				129				
668 to 669 feet	PR26BREF	<b>Vertical Change</b>	0.8"			6	REF			
668 to 670 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
668 to 670 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
670 to 686 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			88	SF	\$40	<b>\$3,520</b>	
686 to 688 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
688 to 690 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
690 to 694 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
696 to 700 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
700 to 702 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
702 to 706 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
706 to 716 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>	
716 to 718 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ALEN WY</b>	<i>Starting at:</i> <b>ADA ST</b>					<b>\$130,240.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALLEN WY</b>													<b>\$241,334.50</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	268	<b>HUME CIR</b>	267	<b>HUME AVE</b>	268	<b>HUME END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
33 to 51 feet		Driveway				76				
34 to 35 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
34 to 36 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
36 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>	
46 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>	
48 to 50 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
64 to 65 feet	PR04B	Continuous Width				4	JOB	\$50	<b>\$200</b>	
82 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
95 to 115 feet		Driveway				82				
96 to 97 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF			
96 to 98 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
100 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>	
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
106 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			24	SF	\$40	<b>\$960</b>	
112 to 114 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
161 to 188 feet		Driveway				108				
162 to 163 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
162 to 164 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>	
170 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			32	SF	\$40	<b>\$1,280</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
180 to 182 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
206 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
208 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	268	<b>HUME CIR</b>	267	<b>HUME AVE</b>	268	<b>HUME END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
212 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
216 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
239 to 258 feet		Driveway			78				
240 to 242 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
240 to 241 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
254 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
256 to 258 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
276 to 292 feet		Driveway			63				
278 to 279 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
278 to 280 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
282 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
293 to 294 feet	PR26A	<b>Vertical Change</b>	0.5"		4	LF	\$25	<b>\$100</b>	
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
305 to 321 feet		Driveway			64				
306 to 310 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
318 to 320 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	268	<b>HUME CIR</b>	267	<b>HUME AVE</b>	268	<b>HUME END</b>								
<b>TOTAL COST FOR:</b>													<b>\$20,460.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	268	<b>HUME CIR</b>	267	<b>HUME AVE</b>	268	<b>HUME END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME CIR</b>													<b>\$20,460.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	326	<b>PARK ST</b>	250	<b>GRANT ST</b>	387	<b>REDWOOD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
28 to 45 feet		Driveway				71			
29 to 30 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
44 to 46 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
52 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
63 to 78 feet		Driveway				58			
64 to 66 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
64 to 65 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
70 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
90 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
104 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
129 to 150 feet		Driveway				80			
132 to 134 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
134 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
138 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			32	SF	\$40	<b>\$1,280</b>
146 to 148 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
148 to 150 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	326	<b>PARK ST</b>	250	<b>GRANT ST</b>	387	<b>REDWOOD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
220 to 238 feet		Driveway			70				
222 to 223 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
222 to 224 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
228 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
232 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
236 to 238 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
276 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
282 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
286 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
286 to 299 feet		Driveway			52				
288 to 289 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
288 to 290 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
290 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
298 to 300 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
298 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
302 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
316 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>	
334 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
340 to 342 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
340 to 342 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
340 to 357 feet		Driveway			68				
340 to 341 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
344 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
350 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	326	<b>PARK ST</b>	250	<b>GRANT ST</b>	387	<b>REDWOOD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
352 to 354 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
354 to 356 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
354 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
356 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
372 to 388 feet		Driveway			67				
373 to 374 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
376 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		16	SF	\$40	<b>\$640</b>	
380 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
384 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
386 to 388 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
429 to 442 feet		Driveway			53				
430 to 432 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
430 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
430 to 431 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
432 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
440 to 442 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
452 to 466 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
468 to 476 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
476 to 478 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
478 to 488 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
488 to 490 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
490 to 508 feet		Driveway			72				
491 to 492 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
498 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
506 to 508 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	326	<b>PARK ST</b>	250	<b>GRANT ST</b>	387	<b>REDWOOD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
510 to 516 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>	
516 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
522 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
524 to 528 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
532 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
534 to 536 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
536 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
566 to 585 feet		Driveway				73				
568 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
568 to 569 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF			
570 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
572 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
578 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>	
582 to 584 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
584 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
590 to 592 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
592 to 611 feet		Driveway				76				
594 to 596 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
594 to 596 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
594 to 595 feet	PR26BREF	<b>Vertical Change</b>	1.9"			4	REF			
596 to 598 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
598 to 600 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
602 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>	
606 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>	
608 to 610 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
610 to 612 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>PARK ST</b>	<i>Starting at:</i> <b>GRANT ST</b>	<b>\$51,520.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	326	<b>PARK ST</b>	250	<b>GRANT ST</b>	387	<b>REDWOOD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: <b>PARK ST</b></b>													<b>\$51,520.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,558</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
27 to 28 feet	PS24B	<b>Protruding Object</b>	60" to tree			5	JOB	\$75	<b>\$400</b>
29 to 56 feet		Driveway				143			
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
31 to 32 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
34 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			32	SF	\$40	<b>\$1,279</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$426</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
48 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	<b>\$1,279</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$426</b>
61 to 87 feet		Driveway				140			
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$426</b>
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$426</b>
66 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			96	SF	\$40	<b>\$3,838</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
132 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			53	SF	\$40	<b>\$2,132</b>
142 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
149 to 150 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
150 to 152 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
150 to 152 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$426</b>
151 to 152 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			5	REF		
152 to 158 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			32	SF	\$40	<b>\$1,279</b>
152 to 174 feet		Driveway				114			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
158 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			32	SF	\$40	<b>\$1,279</b>		
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>		
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$853</b>		
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>		
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>		
174 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			43	SF	\$40	<b>\$1,706</b>		
181 to 207 feet		Driveway				137					
182 to 183 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF				
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>		
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>		
186 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			32	SF	\$40	<b>\$1,279</b>		
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			21	SF	\$40	<b>\$853</b>		
196 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>		
200 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			21	SF	\$40	<b>\$853</b>		
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>		
206 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			21	SF	\$40	<b>\$853</b>		
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>		
212 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>		
220 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>		
222 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,279</b>		
230 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>		
237 to 263 feet		Driveway				139					
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>		
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>		
244 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	<b>\$1,279</b>		
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>		
252 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			43	SF	\$40	<b>\$1,706</b>		
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$426</b>		
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$426</b>		
320 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			75	SF	\$40	<b>\$2,985</b>		
333 to 359 feet		Driveway				140					
336 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			21	SF	\$40	<b>\$853</b>		
340 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			32	SF	\$40	<b>\$1,279</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
348 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		53	SF	\$40	<b>\$2,132</b>	
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
367 to 393 feet		Driveway			138				
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
368 to 369 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF			
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
372 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		43	SF	\$40	<b>\$1,706</b>	
380 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		53	SF	\$40	<b>\$2,132</b>	
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
392 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		192	SF	\$40	<b>\$7,675</b>	
434 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
438 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
451 to 476 feet		Driveway			137				
452 to 453 feet	PR26BREF	<b>Vertical Change</b>	0.7"		5	REF			
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
454 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		21	SF	\$40	<b>\$853</b>	
458 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		75	SF	\$40	<b>\$2,985</b>	
472 to 474 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
474 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
520 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>	
552 to 562 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		53	SF	\$40	<b>\$2,132</b>	
561 to 588 feet		Driveway			142				
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
563 to 564 feet	PR26BREF	<b>Vertical Change</b>	0.8"		5	REF			
564 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		21	SF	\$40	<b>\$853</b>	
568 to 570 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
570 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		53	SF	\$40	<b>\$2,132</b>	
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$426</b>	
582 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		21	SF	\$40	<b>\$853</b>	
586 to 588 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
586 to 588 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
588 to 596 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>	
594 to 619 feet		Driveway			134				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
594 to 595 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF			
596 to 598 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
598 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		53	SF	\$40	<b>\$2,132</b>	
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$426</b>	
610 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,279</b>	
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
620 to 622 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
642 to 648 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>	
648 to 650 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
650 to 652 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
652 to 656 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		21	SF	\$40	<b>\$853</b>	
656 to 670 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		75	SF	\$40	<b>\$2,985</b>	
672 to 676 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>	
676 to 678 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
678 to 680 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
681 to 707 feet		Driveway			136				
682 to 684 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
684 to 686 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
686 to 692 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,279</b>	
692 to 694 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
694 to 702 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		43	SF	\$40	<b>\$1,706</b>	
702 to 704 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$426</b>	
704 to 706 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
706 to 708 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
708 to 710 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
710 to 712 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
712 to 714 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
713 to 739 feet		Driveway			143				
714 to 716 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
716 to 718 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
718 to 736 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		96	SF	\$40	<b>\$3,838</b>	
736 to 738 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
738 to 740 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
738 to 740 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
740 to 746 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>	
769 to 770 feet	PR26B	<b>Vertical Change</b>	-0.6"		5	SF	\$25	<b>\$133</b>	
770 to 782 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,558</b>	
784 to 808 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		128	SF	\$40	<b>\$5,117</b>	
810 to 818 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>	
822 to 824 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
826 to 854 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		149	SF	\$40	<b>\$5,970</b>	
854 to 856 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
858 to 874 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		85	SF	\$40	<b>\$3,411</b>	
874 to 881 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,407</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>ADA ST</b>	<i>Starting at:</i> <b>LYN ST</b>				<b>\$128,154.52</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$128,154.52</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
12 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
28 to 51 feet		Driveway				104			
30 to 31 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
30 to 32 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
32 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
38 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			27	SF	\$40	<b>\$1,080</b>
44 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			18	SF	\$40	<b>\$720</b>
48 to 50 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
60 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
78 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
82 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
92 to 116 feet		Driveway			105				
94 to 95 feet	PR26BREF	<b>Vertical Change</b>	1.0"		5	REF			
94 to 96 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	\$360	
96 to 98 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		18	SF	\$40	\$720	
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	\$360	
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	\$360	
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	\$360	
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	\$360	
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	\$360	
110 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		18	SF	\$40	\$720	
114 to 116 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	\$360	
116 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		27	SF	\$40	\$1,080	
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
123 to 145 feet		Driveway			99				
124 to 125 feet	PR26BREF	<b>Vertical Change</b>	1.0"		5	REF			
124 to 128 feet	PR11AREF	Running Slope	5.0-6.0%		18	REF			
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	\$360	
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	\$360	
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	\$360	
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	\$360	
132 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	\$1,080	
138 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		18	SF	\$40	\$720	
142 to 144 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	\$360	
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	\$360	
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
148 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	\$360	
150 to 156 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		27	SF	\$40	\$1,080	
156 to 158 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		9	SF	\$40	\$360	
158 to 166 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		36	SF	\$40	\$1,440	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
166 to 174 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			36	SF	\$40	<b>\$1,440</b>	
174 to 178 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>	
178 to 182 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
182 to 186 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>	
186 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
198 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>	
206 to 208 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
208 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>	
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
216 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>	
218 to 243 feet		Driveway				110				
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>	
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>	
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>	
228 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			45	SF	\$40	<b>\$1,800</b>	
238 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>	
240 to 242 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
242 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
246 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
249 to 272 feet		Driveway				105				
252 to 254 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>	
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>	
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>	
258 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			27	SF	\$40	<b>\$1,080</b>	
264 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			18	SF	\$40	<b>\$720</b>	
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>	
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
274 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>	
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
292 to 304 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>	
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
306 to 308 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
308 to 310 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
310 to 318 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	\$1,440		
318 to 320 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
320 to 322 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
322 to 326 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	\$720		
326 to 332 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	\$1,080		
332 to 334 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
334 to 338 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
338 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
342 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
345 to 369 feet		Driveway				104					
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	\$360		
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	\$360		
350 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	\$360		
352 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			63	SF	\$40	\$2,520		
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	\$360		
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	\$360		
370 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
375 to 399 feet		Driveway				104					
376 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	\$360		
377 to 378 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF				
378 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	\$360		
380 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			36	SF	\$40	\$1,440		
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	\$360		
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	\$360		
392 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			18	SF	\$40	\$720		
396 to 398 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	\$360		
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	\$360		
400 to 404 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	\$720		
404 to 406 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
406 to 416 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			45	SF	\$40	\$1,800		
416 to 418 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	\$360		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
418 to 420 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
420 to 422 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
422 to 424 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
424 to 428 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
428 to 430 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
430 to 432 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
432 to 434 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
434 to 436 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
436 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
440 to 446 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
446 to 448 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
448 to 460 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>
460 to 462 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
462 to 472 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
471 to 495 feet		Driveway				107			
472 to 474 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
474 to 476 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
474 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
476 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			18	SF	\$40	<b>\$720</b>
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
482 to 484 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
484 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
486 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
492 to 494 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
494 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
502 to 525 feet		Driveway				106			
503 to 504 feet	PR26BREF	<b>Vertical Change</b>	1.1"			5	REF		
504 to 506 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
510 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
514 to 520 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			27	SF	\$40	<b>\$1,080</b>
520 to 522 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
522 to 524 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
522 to 524 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
524 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
526 to 530 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
530 to 532 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
531 to 532 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
532 to 534 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
534 to 536 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
536 to 540 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			18	SF	\$40	<b>\$720</b>
540 to 542 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
542 to 544 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
544 to 546 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
546 to 552 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
552 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
554 to 560 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
560 to 566 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
566 to 574 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
574 to 578 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
578 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
580 to 582 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
582 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
584 to 592 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
592 to 594 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
594 to 596 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
596 to 598 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
598 to 600 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
598 to 621 feet		Driveway				102			
599 to 600 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
600 to 602 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
600 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
602 to 604 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
604 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$360</b>	
606 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		18	SF	\$40	<b>\$720</b>	
610 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	<b>\$1,080</b>	
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$360</b>	
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$360</b>	
620 to 622 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
622 to 628 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
628 to 630 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
628 to 651 feet		Driveway			104				
630 to 631 feet	PR26BREF	<b>Vertical Change</b>	1.0"		5	REF			
630 to 632 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
630 to 632 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
632 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	<b>\$1,080</b>	
638 to 642 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		18	SF	\$40	<b>\$720</b>	
642 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	<b>\$1,080</b>	
648 to 650 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
648 to 650 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$360</b>	
650 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
652 to 654 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
654 to 656 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
656 to 658 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
658 to 664 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		27	SF	\$40	<b>\$1,080</b>	
664 to 672 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		36	SF	\$40	<b>\$1,440</b>	
672 to 680 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		36	SF	\$40	<b>\$1,440</b>	
680 to 682 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
682 to 686 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		18	SF	\$40	<b>\$720</b>	
686 to 700 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		63	SF	\$40	<b>\$2,520</b>	
700 to 702 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
702 to 706 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		18	SF	\$40	<b>\$720</b>	
706 to 710 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		18	SF	\$40	<b>\$720</b>	
710 to 712 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$360</b>	
712 to 720 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		36	SF	\$40	<b>\$1,440</b>	
720 to 724 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		18	SF	\$40	<b>\$720</b>	
724 to 726 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
724 to 747 feet		Driveway				103					
726 to 728 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
726 to 728 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40		<b>\$360</b>	
726 to 727 feet	PR26BREF	<b>Vertical Change</b>	1.0"			5	REF				
728 to 730 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40		<b>\$360</b>	
730 to 732 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40		<b>\$360</b>	
732 to 734 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40		<b>\$360</b>	
734 to 736 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40		<b>\$360</b>	
736 to 738 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40		<b>\$360</b>	
738 to 742 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			18	SF	\$40		<b>\$720</b>	
742 to 744 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40		<b>\$360</b>	
744 to 746 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
744 to 746 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40		<b>\$360</b>	
746 to 748 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40		<b>\$360</b>	
748 to 750 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40		<b>\$360</b>	
750 to 752 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40		<b>\$360</b>	
752 to 756 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40		<b>\$720</b>	
754 to 777 feet		Driveway				104					
756 to 757 feet	PR26BREF	<b>Vertical Change</b>	1.1"			5	REF				
756 to 758 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
756 to 758 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40		<b>\$360</b>	
758 to 760 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40		<b>\$360</b>	
760 to 766 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			27	SF	\$40		<b>\$1,080</b>	
766 to 768 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40		<b>\$360</b>	
768 to 770 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40		<b>\$360</b>	
770 to 774 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			18	SF	\$40		<b>\$720</b>	
774 to 776 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40		<b>\$360</b>	
776 to 778 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40		<b>\$360</b>	
778 to 784 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40		<b>\$1,080</b>	
784 to 786 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40		<b>\$360</b>	
786 to 792 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40		<b>\$1,080</b>	
792 to 798 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40		<b>\$1,080</b>	
798 to 800 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40		<b>\$360</b>	
800 to 808 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40		<b>\$1,440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
808 to 814 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>	
814 to 816 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
816 to 822 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>	
822 to 824 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
824 to 850 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			117	SF	\$40	<b>\$4,680</b>	
850 to 854 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
851 to 874 feet		Driveway				104				
854 to 856 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>	
856 to 858 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>	
858 to 860 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>	
860 to 868 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			36	SF	\$40	<b>\$1,440</b>	
868 to 870 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>	
870 to 872 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>	
872 to 874 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
876 to 880 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
882 to 904 feet		Driveway				99				
882 to 884 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
882 to 883 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF			
884 to 886 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF			
884 to 886 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>	
886 to 890 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>	
890 to 894 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			18	SF	\$40	<b>\$720</b>	
894 to 896 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>	
896 to 898 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>	
898 to 900 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>	
900 to 902 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>	
902 to 904 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
904 to 906 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
906 to 908 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
908 to 916 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>	
916 to 918 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
918 to 920 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
930 to 932 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
934 to 944 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
946 to 948 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
950 to 954 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
958 to 960 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
960 to 962 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	\$360	
962 to 966 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		18	SF	\$40	\$720	
966 to 968 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	\$360	
968 to 970 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
970 to 978 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		36	SF	\$40	\$1,440	
976 to 999 feet		Driveway			102				
978 to 980 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		9	SF	\$40	\$360	
980 to 982 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	\$360	
982 to 984 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	\$360	
984 to 990 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		27	SF	\$40	\$1,080	
990 to 996 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		27	SF	\$40	\$1,080	
996 to 998 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		9	SF	\$40	\$360	
998 to 1000 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	\$360	
1002 to 1006 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
1006 to 1008 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
1006 to 1030 feet		Driveway			107				
1010 to 1012 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	\$360	
1012 to 1014 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	\$360	
1014 to 1022 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		36	SF	\$40	\$1,440	
1022 to 1026 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		18	SF	\$40	\$720	
1026 to 1028 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	\$360	
1028 to 1030 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	\$360	
1030 to 1032 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	\$360	
1034 to 1036 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
1038 to 1042 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
1044 to 1046 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
1046 to 1048 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
1052 to 1054 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
1054 to 1062 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	\$1,440	
1062 to 1064 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	\$360	
1064 to 1068 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>								
<b>TOTAL COST FOR:</b>													<b>\$185,040.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	384	<b>5TH ST</b>	1317	<b>RAILROAD ST</b>	146	<b>EMPIRE ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 5TH ST</b>													<b>\$185,040.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	262	<b>HOOD AVE</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
89 to 109 feet		Driveway				79			
90 to 91 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
90 to 92 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
94 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
100 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
106 to 108 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
154 to 170 feet		Driveway				65			
155 to 156 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
158 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			24	SF	\$40	<b>\$960</b>
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
168 to 170 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
206 to 225 feet		Driveway				76			
208 to 209 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
208 to 210 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	262	<b>HOOD AVE</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
212 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
222 to 224 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
224 to 226 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
240 to 256 feet		Driveway				65			
241 to 242 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
242 to 244 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
246 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			32	SF	\$40	<b>\$1,280</b>
254 to 256 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
258 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
270 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
325 to 344 feet		Driveway				77			
328 to 330 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
328 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
330 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
334 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
336 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
342 to 344 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
344 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			24	SF	\$40	<b>\$960</b>
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
390 to 392 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
391 to 408 feet		Driveway				68			
394 to 396 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
396 to 404 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			32	SF	\$40	<b>\$1,280</b>
404 to 406 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	262	<b>HOOD AVE</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
406 to 408 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
406 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
408 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
418 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
446 to 450 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
448 to 464 feet		Driveway				66			
449 to 450 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
452 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			24	SF	\$40	<b>\$960</b>
458 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
460 to 462 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
462 to 464 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
462 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
464 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
477 to 498 feet		Driveway				85			
478 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
480 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
482 to 486 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
486 to 488 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
488 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
492 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
516 to 518 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
527 to 528 feet	PS24B	<b>Protruding Object</b>	38" to tree			4	JOB	\$75	<b>\$300</b>
574 to 576 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
574 to 575 feet	PS24B	<b>Protruding Object</b>	72" to tree			4	JOB	\$75	<b>\$300</b>
622 to 630 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
630 to 632 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
632 to 636 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			16	SF	\$40	<b>\$640</b>
636 to 638 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
638 to 640 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
640 to 644 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>
644 to 646 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	262	<b>HOOD AVE</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
646 to 647 feet	PR11AREF	Running Slope	6.0-7.0%			4	REF			
646 to 647 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			4	SF	\$40	\$176	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>HOOD AVE</b>	<i>Starting at:</i> <b>DAN DR</b>				<b>\$36,296.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	262	<b>HOOD AVE</b>	396	<b>DAN DR</b>	367	<b>VISTA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HOOD AVE</b>													<b>\$36,296.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	326	<b>PARK ST</b>	326	<b>14211 PARK</b>	250	<b>GRANT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
16 to 30 feet		Driveway				56			
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
20 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
30 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			24	SF	\$40	<b>\$960</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
100 to 118 feet		Driveway				75			
101 to 102 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
108 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
112 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
118 to 120 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
122 to 123 feet	PR26B	<b>Vertical Change</b>	0.7"			4	SF	\$25	<b>\$100</b>
128 to 144 feet		Driveway				65			
128 to 129 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
130 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
142 to 144 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
144 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
156 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
163 to 164 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
164 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	326	<b>PARK ST</b>	326	<b>14211 PARK</b>	250	<b>GRANT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
165 to 166 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			4	REF		
166 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
180 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			80	SF	\$40	<b>\$3,200</b>
200 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
204 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
219 to 238 feet		Driveway				77			
220 to 222 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
220 to 221 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
224 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
228 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			24	SF	\$40	<b>\$960</b>
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
236 to 238 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
238 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
250 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
274 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
278 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
316 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
332 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
334 to 340 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
340 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
342 to 344 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
344 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
350 to 352 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
352 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
362 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
364 to 366 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
372 to 378 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<b>side of PARK ST</b>		<b>Starting at: 14211 PARK</b>				<b>\$37,860.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	326	<b>PARK ST</b>	326	<b>14211 PARK</b>	250	<b>GRANT ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PARK ST</b>													<b>\$37,860.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 7 feet	PR26B	<b>Vertical Change</b>	0.6"			5	SF	\$25	<b>\$133</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
22 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			75	SF	\$40	<b>\$2,985</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
41 to 42 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF		
45 to 46 feet	PR26B	<b>Vertical Change</b>	-0.7"			5	SF	\$25	<b>\$133</b>
58 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
69 to 87 feet		Driveway				95			
76 to 78 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
78 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			21	SF	\$40	<b>\$853</b>
82 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			32	SF	\$40	<b>\$1,279</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$426</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>
92 to 93 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF		
92 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
108 to 126 feet		Driveway				92			
110 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			21	SF	\$40	<b>\$853</b>
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
118 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>
122 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			43	SF	\$40	<b>\$1,706</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>
131 to 145 feet		Driveway				79			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
131 to 132 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$426</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$426</b>
149 to 150 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			5	REF		
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
151 to 152 feet	PR26BREF	<b>Vertical Change</b>	1.1"			5	REF		
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
156 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			53	SF	\$40	<b>\$2,132</b>
166 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			53	SF	\$40	<b>\$2,132</b>
174 to 175 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF		
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
180 to 182 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
184 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
184 to 199 feet		Driveway				77			
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$426</b>
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$426</b>
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
196 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	<b>\$1,279</b>
202 to 204 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$426</b>
202 to 203 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
203 to 218 feet		Driveway				80			
204 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			21	SF	\$40	<b>\$853</b>
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			21	SF	\$40	<b>\$853</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
216 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		21	SF	\$40	<b>\$853</b>	
220 to 222 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
222 to 224 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
239 to 255 feet		Driveway			82				
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
250 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		21	SF	\$40	<b>\$853</b>	
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
256 to 258 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
258 to 260 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
298 to 315 feet		Driveway			87				
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
306 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		32	SF	\$40	<b>\$1,279</b>	
312 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		21	SF	\$40	<b>\$853</b>	
316 to 318 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
318 to 320 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
319 to 332 feet		Driveway			74				
320 to 321 feet	PR26BREF	<b>Vertical Change</b>	0.8"		5	REF			
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
324 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		43	SF	\$40	<b>\$1,706</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
334 to 336 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
335 to 336 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		5	REF			
336 to 338 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
338 to 340 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
338 to 339 feet	PR26BREF	<b>Vertical Change</b>	0.6"		5	REF			
340 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>	
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
382 to 390 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>	
385 to 400 feet		Driveway			79				
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
394 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$426</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
400 to 404 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		21	SF	\$40	<b>\$853</b>	
403 to 404 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		5	REF			
404 to 406 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
405 to 406 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF			
405 to 420 feet		Driveway			80				
406 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
412 to 414 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
414 to 416 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
416 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
418 to 420 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
420 to 422 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
422 to 424 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
423 to 424 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		5	REF			
424 to 426 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
424 to 426 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
425 to 426 feet	PR26BREF	<b>Vertical Change</b>	0.8"		5	REF			
434 to 438 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>	
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
441 to 442 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		5	REF			
444 to 446 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
464 to 481 feet		Driveway			88				
470 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		32	SF	\$40	<b>\$1,279</b>	
476 to 478 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
478 to 482 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
482 to 484 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
484 to 486 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
485 to 501 feet		Driveway			84				
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
498 to 500 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
500 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
502 to 504 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
504 to 506 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$426</b>		
504 to 505 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF				
506 to 507 feet	PR26B	<b>Vertical Change</b>	0.9"			5	SF	\$25	<b>\$133</b>		
514 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			53	SF	\$40	<b>\$2,132</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ADA ST</b>	<i>Starting at:</i> <b>ALVIN ST</b>					<b>\$68,623.75</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$68,623.75</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			96	SF	\$40	<b>\$3,838</b>
20 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,706</b>
23 to 34 feet		Driveway				60			
28 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$853</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$426</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$426</b>
36 to 37 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			5	REF		
38 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
39 to 40 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF		
55 to 69 feet		Driveway				76			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
62 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			32	SF	\$40	<b>\$1,279</b>
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>
73 to 74 feet	PR26B	<b>Vertical Change</b>	1.0"			5	SF	\$25	<b>\$133</b>
74 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
79 to 88 feet		Driveway				45			
80 to 81 feet	PR26BREF	<b>Vertical Change</b>	1.2"			5	REF		
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$426</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$426</b>
90 to 91 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
98 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			53	SF	\$40	<b>\$2,132</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
116 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			43	SF	\$40	<b>\$1,706</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
128 to 141 feet		Driveway				67			
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
134 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	<b>\$1,279</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
142 to 146 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
145 to 146 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		5	REF			
146 to 148 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
148 to 149 feet	PR26BREF	<b>Vertical Change</b>	0.6"		5	REF			
148 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,279</b>	
149 to 161 feet		Driveway			67				
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
156 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,279</b>	
162 to 166 feet	PR05A	Cross Slope (PAR)	9.0-10.0%		21	SF	\$40	<b>\$853</b>	
165 to 166 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		5	REF			
166 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
168 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
172 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,279</b>	
178 to 186 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		43	SF	\$40	<b>\$1,706</b>	
186 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,706</b>	
194 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>	
198 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
200 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		53	SF	\$40	<b>\$2,132</b>	
204 to 217 feet		Driveway			67				
210 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
216 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,279</b>	
220 to 221 feet	PR26AREF	<b>Vertical Change</b>	-0.8"		5	REF			
222 to 239 feet		Driveway			90				
223 to 224 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF			
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>	
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$426</b>	
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
236 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		32	SF	\$40	<b>\$1,279</b>	
242 to 243 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		5	REF			
242 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
244 to 245 feet	PR26BREF	<b>Vertical Change</b>	0.7"		5	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>	
262 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>	
272 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>	
278 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>	
280 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,279</b>	
286 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>	
288 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>	
290 to 292 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>	
291 to 292 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF			
292 to 308 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			85	SF	\$40	<b>\$3,411</b>	
295 to 296 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF			
303 to 318 feet		Driveway				80				
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$426</b>	
310 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$853</b>	
314 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			21	SF	\$40	<b>\$853</b>	
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$426</b>	
320 to 322 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			11	SF	\$40	<b>\$426</b>	
321 to 322 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			5	REF			
322 to 324 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>	
323 to 324 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF			
324 to 328 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>	
328 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			51	SF	\$40	<b>\$2,025</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of ALVIN ST</i>		<i>Starting at: LYN ST</i>				<b>\$56,737.85</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	169	<b>ALVIN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALVIN ST</b>													<b>\$56,737.85</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	196	<b>CRISTIE CIR</b>	389	<b>ADA ST</b>	196	<b>CRISTIE END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
6 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
12 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
22 to 48 feet		Driveway			146				
24 to 26 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
26 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
42 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
46 to 48 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
50 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
60 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
66 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
78 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
90 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
92 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		77	SF	\$40	<b>\$3,080</b>	
106 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
111 to 141 feet		Driveway			167				
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
114 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
120 to 122 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	196	<b>CRISTIE CIR</b>	389	<b>ADA ST</b>	196	<b>CRISTIE END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
140 to 142 feet	PR11AREF	Running Slope	12.0-13.0%		11	REF			
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
143 to 144 feet	PR26BREF	<b>Vertical Change</b>	2.0"		6	REF			
144 to 169 feet		Driveway			135				
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
152 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
164 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		33	SF	\$40	<b>\$1,320</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
172 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
172 to 173 feet	PR26BREF	<b>Vertical Change</b>	0.6"		6	REF			
173 to 195 feet		Driveway			118				
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
182 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		33	SF	\$40	<b>\$1,320</b>	
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
190 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
198 to 199 feet	PR26AREF	<b>Vertical Change</b>	-1.0"		6	REF			
198 to 200 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
200 to 201 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF			

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	196	<b>CRISTIE CIR</b>	389	<b>ADA ST</b>	196	<b>CRISTIE END</b>								
<b>TOTAL COST FOR:</b>													<b>\$42,680.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	196	<b>CRISTIE CIR</b>	389	<b>ADA ST</b>	196	<b>CRISTIE END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CRISTIE CIR</b>													<b>\$42,680.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	268	<b>HUME CIR</b>	268	<b>HUME END</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
3 to 20 feet		Driveway				68				
4 to 6 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF			
5 to 6 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF			
6 to 10 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>	
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
18 to 20 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
27 to 28 feet	PR26A	<b>Vertical Change</b>	0.5"			4	LF	\$25	<b>\$100</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
37 to 56 feet		Driveway				76				
38 to 40 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
39 to 40 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF			
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>	
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
66 to 86 feet		Driveway				78				
68 to 70 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
82 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>	
84 to 86 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF			
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	268	<b>HUME CIR</b>	268	<b>HUME END</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
102 to 104 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
173 to 193 feet		Driveway			83					
174 to 176 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
174 to 175 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF				
176 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		
184 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		32	SF	\$40	<b>\$1,280</b>		
190 to 192 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF				
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
207 to 221 feet		Driveway			58					
234 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
240 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
240 to 254 feet		Driveway			53					
241 to 242 feet	PR26BREF	<b>Vertical Change</b>	0.7"		4	REF				
242 to 244 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF				
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
252 to 254 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
258 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
262 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
263 to 282 feet		Driveway			75					
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	268	<b>HUME CIR</b>	268	<b>HUME END</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
282 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
288 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
320 to 322 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
322 to 324 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
332 to 334 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
334 to 336 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>HUME CIR</b>	<i>Starting at:</i> <b>HUME END</b>				<b>\$21,540.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	268	<b>HUME CIR</b>	268	<b>HUME END</b>	267	<b>HUME AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME CIR</b>													<b>\$21,540.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	233	<b>FERN CIR</b>	367	<b>VISTA DR</b>	233	<b>FERN END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
7 to 8 feet	PS24B	<b>Protruding Object</b>	65" to tree			4	JOB	\$75	<b>\$300</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
45 to 70 feet		Driveway				100			
46 to 48 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
47 to 48 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
66 to 68 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
68 to 70 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
112 to 127 feet		Driveway				59			
114 to 115 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
114 to 116 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
114 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	<b>\$1,280</b>
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
124 to 126 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
146 to 164 feet		Driveway				74			
147 to 148 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
152 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
158 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
162 to 164 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	233	<b>FERN CIR</b>	367	<b>VISTA DR</b>	233	<b>FERN END</b>								
<b>TOTAL COST FOR:</b>													<b>\$8,620.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	233	<b>FERN CIR</b>	367	<b>VISTA DR</b>	233	<b>FERN END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FERN CIR</b>													<b>\$8,620.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	196	<b>CRISTIE CIR</b>	196	<b>11276 CRISTIE</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
1 to 18 feet		Driveway			91				
4 to 6 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
6 to 8 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
8 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
20 to 22 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
20 to 22 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
20 to 21 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		6	REF			
22 to 24 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
24 to 25 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
42 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		99	SF	\$40	<b>\$3,960</b>	
60 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
67 to 82 feet		Driveway			86				
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
80 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
84 to 86 feet	PR05A	Cross Slope (PAR)	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
85 to 86 feet	PR26AREF	<b>Vertical Change</b>	-0.9"		6	REF			
86 to 88 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
86 to 99 feet		Driveway			73				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>W</b>	196	<b>CRISTIE CIR</b>	196	<b>11276 CRISTIE</b>	389	<b>ADA ST</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
87 to 88 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF						
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>				
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>				
92 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		44	SF	\$40	<b>\$1,760</b>				
100 to 102 feet	PR05A	Cross Slope (PAR)	9.0-10.0%		11	SF	\$40	<b>\$440</b>				
102 to 104 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		11	SF	\$40	<b>\$440</b>				
103 to 104 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		6	REF						
104 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>				
105 to 106 feet	PR26BREF	<b>Vertical Change</b>	0.7"		6	REF						
110 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>				
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>				
120 to 123 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$550</b>				
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i>	<b>CRISTIE CIR</b>	<i>Starting at:</i>	<b>11276 CRISTIE</b>	<b>\$23,870.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	196	<b>CRISTIE CIR</b>	196	<b>11276 CRISTIE</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CRISTIE CIR</b>									<b>\$23,870.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	267	<b>HUME AVE</b>	268	<b>HUME CIR</b>	387	<b>REDWOOD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
8 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
49 to 67 feet		Driveway			71				
50 to 52 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
50 to 51 feet	PR26BREF	<b>Vertical Change</b>	1.5"		4	REF			
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
64 to 66 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
76 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
78 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
94 to 95 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
94 to 96 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
94 to 96 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
96 to 97 feet	PR26B	<b>Vertical Change</b>	-0.6"		4	SF	\$25	<b>\$100</b>	
120 to 137 feet		Driveway			68				
121 to 122 feet	PR26BREF	<b>Vertical Change</b>	1.6"		4	REF			
122 to 124 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
128 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
136 to 138 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	267	<b>HUME AVE</b>	268	<b>HUME CIR</b>	387	<b>REDWOOD ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
160 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>		
178 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
182 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
190 to 192 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
194 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
200 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			15	SF	\$40	<b>\$592</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>HUME AVE</b>	<i>Starting at:</i> <b>HUME CIR</b>					<b>\$20,532.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	267	<b>HUME AVE</b>	268	<b>HUME CIR</b>	387	<b>REDWOOD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME AVE</b>													<b>\$20,532.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
22 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
31 to 53 feet		Driveway				119			
32 to 33 feet	PR26BREF	<b>Vertical Change</b>	0.8"			6	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
42 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
56 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
65 to 86 feet		Driveway				116			
66 to 68 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
66 to 67 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF		
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
80 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
86 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
94 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
104 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
116 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			187	SF	\$40	<b>\$7,480</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
150 to 172 feet		Driveway				118			
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
154 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>
162 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
172 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
182 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
184 to 205 feet		Driveway				115			
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
190 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			55	SF	\$40	<b>\$2,200</b>
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
204 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
212 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
220 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
232 to 236 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
236 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
246 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
260 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
270 to 290 feet		Driveway				109			
271 to 272 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF		
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
274 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
284 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
288 to 290 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
296 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
299 to 300 feet	PR26AREF	<b>Vertical Change</b>	0.5"		6	REF			
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
305 to 324 feet		Driveway			105				
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
310 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
318 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
324 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
332 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		132	SF	\$40	<b>\$5,280</b>	
362 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
368 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
370 to 382 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
390 to 412 feet		Driveway			120				
391 to 392 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
394 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		88	SF	\$40	<b>\$3,520</b>	
408 to 410 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
410 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
423 to 445 feet		Driveway			119				
425 to 426 feet	PR26BREF	<b>Vertical Change</b>	1.2"		6	REF			
426 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
428 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
436 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		44	SF	\$40	<b>\$1,760</b>	
442 to 444 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
444 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
446 to 448 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
448 to 452 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
452 to 458 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
458 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
462 to 472 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>	
472 to 478 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>	
478 to 486 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>	
486 to 488 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
488 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	<b>\$4,840</b>	
510 to 512 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
512 to 516 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
516 to 518 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
518 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>	
526 to 548 feet		Driveway				122				
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
527 to 528 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF			
528 to 536 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>	
536 to 538 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
538 to 540 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>	
540 to 542 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
542 to 544 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
544 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>	
546 to 548 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
548 to 552 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
552 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
554 to 558 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>	
558 to 560 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
559 to 590 feet		Driveway				170				
560 to 562 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
560 to 561 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF			
562 to 564 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
564 to 574 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			55	SF	\$40	<b>\$2,200</b>	
574 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
576 to 580 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>	
580 to 582 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
582 to 584 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
584 to 586 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
586 to 588 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
588 to 590 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
590 to 596 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
596 to 598 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
598 to 600 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
600 to 602 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
602 to 604 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
604 to 606 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
606 to 610 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
610 to 612 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
612 to 622 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	<b>\$2,200</b>	
622 to 636 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		77	SF	\$40	<b>\$3,080</b>	
638 to 644 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
648 to 654 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
656 to 660 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
657 to 681 feet		Driveway			130				
659 to 660 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
660 to 662 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
660 to 672 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		66	SF	\$40	<b>\$2,640</b>	
672 to 674 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
674 to 678 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
678 to 680 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
678 to 680 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
692 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
698 to 706 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
710 to 716 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
718 to 740 feet		Driveway			120				
718 to 720 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
719 to 720 feet	PR26BREF	<b>Vertical Change</b>	1.3"		6	REF			
720 to 722 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
720 to 722 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
722 to 730 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		44	SF	\$40	<b>\$1,760</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
730 to 732 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
732 to 734 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
734 to 738 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
736 to 738 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
738 to 740 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
750 to 756 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
757 to 758 feet	PR26A	<b>Vertical Change</b>	0.5"		6	LF	\$25	<b>\$138</b>	
758 to 760 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
759 to 785 feet		Driveway			146				
760 to 761 feet	PR26BREF	<b>Vertical Change</b>	0.6"		6	REF			
760 to 762 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
760 to 762 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
762 to 764 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
764 to 766 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
766 to 768 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
768 to 778 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		55	SF	\$40	<b>\$2,200</b>	
778 to 780 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
780 to 782 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
782 to 784 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
820 to 826 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
826 to 830 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
830 to 832 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
832 to 834 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
834 to 842 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
842 to 846 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
846 to 872 feet		Driveway			146				
846 to 848 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
848 to 850 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
850 to 854 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
854 to 860 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
860 to 866 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		33	SF	\$40	<b>\$1,320</b>	
866 to 870 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
870 to 872 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
872 to 884 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
884 to 886 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
886 to 900 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		77	SF	\$40	<b>\$3,080</b>		
900 to 902 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
902 to 906 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
906 to 907 feet	PR26AREF	<b>Vertical Change</b>	-0.5"		6	REF				
906 to 932 feet		Driveway			147					
908 to 910 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
910 to 922 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		66	SF	\$40	<b>\$2,640</b>		
922 to 924 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>		
924 to 926 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
926 to 930 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>		
930 to 932 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
932 to 934 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
934 to 936 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
936 to 938 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
938 to 944 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>		
944 to 946 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
946 to 964 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		99	SF	\$40	<b>\$3,960</b>		
964 to 966 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
966 to 968 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
968 to 980 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>		
980 to 986 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>		
986 to 992 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
993 to 1019 feet		Driveway			144					
996 to 998 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
998 to 1002 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
1002 to 1014 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		66	SF	\$40	<b>\$2,640</b>		
1014 to 1018 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
1028 to 1030 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<b>side of LYN ST Starting at: ALVIN ST</b>		<b>\$194,617.50</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	402	<b>LYN ST</b>	169	<b>ALVIN ST</b>	318	<b>OAK ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LYN ST</b>													<b>\$194,617.50</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	134	<b>10691 14TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
22 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
58 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
79 to 92 feet		Driveway				60			
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
82 to 84 feet	PR11AREF	Running Slope	8.0-9.0%			9	REF		
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$360</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
94 to 95 feet	PR26B	<b>Vertical Change</b>	0.8"			5	SF	\$25	<b>\$113</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
116 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
130 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
139 to 156 feet		Driveway				77			
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
148 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			27	SF	\$40	<b>\$1,080</b>
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$360</b>
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	134	<b>10691 14TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
158 to 159 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF		
158 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
164 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
170 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
172 to 198 feet		Driveway				117			
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
182 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			27	SF	\$40	<b>\$1,080</b>
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$360</b>
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
206 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
214 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
222 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
230 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
230 to 258 feet		Driveway				126			
234 to 236 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
240 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			45	SF	\$40	<b>\$1,800</b>
250 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
256 to 258 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
260 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
264 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	134	<b>10691 14TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
267 to 268 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF		
268 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
272 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
274 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
279 to 280 feet	PS24B	<b>Protruding Object</b>	62" to tree			5	JOB	\$75	<b>\$338</b>
304 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
310 to 314 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
314 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
318 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
320 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
326 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>
348 to 350 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
350 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
353 to 379 feet		Driveway				119			
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
362 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
372 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			18	SF	\$40	<b>\$720</b>
376 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>
380 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
384 to 390 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
390 to 396 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
396 to 398 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
397 to 398 feet	PS24B	<b>Protruding Object</b>	65" to tree			5	JOB	\$75	<b>\$338</b>
398 to 410 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			54	SF	\$40	<b>\$2,160</b>
410 to 416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
416 to 418 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
416 to 442 feet		Driveway				113			
418 to 420 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
420 to 422 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	134	<b>10691 14TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
422 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$360</b>	
424 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		18	SF	\$40	<b>\$720</b>	
428 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		18	SF	\$40	<b>\$720</b>	
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		9	SF	\$40	<b>\$360</b>	
434 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		27	SF	\$40	<b>\$1,080</b>	
440 to 442 feet	PR11AREF	Running Slope	8.0-9.0%		9	REF			
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		9	SF	\$40	<b>\$360</b>	
442 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		54	SF	\$40	<b>\$2,160</b>	
454 to 456 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
456 to 458 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$360</b>	
458 to 464 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		27	SF	\$40	<b>\$1,080</b>	
464 to 468 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		18	SF	\$40	<b>\$720</b>	
468 to 470 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
470 to 478 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		36	SF	\$40	<b>\$1,440</b>	
478 to 480 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
480 to 482 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
482 to 488 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		27	SF	\$40	<b>\$1,080</b>	
488 to 498 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		45	SF	\$40	<b>\$1,800</b>	
498 to 508 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		45	SF	\$40	<b>\$1,800</b>	
508 to 513 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		24	SF	\$40	<b>\$954</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of 14TH AVE</i>	<i>Starting at: LOCUST ST</i>				<b>\$76,621.50</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	134	<b>14TH AVE</b>	295	<b>LOCUST ST</b>	134	<b>10691 14TH</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$76,621.50</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	237	<b>FLORA WAY</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
8 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
28 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
36 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
47 to 75 feet		Driveway				150			
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
50 to 52 feet	PR11AREF	Running Slope	8.0-9.0%			11	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
52 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
60 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			66	SF	\$40	<b>\$2,640</b>
72 to 74 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
80 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
94 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
107 to 134 feet		Driveway				149			
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
110 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			44	SF	\$40	<b>\$1,760</b>
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
120 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
132 to 134 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
134 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
139 to 166 feet		Driveway				149			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	237	<b>FLORA WAY</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
141 to 142 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
142 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
148 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
152 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
158 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
170 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	<b>\$2,200</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
182 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
186 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
190 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
198 to 226 feet		Driveway			152				
200 to 202 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
206 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		55	SF	\$40	<b>\$2,200</b>	
216 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
222 to 224 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
228 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		176	SF	\$40	<b>\$7,040</b>	
260 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	<b>\$2,200</b>	
270 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>	
286 to 314 feet		Driveway			153				
288 to 289 feet	PR26BREF	<b>Vertical Change</b>	0.9"		6	REF			
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
290 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
E	237	FLORA WAY	389	ADA ST	166	ALEN WY			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
296 to 300 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			22	SF	\$40	\$880
300 to 304 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			22	SF	\$40	\$880
304 to 306 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			11	SF	\$40	\$440
306 to 308 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			11	SF	\$40	\$440
308 to 310 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			11	SF	\$40	\$440
310 to 312 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
310 to 312 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
312 to 314 feet	PR10A	Cross Slope (Driveway)	4.0-5.0%			11	SF	\$40	\$440
314 to 328 feet	PR10A	Cross Slope (Driveway)	2.0-3.0%			77	SF	\$40	\$3,080
330 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	\$2,200
340 to 342 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440
342 to 344 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440
344 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440
347 to 373 feet		Driveway				145			
348 to 350 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
348 to 350 feet	PR10A	Cross Slope (Driveway)	4.0-5.0%			11	SF	\$40	\$440
350 to 352 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
352 to 354 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
354 to 364 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			55	SF	\$40	\$2,200
364 to 366 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
366 to 372 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			33	SF	\$40	\$1,320
372 to 374 feet	PR10A	Cross Slope (Driveway)	4.0-5.0%			11	SF	\$40	\$440
374 to 376 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
374 to 376 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	\$440
376 to 382 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			33	SF	\$40	\$1,320
376 to 377 feet	PR26BREF	Vertical Change	1.7"			6	REF		
379 to 404 feet		Driveway				142			
382 to 386 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			22	SF	\$40	\$880
386 to 400 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			77	SF	\$40	\$3,080
400 to 402 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
402 to 404 feet	PR10A	Cross Slope (Driveway)	5.0-6.0%			11	SF	\$40	\$440
404 to 406 feet	PR10A	Cross Slope (Driveway)	2.0-3.0%			11	SF	\$40	\$440
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	237	<b>FLORA WAY</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
408 to 412 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
412 to 414 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
414 to 416 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
416 to 418 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
418 to 420 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
420 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
430 to 432 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
436 to 438 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
439 to 474 feet		Driveway				190			
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
442 to 444 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
442 to 444 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
444 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
446 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
448 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
450 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			33	SF	\$40	<b>\$1,320</b>
456 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
458 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			33	SF	\$40	<b>\$1,320</b>
464 to 466 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
464 to 466 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
466 to 468 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
468 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
472 to 476 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
476 to 478 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
478 to 486 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
486 to 488 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
486 to 514 feet		Driveway				154			
488 to 490 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
488 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
498 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	237	<b>FLORA WAY</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>		
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>		
510 to 512 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF				
510 to 512 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>		
512 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>		
514 to 522 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			43	SF	\$40	<b>\$1,738</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of FLORA WAY</i>		<i>Starting at: ADA ST</i>				<b>\$108,218.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	237	<b>FLORA WAY</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FLORA WAY</b>													<b>\$108,218.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
8 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
16 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
31 to 65 feet		Driveway				156			
32 to 34 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
32 to 33 feet	PR26BREF	<b>Vertical Change</b>	1.2"			5	REF		
34 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			45	SF	\$40	<b>\$1,800</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			18	SF	\$40	<b>\$720</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>
58 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			27	SF	\$40	<b>\$1,080</b>
60 to 64 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
68 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
78 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
86 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
92 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
98 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
106 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
114 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
118 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
124 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
136 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
140 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
144 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
162 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>		
175 to 201 feet		Driveway				117					
176 to 178 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
177 to 178 feet	PR26BREF	<b>Vertical Change</b>	1.4"			5	REF				
178 to 180 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
182 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			18	SF	\$40	<b>\$720</b>		
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
194 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			27	SF	\$40	<b>\$1,080</b>		
198 to 200 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
201 to 219 feet		Driveway				80					
202 to 204 feet	PR11AREF	Running Slope	9.0-10.0%			9	REF				
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>		
206 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			27	SF	\$40	<b>\$1,080</b>		
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			18	SF	\$40	<b>\$720</b>		
216 to 218 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF				
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
218 to 220 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
220 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
226 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
239 to 263 feet		Driveway				109			
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
241 to 242 feet	PR26BREF	<b>Vertical Change</b>	1.4"			5	REF		
242 to 244 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>
244 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			72	SF	\$40	<b>\$2,880</b>
260 to 262 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$360</b>
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>
264 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
274 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
282 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
288 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
292 to 294 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
294 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
300 to 302 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
304 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
306 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
312 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
318 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
324 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
330 to 344 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
344 to 354 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
354 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
362 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
364 to 366 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
366 to 368 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
368 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
370 to 372 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
372 to 376 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
376 to 382 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
382 to 384	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
384 to 386	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	9	SF	\$40	<b>\$360</b>	
386 to 390	feet	PR05A	Cross Slope (PAR)			6.0-7.0%	18	SF	\$40	<b>\$720</b>	
390 to 394	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	18	SF	\$40	<b>\$720</b>	
394 to 404	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	45	SF	\$40	<b>\$1,800</b>	
404 to 406	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	9	SF	\$40	<b>\$360</b>	
406 to 408	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
408 to 414	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	27	SF	\$40	<b>\$1,080</b>	
414 to 416	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
416 to 422	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	27	SF	\$40	<b>\$1,080</b>	
422 to 434	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	54	SF	\$40	<b>\$2,160</b>	
434 to 464	feet		Driveway				134				
434 to 436	feet	PR10A	<b>Cross Slope (Driveway)</b>			2.0-3.0%	9	SF	\$40	<b>\$360</b>	
435 to 436	feet	PR26BREF	<b>Vertical Change</b>			1.2"	5	REF			
436 to 438	feet	PR11AREF	Running Slope			8.0-9.0%	9	REF			
436 to 438	feet	PR10A	<b>Cross Slope (Driveway)</b>			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
438 to 442	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	18	SF	\$40	<b>\$720</b>	
442 to 444	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	9	SF	\$40	<b>\$360</b>	
444 to 450	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	27	SF	\$40	<b>\$1,080</b>	
450 to 458	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	36	SF	\$40	<b>\$1,440</b>	
458 to 460	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	9	SF	\$40	<b>\$360</b>	
460 to 462	feet	PR11AREF	Running Slope			7.0-8.0%	9	REF			
460 to 462	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	9	SF	\$40	<b>\$360</b>	
462 to 464	feet	PR10A	<b>Cross Slope (Driveway)</b>			4.0-5.0%	9	SF	\$40	<b>\$360</b>	
464 to 466	feet	PR10A	<b>Cross Slope (Driveway)</b>			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
466 to 470	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	18	SF	\$40	<b>\$720</b>	
470 to 472	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
472 to 474	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	9	SF	\$40	<b>\$360</b>	
474 to 490	feet		Driveway				72				
474 to 476	feet	PR10A	<b>Cross Slope (Driveway)</b>			3.0-4.0%	9	SF	\$40	<b>\$360</b>	
475 to 476	feet	PR26BREF	<b>Vertical Change</b>			1.1"	5	REF			
476 to 478	feet	PR11AREF	Running Slope			10.0-11.0%	9	REF			
476 to 478	feet	PR10A	<b>Cross Slope (Driveway)</b>			2.0-3.0%	9	SF	\$40	<b>\$360</b>	
478 to 480	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	9	SF	\$40	<b>\$360</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
480 to 488 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			36	SF	\$40	<b>\$1,440</b>		
486 to 488 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF				
488 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
492 to 508 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>		
508 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
514 to 522 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>		
522 to 526 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>		
526 to 542 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>		
542 to 546 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$630</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of JENSEN ST</i>		<i>Starting at: 60' N/O PEACH</i>				<b>\$91,350.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	276	<b>JENSEN ST</b>	327	<b>60' N/O PEACH</b>	295	<b>14200 LOCUST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: JENSEN ST</b>													<b>\$91,350.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	339	<b>RANDALL CIR</b>	413	<b>PIMO ST</b>	339	<b>RANDALL END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
58 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
96 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
112 to 130 feet		Driveway				68			
114 to 115 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
114 to 116 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
118 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
126 to 128 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
146 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
160 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
176 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
190 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
203 to 220 feet		Driveway				71			
203 to 204 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
204 to 206 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	339	<b>RANDALL CIR</b>	413	<b>PIMO ST</b>	339	<b>RANDALL END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
210 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
216 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
218 to 220 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
220 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
228 to 232 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
232 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
236 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
240 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
252 to 284 feet		Driveway				126			
254 to 256 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
254 to 255 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
256 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
268 to 270 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			8	SF	\$40	<b>\$320</b>
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
272 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
284 to 286 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
285 to 298 feet		Driveway				55			
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
298 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
312 to 326 feet		Driveway				56			
313 to 314 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	339	<b>RANDALL CIR</b>	413	<b>PIMO ST</b>	339	<b>RANDALL END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
314 to 316 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF				
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
316 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>		
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
324 to 326 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF				
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>RANDALL CIR</b>		<i>Starting at:</i> <b>PIMO ST</b>		<b>\$33,280.00</b>			

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	339	<b>RANDALL CIR</b>	413	<b>PIMO ST</b>	339	<b>RANDALL END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: RANDALL CIR</b>													<b>\$33,280.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	350	<b>SEQUOIA DR</b>	342	<b>ROSEMARY CIR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
90 to 109 feet		Driveway				79			
90 to 92 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
91 to 92 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
92 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
98 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			40	SF	\$40	<b>\$1,600</b>
108 to 110 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
122 to 141 feet		Driveway				76			
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
130 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			40	SF	\$40	<b>\$1,600</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
208 to 228 feet		Driveway				80			
210 to 211 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
210 to 212 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
216 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			48	SF	\$40	<b>\$1,920</b>
226 to 228 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
273 to 291 feet		Driveway				75			
273 to 274 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
274 to 276 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
276 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	350	<b>SEQUOIA DR</b>	342	<b>ROSEMARY CIR</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
288 to 292 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
292 to 294 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
294 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
302 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
316 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
320 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
328 to 349 feet		Driveway			84				
329 to 330 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
330 to 332 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
334 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
338 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
346 to 350 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
346 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
350 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
361 to 381 feet		Driveway			82				
362 to 364 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
362 to 363 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
372 to 378 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
378 to 380 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	350	<b>SEQUOIA DR</b>	342	<b>ROSEMARY CIR</b>	367	<b>VISTA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
378 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
380 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
382 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
390 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
414 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
434 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
438 to 444 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>SEQUOIA DR</b>	<i>Starting at:</i> <b>ROSEMARY CIR</b>					<b>\$31,360.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	350	<b>SEQUOIA DR</b>	342	<b>ROSEMARY CIR</b>	367	<b>VISTA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SEQUOIA DR</b>													<b>\$31,360.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	339	<b>RANDALL CIR</b>	339	<b>RANDALL END</b>	413	<b>PIMO ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
7 to 25 feet		Driveway				68					
10 to 12 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
38 to 55 feet		Driveway				70					
40 to 41 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF				
40 to 42 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF				
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>		
52 to 54 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
63 to 83 feet		Driveway				79					
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
65 to 66 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF				
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>		
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>		
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
80 to 82 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	339	<b>RANDALL CIR</b>	339	<b>RANDALL END</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
82 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
104 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
134 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
156 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
172 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
181 to 200 feet		Driveway			73				
183 to 184 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
188 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
208 to 209 feet	PR26AREF	<b>Vertical Change</b>	0.5"		4	REF			
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
216 to 234 feet		Driveway			70				
217 to 218 feet	PR26BREF	<b>Vertical Change</b>	1.5"		4	REF			
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
220 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		24	SF	\$40	<b>\$960</b>	
226 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>	
232 to 234 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
236 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		40	SF	\$40	<b>\$1,600</b>	
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
250 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
256 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
274 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
278 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	339	<b>RANDALL CIR</b>	339	<b>RANDALL END</b>	413	<b>PIMO ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
364 to 366 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
370 to 372 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
374 to 376 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>RANDALL CIR</b>		<i>Starting at:</i> <b>RANDALL END</b>				<b>\$30,720.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	339	<b>RANDALL CIR</b>	339	<b>RANDALL END</b>	413	<b>PIMO ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: RANDALL CIR</b>													<b>\$30,720.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	233	<b>FERN CIR</b>	233	<b>FERN END</b>	367	<b>VISTA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
10 to 24 feet		Driveway			58				
11 to 12 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
16 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		16	SF	\$40	<b>\$640</b>	
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
22 to 24 feet	PR11AREF	Running Slope	10.0-11.0%		8	REF			
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
46 to 64 feet		Driveway			74				
47 to 48 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF			
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
50 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
56 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,280</b>	
62 to 64 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
74 to 97 feet		Driveway			92				
76 to 77 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
76 to 78 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
78 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		40	SF	\$40	<b>\$1,600</b>	
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
90 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
96 to 98 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
142 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
154 to 156 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
156 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
<b>TOTAL COST FOR: W side of FERN CIR Starting at: FERN END</b>							<b>\$11,520.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	233	<b>FERN CIR</b>	233	<b>FERN END</b>	367	<b>VISTA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FERN CIR</b>													<b>\$11,520.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	<b>\$400</b>
7 to 8 feet	PR26AREF	<b>Vertical Change</b>	-1.1"			5	REF		
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
60 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	<b>\$2,800</b>
78 to 80 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
78 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
94 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
100 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
108 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			50	SF	\$40	<b>\$2,000</b>
118 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
122 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>		
136 to 138 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
136 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			50	SF	\$40	<b>\$2,000</b>		
138 to 139 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF				
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
152 to 154 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
152 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40	<b>\$1,200</b>		
158 to 160 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
160 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
160 to 222 feet		Driveway				308					
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40	<b>\$400</b>		
168 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			30	SF	\$40	<b>\$1,200</b>		
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40	<b>\$400</b>		
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>		
178 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			20	SF	\$40	<b>\$800</b>		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>		
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40	<b>\$400</b>		
186 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			50	SF	\$40	<b>\$2,000</b>		
188 to 190 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40	<b>\$400</b>		
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40	<b>\$400</b>		
200 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			20	SF	\$40	<b>\$800</b>		
204 to 206 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
204 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			70	SF	\$40	<b>\$2,800</b>		
206 to 208 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
218 to 220 feet	PR11AREF	Running Slope	11.0-12.0%			10	REF				
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
220 to 222 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			10	SF	\$40	<b>\$400</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
222 to 224 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
224 to 226 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
226 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
228 to 234 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>		
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
235 to 236 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF				
240 to 242 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
242 to 244 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
242 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
246 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
248 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
250 to 252 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
252 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>		
256 to 258 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
256 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
258 to 260 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
260 to 262 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
260 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>		
264 to 268 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40	<b>\$800</b>		
268 to 270 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
268 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			90	SF	\$40	<b>\$3,600</b>		
274 to 276 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
286 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>		
290 to 292 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
290 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
292 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
294 to 300 feet	PR11AREF	Running Slope	6.0-7.0%			30	REF				
294 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
298 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>		
302 to 304 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
302 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>		
306 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
310 to 355 feet		Driveway				224					
311 to 312 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF				
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40		<b>\$400</b>	
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40		<b>\$400</b>	
316 to 322 feet	PR11AREF	Running Slope	5.0-6.0%			30	REF				
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40		<b>\$400</b>	
318 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			30	SF	\$40		<b>\$1,200</b>	
322 to 324 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
324 to 326 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40		<b>\$400</b>	
326 to 328 feet	PR11AREF	Running Slope	8.0-9.0%			10	REF				
326 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			20	SF	\$40		<b>\$800</b>	
330 to 334 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF				
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40		<b>\$400</b>	
332 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40		<b>\$400</b>	
334 to 336 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
334 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			30	SF	\$40		<b>\$1,200</b>	
336 to 340 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF				
340 to 344 feet	PR11AREF	Running Slope	6.0-7.0%			20	REF				
340 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			20	SF	\$40		<b>\$800</b>	
344 to 348 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF				
344 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			20	SF	\$40		<b>\$800</b>	
348 to 350 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
348 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40		<b>\$400</b>	
350 to 352 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
350 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40		<b>\$400</b>	
352 to 354 feet	PR11AREF	Running Slope	9.0-10.0%			10	REF				
352 to 354 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			10	SF	\$40		<b>\$400</b>	
354 to 356 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
354 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			20	SF	\$40		<b>\$800</b>	
356 to 358 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
358 to 364 feet	PR11AREF	Running Slope	6.0-7.0%			30	REF				
358 to 362 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40		<b>\$800</b>	
362 to 368 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40		<b>\$1,200</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
364 to 368 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		
368 to 370 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
368 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
370 to 372 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
372 to 374 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
372 to 374 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
374 to 380 feet	PR11AREF	Running Slope	5.0-6.0%			30	REF		
374 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
378 to 384 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>
380 to 382 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
384 to 388 feet	PR11AREF	Running Slope	6.0-7.0%			20	REF		
384 to 396 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			60	SF	\$40	<b>\$2,400</b>
388 to 390 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
390 to 392 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
392 to 394 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
394 to 396 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
396 to 400 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		
396 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
400 to 402 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
400 to 402 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
402 to 404 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
402 to 404 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
404 to 406 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
406 to 410 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
408 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
410 to 412 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
414 to 416 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
414 to 416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
416 to 420 feet	PR11AREF	Running Slope	6.0-7.0%			20	REF		
416 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
420 to 422 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
422 to 424	feet	PR11AREF	Running Slope			7.0-8.0%	10	REF		
423 to 424	feet	PR26B	<b>Vertical Change</b>			0.6"	5	SF	\$25	<b>\$125</b>
426 to 428	feet	PR11AREF	Running Slope			5.0-6.0%	10	REF		
428 to 430	feet	PR11AREF	Running Slope			6.0-7.0%	10	REF		
428 to 430	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
432 to 436	feet	PR11A	Running Slope			6.0-7.0%	20	SF	\$40	<b>\$800</b>
432 to 434	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
437 to 438	feet	PR03A	Continuous Width			30" to FH	5	SF	\$40	<b>\$200</b>
440 to 444	feet	PR11AREF	Running Slope			5.0-6.0%	20	REF		
440 to 446	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	30	SF	\$40	<b>\$1,200</b>
446 to 448	feet	PR11AREF	Running Slope			6.0-7.0%	10	REF		
446 to 448	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
448 to 452	feet	PR11AREF	Running Slope			5.0-6.0%	20	REF		
448 to 452	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	20	SF	\$40	<b>\$800</b>
452 to 454	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
456 to 462	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	30	SF	\$40	<b>\$1,200</b>
464 to 470	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	30	SF	\$40	<b>\$1,200</b>
470 to 480	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	50	SF	\$40	<b>\$2,000</b>
480 to 484	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	20	SF	\$40	<b>\$800</b>
484 to 486	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
494 to 498	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	20	SF	\$40	<b>\$800</b>
498 to 500	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	10	SF	\$40	<b>\$400</b>
500 to 506	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	30	SF	\$40	<b>\$1,200</b>
506 to 510	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	20	SF	\$40	<b>\$800</b>
510 to 512	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	10	SF	\$40	<b>\$400</b>
512 to 514	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	10	SF	\$40	<b>\$400</b>
514 to 515	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	7	SF	\$40	<b>\$280</b>
<b>TOTAL COST FOR:</b>		<b>W</b>	<b>side of POWERS DR</b>		<b>Starting at: BERNARD DR</b>				<b>\$93,005.00</b>	

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	331	<b>POWERS DR</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: POWERS DR</b>													<b>\$93,005.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	370	<b>WARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
2 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			28	SF	\$40	<b>\$1,120</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
36 to 40 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
42 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,400</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
57 to 58 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			4	REF		
58 to 60 feet	PR11AREF	Running Slope	7.0-8.0%			7	REF		
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
60 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
60 to 61 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
62 to 63 feet		Driveway				5			
64 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
73 to 74 feet	PR04B	Continuous Width	Width Reduced at driveway - 42"			4	JOB	\$50	<b>\$175</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
84 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			42	SF	\$40	<b>\$1,680</b>
96 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,400</b>
106 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,400</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	370	<b>WARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
116 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
118 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			70	SF	\$40	<b>\$2,800</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
140 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>
148 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$840</b>
154 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			42	SF	\$40	<b>\$1,680</b>
166 to 172 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			21	SF	\$40	<b>\$840</b>
172 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
188 to 190 feet	PR11A	Running Slope	5.0-6.0%			7	SF	\$40	<b>\$280</b>
192 to 194 feet	PR11A	Running Slope	5.0-6.0%			7	SF	\$40	<b>\$280</b>
198 to 206 feet	PR11AREF	Running Slope	5.0-6.0%			28	REF		
206 to 208 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
206 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
212 to 214 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
222 to 226 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF		
224 to 226 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
226 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
228 to 230 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
228 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
230 to 234 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF		
230 to 232 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
232 to 234 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
234 to 236 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
236 to 242 feet	PR11AREF	Running Slope	5.0-6.0%			21	REF		
236 to 238 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
238 to 244 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			21	SF	\$40	<b>\$840</b>
244 to 246 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
246 to 248 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			7	SF	\$40	<b>\$280</b>
248 to 252 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	<b>\$560</b>
250 to 252 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
252 to 256 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF		
252 to 256 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
255 to 311 feet		Driveway				198			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	370	<b>WARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
255 to 256 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
256 to 258 feet	PR11AREF	Running Slope	11.0-12.0%			7	REF		
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			7	SF	\$40	<b>\$280</b>
258 to 260 feet	PR11AREF	Running Slope	9.0-10.0%			7	REF		
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			7	SF	\$40	<b>\$280</b>
260 to 262 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			7	SF	\$40	<b>\$280</b>
262 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			21	SF	\$40	<b>\$840</b>
264 to 266 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
268 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$840</b>
270 to 272 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$280</b>
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$280</b>
278 to 282 feet	PR11AREF	Running Slope	5.0-6.0%			14	REF		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			7	SF	\$40	<b>\$280</b>
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$280</b>
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$280</b>
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$280</b>
286 to 288 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$280</b>
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			7	SF	\$40	<b>\$280</b>
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$280</b>
292 to 294 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			7	SF	\$40	<b>\$280</b>
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$280</b>
296 to 298 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			7	SF	\$40	<b>\$280</b>
298 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			14	SF	\$40	<b>\$560</b>
302 to 304 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
302 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			14	SF	\$40	<b>\$560</b>
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			7	SF	\$40	<b>\$280</b>
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			7	SF	\$40	<b>\$280</b>
314 to 316 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
316 to 318 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	370	<b>WARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	1325	<b>BERNARD DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
318 to 320 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		7	SF	\$40	<b>\$280</b>		
320 to 322 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>		
322 to 326 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		14	SF	\$40	<b>\$560</b>		
326 to 328 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>		
328 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		28	SF	\$40	<b>\$1,120</b>		
336 to 338 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>		
338 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
340 to 342 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
342 to 346 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		14	SF	\$40	<b>\$560</b>		
346 to 352 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		21	SF	\$40	<b>\$840</b>		
352 to 354 feet	PR11AREF	Running Slope	5.0-6.0%		7	REF				
352 to 355 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$364</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<b>side of WARD DR Starting at: HWY 41 NB OFFRAMP</b>		<b>\$45,619.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	370	<b>WARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>	1325	<b>BERNARD DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: WARD DR</b>													<b>\$45,619.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>	
20 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
33 to 52 feet		Driveway			78				
34 to 35 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
34 to 36 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
38 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,280</b>	
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
77 to 95 feet		Driveway			74				
78 to 80 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
79 to 80 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
80 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>	
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
88 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		24	SF	\$40	<b>\$960</b>	
92 to 94 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
96 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
108 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
111 to 130 feet		Driveway			76				
113 to 114 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
114 to 116 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
126 to 128 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF			
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
132 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
136 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
140 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>		
148 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>		
162 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
166 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
168 to 170 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
170 to 175 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>DAN DR</b>	<i>Starting at:</i> <b>PIMO ST</b>				<b>\$21,840.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	413	<b>PIMO ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>													<b>\$21,840.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E-S</b>	1315	<b>CROSS ST</b>	1315	<b>CROSS ST</b>	289	<b>LANSING AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
12 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$240</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			6	SF	\$40	<b>\$240</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$240</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			6	SF	\$40	<b>\$240</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			6	SF	\$40	<b>\$240</b>
38 to 39 feet	PR26BREF	<b>Vertical Change</b>	0.6"			3	REF		
40 to 42 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			6	SF	\$40	<b>\$240</b>
42 to 46 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			12	SF	\$40	<b>\$480</b>
46 to 52 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			6	SF	\$40	<b>\$240</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			6	SF	\$40	<b>\$240</b>
56 to 66 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>
66 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			6	SF	\$40	<b>\$240</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$240</b>
82 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
90 to 94 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>
94 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
113 to 114 feet	PR04B	Continuous Width	width expands to 60"			3	JOB	\$50	<b>\$150</b>
120 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			6	SF	\$40	<b>\$240</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	<b>\$240</b>
134 to 138 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
138 to 142 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E-S</b>	1315	<b>CROSS ST</b>	1315	<b>CROSS ST</b>	289	<b>LANSING AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
140 to 162 feet		Driveway				67			
141 to 142 feet	PR26BREF	<b>Vertical Change</b>	1.0"			3	REF		
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			6	SF	\$40	<b>\$240</b>
144 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			24	SF	\$40	<b>\$960</b>
152 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			12	SF	\$40	<b>\$480</b>
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			6	SF	\$40	<b>\$240</b>
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			6	SF	\$40	<b>\$240</b>
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			6	SF	\$40	<b>\$240</b>
162 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
176 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
178 to 201 feet		Driveway				71			
179 to 180 feet	PR26BREF	<b>Vertical Change</b>	1.1"			3	REF		
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			6	SF	\$40	<b>\$240</b>
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			6	SF	\$40	<b>\$240</b>
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			6	SF	\$40	<b>\$240</b>
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			6	SF	\$40	<b>\$240</b>
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			6	SF	\$40	<b>\$240</b>
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			6	SF	\$40	<b>\$240</b>
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			12	SF	\$40	<b>\$480</b>
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			6	SF	\$40	<b>\$240</b>
198 to 200 feet	PR11AREF	Running Slope	5.0-6.0%			6	REF		
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			6	SF	\$40	<b>\$240</b>
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			6	SF	\$40	<b>\$240</b>
204 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>

<b>TOTAL COST FOR:</b>	<b>E-S</b>	<i>side of</i>	<b>CROSS ST</b>	<i>Starting at:</i>	<b>CROSS ST</b>	<b>\$22,950.00</b>
------------------------	------------	----------------	-----------------	---------------------	-----------------	--------------------

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E-S</b>	1315	<b>CROSS ST</b>	1315	<b>CROSS ST</b>	289	<b>LANSING AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CROSS ST</b>													<b>\$22,950.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>	
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
9 to 43 feet		Driveway			120				
10 to 14 feet	PR11AREF	Running Slope	5.0-6.0%		14	REF			
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$280</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		7	SF	\$40	<b>\$280</b>	
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$280</b>	
20 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		14	SF	\$40	<b>\$560</b>	
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		14	SF	\$40	<b>\$560</b>	
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$280</b>	
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		7	SF	\$40	<b>\$280</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$280</b>	
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		14	SF	\$40	<b>\$560</b>	
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$280</b>	
40 to 44 feet	PR11AREF	Running Slope	5.0-6.0%		14	REF			
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		7	SF	\$40	<b>\$280</b>	
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
44 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,400</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
56 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
60 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
64 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>	
71 to 106 feet		Driveway			122				
72 to 76 feet	PR11AREF	Running Slope	5.0-6.0%		14	REF			
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
72 to 73 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		7	SF	\$40	<b>\$280</b>	
76 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		21	SF	\$40	<b>\$840</b>	
82 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		14	SF	\$40	<b>\$560</b>	
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		14	SF	\$40	<b>\$560</b>	
90 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		14	SF	\$40	<b>\$560</b>	
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		7	SF	\$40	<b>\$280</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		7	SF	\$40	<b>\$280</b>	
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		14	SF	\$40	<b>\$560</b>	
102 to 104 feet	PR11AREF	Running Slope	5.0-6.0%		7	REF			
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		7	SF	\$40	<b>\$280</b>	
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
106 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>	
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
116 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
118 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
122 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>	
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
134 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,400</b>	
144 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
154 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		42	SF	\$40	<b>\$1,680</b>	
166 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
168 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		42	SF	\$40	<b>\$1,680</b>	
180 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
186 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		28	SF	\$40	<b>\$1,120</b>	
194 to 196 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
198 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		21	SF	\$40	<b>\$840</b>	
204 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>	
208 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		21	SF	\$40	<b>\$840</b>	
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
216 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
220 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
230 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$840</b>
236 to 238 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
238 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
242 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>
248 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
260 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,400</b>
270 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
272 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			42	SF	\$40	<b>\$1,680</b>
288 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			42	SF	\$40	<b>\$1,680</b>
300 to 302 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
302 to 304 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
304 to 310 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>
310 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
314 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
316 to 320 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
320 to 364 feet		Driveway				153			
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			7	SF	\$40	<b>\$280</b>
321 to 322 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
322 to 324 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			7	SF	\$40	<b>\$280</b>
324 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			14	SF	\$40	<b>\$560</b>
328 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			21	SF	\$40	<b>\$840</b>
334 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			7	SF	\$40	<b>\$280</b>
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			7	SF	\$40	<b>\$280</b>
338 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			28	SF	\$40	<b>\$1,120</b>
346 to 352 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			21	SF	\$40	<b>\$840</b>
352 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			14	SF	\$40	<b>\$560</b>
356 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			7	SF	\$40	<b>\$280</b>
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$280</b>
360 to 362 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			7	SF	\$40	<b>\$280</b>
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			7	SF	\$40	<b>\$280</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
364 to 365 feet		Crosswalk				4			
364 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			35	SF	\$40	<b>\$1,400</b>
374 to 376 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
376 to 378 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
378 to 394 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
394 to 396 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
396 to 398 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
398 to 406 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			28	SF	\$40	<b>\$1,120</b>
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
408 to 418 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,400</b>
418 to 420 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
420 to 430 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			35	SF	\$40	<b>\$1,400</b>
430 to 434 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
434 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
436 to 444 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>
444 to 448 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
448 to 452 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
452 to 454 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
454 to 466 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			42	SF	\$40	<b>\$1,680</b>
466 to 468 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
468 to 472 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
472 to 474 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
474 to 478 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
478 to 480 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
480 to 484 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
484 to 492 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>
491 to 518 feet		Driveway				92			
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			7	SF	\$40	<b>\$280</b>
493 to 494 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
494 to 496 feet	PR11AREF	Running Slope	7.0-8.0%			7	REF		
494 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			7	SF	\$40	<b>\$280</b>
496 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$280</b>
498 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			21	SF	\$40	<b>\$840</b>
504 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			21	SF	\$40	<b>\$840</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
510 to 512 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			7	SF	\$40	\$280
512 to 514 feet	PR10A	Cross Slope (Driveway)	14.0-15.0%			7	SF	\$40	\$280
514 to 516 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
514 to 516 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			7	SF	\$40	\$280
516 to 518 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			7	SF	\$40	\$280
518 to 530 feet	PR10A	Cross Slope (Driveway)	2.0-3.0%			42	SF	\$40	\$1,680
532 to 536 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	\$560
540 to 552 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			42	SF	\$40	\$1,680
562 to 568 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	\$840
580 to 582 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	\$280
586 to 606 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	\$2,800
606 to 608 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	\$280
608 to 624 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	\$2,240
621 to 665 feet		Driveway				151			
622 to 624 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
623 to 624 feet	PR26BREF	Vertical Change	1.3"			4	REF		
624 to 626 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF		
624 to 626 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			7	SF	\$40	\$280
626 to 632 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			21	SF	\$40	\$840
632 to 634 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			7	SF	\$40	\$280
634 to 640 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			21	SF	\$40	\$840
640 to 642 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			7	SF	\$40	\$280
642 to 644 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			7	SF	\$40	\$280
644 to 646 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			7	SF	\$40	\$280
646 to 648 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			7	SF	\$40	\$280
648 to 654 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			21	SF	\$40	\$840
654 to 656 feet	PR10A	Cross Slope (Driveway)	>15.0%			7	SF	\$40	\$280
656 to 660 feet	PR10A	Cross Slope (Driveway)	14.0-15.0%			14	SF	\$40	\$560
660 to 662 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			7	SF	\$40	\$280
662 to 664 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
662 to 664 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			7	SF	\$40	\$280
664 to 676 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			42	SF	\$40	\$1,680
676 to 682 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			21	SF	\$40	\$840
682 to 690 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	\$1,120

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total			
690 to 698 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,120</b>			
698 to 700 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>			
700 to 702 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>			
702 to 704 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>			
704 to 706 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>			
706 to 714 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>			
716 to 738 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		77	SF	\$40	<b>\$3,080</b>			
740 to 756 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>			
758 to 760 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>			
782 to 784 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>			
784 to 786 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>			
792 to 798 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>			
798 to 800 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		5	SF	\$40	<b>\$210</b>			
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of C ST</i>		<i>Starting at: WALKER ST</i>	<b>\$100,450.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1185	<b>C ST</b>	368	<b>WALKER ST</b>	253	<b>HANFORD ARMONA RD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: C ST</b>													<b>\$100,450.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
14 to 32 feet		Driveway				69			
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
20 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
42 to 57 feet		Driveway				58			
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
58 to 62 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
62 to 63 feet	PR26AREF	<b>Vertical Change</b>	-1.4"			4	REF		
62 to 66 feet	PR11AREF	Running Slope	5.0-6.0%			16	REF		
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
65 to 66 feet	PR26B	<b>Vertical Change</b>	0.7"			4	SF	\$25	<b>\$100</b>
74 to 75 feet	PR26B	<b>Vertical Change</b>	1.4"			4	SF	\$25	<b>\$100</b>
74 to 76 feet	PR11A	Running Slope	5.0-6.0%			8	SF	\$40	<b>\$320</b>
76 to 78 feet	PR11A	Running Slope	8.0-9.0%			8	SF	\$40	<b>\$320</b>
78 to 80 feet	PR11A	Running Slope	5.0-6.0%			8	SF	\$40	<b>\$320</b>
79 to 80 feet	PR26B	<b>Vertical Change</b>	-0.6"			4	SF	\$25	<b>\$100</b>
84 to 85 feet	PR26B	<b>Vertical Change</b>	-0.8"			4	SF	\$25	<b>\$100</b>
88 to 163 feet		Driveway				302			
130 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
140 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			24	SF	\$40	<b>\$960</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
146 to 148 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
156 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
160 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>		
164 to 166 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
165 to 166 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF				
166 to 170 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
170 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
174 to 194 feet		Driveway				79					
175 to 176 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF				
176 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			48	SF	\$40	<b>\$1,920</b>		
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
190 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
198 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
210 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
214 to 216 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
216 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
218 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
222 to 224 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
224 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
248 to 249 feet	PR26B	<b>Vertical Change</b>	0.7"			4	SF	\$25	<b>\$100</b>		
264 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
272 to 292 feet		Driveway				78					
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
284 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			40	SF	\$40	<b>\$1,600</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
294 to 296 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
296 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
301 to 319 feet		Driveway				72			
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
310 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
316 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			24	SF	\$40	<b>\$960</b>
322 to 324 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
326 to 328 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
328 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
330 to 344 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
344 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
348 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
358 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
374 to 378 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
382 to 398 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
390 to 410 feet		Driveway				77			
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
400 to 404 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
404 to 406 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
406 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
408 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
412 to 414 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
413 to 414 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
418 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
418 to 435 feet		Driveway				66			
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
426 to 428 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
428 to 430 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
430 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
432 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
436 to 440 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>
438 to 439 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			4	REF		
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
440 to 441 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
442 to 446 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
446 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
452 to 454 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
454 to 458 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
458 to 466 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
466 to 472 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
472 to 478 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			24	SF	\$40	<b>\$960</b>
478 to 480 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
480 to 482 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
482 to 484 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
484 to 486 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
486 to 488 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
488 to 490 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
490 to 496 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
496 to 498 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
498 to 500 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
498 to 513 feet		Driveway				60			
500 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
506 to 518 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			48	SF	\$40	<b>\$1,920</b>
517 to 518 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			4	REF		
518 to 520 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
520 to 521 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
522 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
523 to 541 feet		Driveway				70			
524 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
526 to 528 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
528 to 530 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
530 to 532 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
532 to 536 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>		
536 to 540 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>		
540 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>		
546 to 548 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
578 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
580 to 584 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
584 to 586 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
586 to 590 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		16	SF	\$40	<b>\$640</b>		
590 to 594 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		16	SF	\$40	<b>\$640</b>		
594 to 596 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>MATTHEW WAY</b>		<i>Starting at:</i> <b>MATTHEW END</b>		<b>\$66,420.00</b>			

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	304	<b>MATTHEW WAY</b>	304	<b>MATTHEW END</b>	342	<b>ROSEMARY CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATTHEW WAY</b>													<b>\$66,420.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 8 feet	PR11A	Running Slope	5.0-6.0%			11	SF	\$40	<b>\$440</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
64 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
82 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
116 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
124 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
128 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
138 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
142 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
152 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
162 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
170 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
174 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
189 to 226 feet		Driveway				205			
190 to 192 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
190 to 191 feet	PR26BREF	<b>Vertical Change</b>	1.1"			6	REF		
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
200 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>
208 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			44	SF	\$40	<b>\$1,760</b>
216 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
224 to 226 feet	PR11AREF	Running Slope	11.0-12.0%			11	REF			
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
226 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>	
244 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
248 to 250 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
276 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
278 to 280 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
280 to 284 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>	
284 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
286 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
289 to 304 feet		Curb Ramp				84				
292 to 294 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
294 to 296 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
296 to 300 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
300 to 302 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
302 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>	
312 to 318 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			33	SF	\$40	<b>\$1,320</b>	
318 to 322 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
322 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>	
340 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>	
357 to 388 feet		Driveway				168				
358 to 360 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
358 to 359 feet	PR26BREF	<b>Vertical Change</b>	1.3"			6	REF			
360 to 362 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF			
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
366 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	<b>\$1,320</b>	
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
374 to 376 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
376 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			66	SF	\$40	<b>\$2,640</b>	
384 to 388 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF			
388 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
392 to 434 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			231	SF	\$40	<b>\$9,240</b>	
434 to 436 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
436 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
448 to 462 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>	
464 to 474 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>	
480 to 502 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	<b>\$4,840</b>	
502 to 506 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
506 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>	
518 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>	
524 to 536 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>	
540 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>	
550 to 558 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>	
558 to 560 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
559 to 590 feet		Driveway				168				
560 to 562 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
561 to 562 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF			
562 to 564 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
562 to 566 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
566 to 568 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
568 to 572 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
572 to 574 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
574 to 576 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
576 to 578 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
578 to 588 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			55	SF	\$40	<b>\$2,200</b>	
586 to 588 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
588 to 590 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF			
588 to 590 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
590 to 592 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
618 to 620 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
628 to 630 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
634 to 636 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
642 to 644 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
650 to 662 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>	
662 to 664 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
664 to 686 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	<b>\$4,840</b>	
690 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
695 to 725 feet		Driveway				166				
696 to 698 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
696 to 698 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
696 to 697 feet	PR26BREF	<b>Vertical Change</b>	1.4"			6	REF			
698 to 706 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>	
706 to 708 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
708 to 710 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
710 to 716 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			33	SF	\$40	<b>\$1,320</b>	
716 to 720 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
720 to 722 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
722 to 724 feet	PR11AREF	Running Slope	10.0-11.0%			11	REF			
722 to 724 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
724 to 726 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
728 to 734 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
733 to 734 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF			
735 to 737 feet		Driveway				9				
740 to 768 feet		Driveway				159				
748 to 750 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
750 to 754 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
768 to 774 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
774 to 776 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
776 to 782 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
784 to 788 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
790 to 796 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>	
800 to 824 feet		Driveway				133				
801 to 802 feet	PR26BREF	<b>Vertical Change</b>	1.4"			6	REF			
802 to 804 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF			
802 to 804 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
804 to 806 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>	
806 to 808 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
808 to 810 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
810 to 814 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
814 to 820 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>		
820 to 822 feet	PR11AREF	Running Slope	8.0-9.0%			11	REF				
820 to 822 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>		
822 to 824 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>		
828 to 832 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
836 to 838 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
840 to 852 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>		
858 to 868 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>		
870 to 894 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			132	SF	\$40	<b>\$5,280</b>		
890 to 915 feet		Driveway				138					
892 to 894 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF				
894 to 896 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>		
896 to 902 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>		
902 to 904 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>		
904 to 906 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>		
906 to 908 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>		
908 to 910 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>		
910 to 912 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>		
912 to 914 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF				
912 to 914 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>		
914 to 918 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
918 to 922 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
922 to 924 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
924 to 948 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			132	SF	\$40	<b>\$5,280</b>		
948 to 960 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>		
960 to 962 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>		
962 to 974 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>		
976 to 978 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
984 to 988 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
994 to 1008 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>		
1010 to 1012 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
1018 to 1020 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
1024 to 1026 feet	PR11A	Running Slope	5.0-6.0%			9	SF	\$40	<b>\$374</b>		
<b>TOTAL COST FOR:</b>		<b>E-S</b>	<i>side of LYN ST</i>	<i>Starting at: ADA ST</i>					<b>\$165,814.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E-S</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LYN ST</b>													<b>\$165,814.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
7 to 36 feet		Driveway				155			
8 to 10 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
10 to 12 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
26 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
32 to 34 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
42 to 71 feet		Driveway				156			
44 to 45 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF		
44 to 46 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
60 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
78 to 79 feet	PR04B	Continuous Width	12" to hedge			6	JOB	\$50	<b>\$275</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
80 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
82 to 88 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>
88 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
100 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
108 to 112 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			22	SF	\$40	<b>\$880</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
114 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
115 to 141 feet		Driveway				144			
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
128 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>
136 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
142 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
144 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
144 to 172 feet		Driveway				151			
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
150 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
154 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
158 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
174 to 176 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
204 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		176	SF	\$40	<b>\$7,040</b>	
236 to 263 feet		Driveway			146				
238 to 239 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
238 to 240 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
242 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
252 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
256 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
260 to 262 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
262 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		33	SF	\$40	<b>\$1,320</b>	
267 to 296 feet		Driveway			158				
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
270 to 272 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
272 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
276 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		33	SF	\$40	<b>\$1,320</b>	
282 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
288 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
300 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
310 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
314 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		77	SF	\$40	<b>\$3,080</b>	
328 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
332 to 334 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
334 to 336 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	\$440		
336 to 338 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
338 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
344 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
348 to 354 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			33	SF	\$40	\$1,320		
354 to 358 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
358 to 360 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	\$440		
360 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
361 to 389 feet		Driveway				152					
364 to 366 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF				
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	\$440		
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	\$440		
368 to 380 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			66	SF	\$40	\$2,640		
380 to 384 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	\$880		
384 to 386 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	\$440		
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	\$440		
388 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	\$880		
392 to 394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
394 to 419 feet		Driveway				141					
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	\$440		
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	\$440		
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	\$440		
400 to 402 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	\$440		
402 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	\$1,320		
408 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	\$440		
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	\$440		
412 to 416 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	\$880		
416 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	\$440		
418 to 420 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	\$440		
420 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
424 to 428 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
428 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	\$1,760		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
436 to 440 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
442 to 444 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
444 to 446 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
446 to 454 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
454 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
456 to 458 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
460 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
464 to 468 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
468 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
470 to 480 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	<b>\$2,200</b>	
480 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
488 to 516 feet		Driveway			151				
492 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
494 to 498 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
498 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
502 to 504 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
504 to 506 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
506 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		44	SF	\$40	<b>\$1,760</b>	
514 to 516 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
516 to 518 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
518 to 520 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
520 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
521 to 547 feet		Driveway			144				
522 to 524 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
524 to 538 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		77	SF	\$40	<b>\$3,080</b>	
538 to 544 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
544 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
546 to 548 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
548 to 554 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
554 to 558 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
558 to 560 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
560 to 562 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
562 to 566 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
566 to 568 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
568 to 574 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
574 to 590 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
590 to 600 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
600 to 604 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
604 to 610 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
610 to 614 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
611 to 639 feet		Driveway				151			
614 to 616 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
616 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
618 to 624 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>
624 to 626 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
626 to 628 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
628 to 632 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
632 to 634 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
634 to 636 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
636 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
642 to 644 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
643 to 670 feet		Driveway				146			
644 to 646 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
646 to 648 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
648 to 652 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
652 to 656 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
656 to 660 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
660 to 668 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			44	SF	\$40	<b>\$1,760</b>
668 to 670 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
674 to 676 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
680 to 694 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>
696 to 704 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
706 to 714 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
714 to 716 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
716 to 718 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
718 to 724 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
724 to 726 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
726 to 732 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>		
731 to 759 feet		Driveway			151					
732 to 734 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
734 to 736 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF				
734 to 736 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>		
736 to 742 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>		
742 to 746 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>		
746 to 748 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>		
748 to 752 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>		
752 to 754 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>		
754 to 756 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
756 to 758 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
758 to 762 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
762 to 766 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
763 to 790 feet		Driveway			149					
766 to 768 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF				
766 to 768 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
768 to 774 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>		
774 to 776 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>		
776 to 786 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		55	SF	\$40	<b>\$2,200</b>		
786 to 788 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
788 to 790 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>		
790 to 792 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
792 to 794 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
794 to 798 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
800 to 802 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
804 to 810 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>		
810 to 816 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
820 to 824 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
821 to 849 feet		Driveway			151					
824 to 826 feet	PR11AREF	Running Slope	7.0-8.0%		11	REF				
824 to 826 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
826 to 828 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>		
828 to 830 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
830 to 834 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>		
834 to 842 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			44	SF	\$40	<b>\$1,760</b>		
842 to 844 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>		
844 to 846 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>		
846 to 848 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>		
848 to 850 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
864 to 882 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>		
882 to 892 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>		
892 to 894 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$396</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>ADA ST</b>	<i>Starting at:</i> <b>ALVIN ST</b>					<b>\$176,671.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	389	<b>ADA ST</b>	169	<b>ALVIN ST</b>	317	<b>OAK AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$176,671.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	237	<b>FLORA WAY</b>	166	<b>ALLEN WY</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
6 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		132	SF	\$40	<b>\$5,280</b>	
27 to 28 feet	PS24B	<b>Protruding Object</b>			6	JOB	\$75	<b>\$413</b>	
30 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
64 to 65 feet	PR04B	Continuous Width	24" to tree		6	JOB	\$50	<b>\$275</b>	
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
92 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
118 to 144 feet		Driveway			145				
119 to 120 feet	PR26BREF	<b>Vertical Change</b>	1.1"		6	REF			
120 to 122 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
120 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		55	SF	\$40	<b>\$2,200</b>	
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
136 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
142 to 144 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
144 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
148 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		99	SF	\$40	<b>\$3,960</b>	
166 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
174 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
181 to 182 feet	PS24B	<b>Protruding Object</b>	40" to tree		6	JOB	\$75	<b>\$413</b>	
186 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
190 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
194 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
202 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
212 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
216 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
219 to 247 feet		Driveway			153				
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
220 to 221 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF			

Year to be Completed TBD

Priority 2

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
W	237	FLORA WAY	166	ALLEN WY	389	ADA ST			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
222 to 224 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
224 to 226 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
226 to 230 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			22	SF	\$40	\$880
230 to 234 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			22	SF	\$40	\$880
234 to 236 feet	PR10A	Cross Slope (Driveway)	10.0-11.0%			11	SF	\$40	\$440
236 to 240 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			22	SF	\$40	\$880
240 to 242 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
242 to 244 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			11	SF	\$40	\$440
244 to 246 feet	PR10A	Cross Slope (Driveway)	5.0-6.0%			11	SF	\$40	\$440
246 to 250 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			22	SF	\$40	\$880
250 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440
251 to 278 feet		Driveway				150			
252 to 254 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			11	SF	\$40	\$440
253 to 254 feet	PR26BREF	Vertical Change	0.9"			6	REF		
254 to 256 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
256 to 260 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			22	SF	\$40	\$880
260 to 264 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			22	SF	\$40	\$880
264 to 270 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			33	SF	\$40	\$1,320
270 to 272 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
272 to 274 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
274 to 276 feet	PR10A	Cross Slope (Driveway)	6.0-7.0%			11	SF	\$40	\$440
276 to 278 feet	PR10A	Cross Slope (Driveway)	4.0-5.0%			11	SF	\$40	\$440
278 to 282 feet	PR10A	Cross Slope (Driveway)	2.0-3.0%			22	SF	\$40	\$880
282 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880
286 to 290 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	\$880
290 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	\$1,320
296 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440
298 to 300 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440
300 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	\$3,520
316 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880
318 to 345 feet		Driveway				147			
320 to 322 feet	PR10A	Cross Slope (Driveway)	7.0-8.0%			11	SF	\$40	\$440
322 to 324 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			11	SF	\$40	\$440
324 to 330 feet	PR10A	Cross Slope (Driveway)	9.0-10.0%			33	SF	\$40	\$1,320

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	237	<b>FLORA WAY</b>	166	<b>ALEN WY</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
332 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>		
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
338 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>		
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
342 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>		
344 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
348 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
358 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
362 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
370 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
384 to 411 feet		Driveway			149					
386 to 388 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>		
388 to 390 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
390 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>		
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>		
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>		
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>		
400 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		44	SF	\$40	<b>\$1,760</b>		
408 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>		
410 to 412 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
412 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
418 to 420 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
422 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
426 to 428 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
440 to 442 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i> <b>FLORA WAY</b>	<i>Starting at:</i> <b>ALEN WY</b>	<b>\$77,220.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	237	<b>FLORA WAY</b>	166	<b>ALEN WY</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FLORA WAY</b>									<b>\$77,220.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	253	<b>HANFORD ARMONA</b>	340	<b>RANDALL ST</b>	253	<b>14205 HANFORD-ARMONA</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
14 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
24 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
28 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
34 to 53 feet		Driveway			76				
35 to 36 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
44 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
70 to 88 feet		Driveway			71				
71 to 72 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
74 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
152 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
174 to 191 feet		Driveway			70				
174 to 176 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
175 to 176 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
176 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		16	SF	\$40	<b>\$640</b>	
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
184 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
188 to 190 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
209 to 228 feet		Driveway			75				
209 to 210 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
-------------	-----------	--------------------	-----------	----------------------	-----------	----------------

<b>S</b>	253	<b>HANFORD ARMONA</b>	340	<b>RANDALL ST</b>	253	<b>14205 HANFORD-ARMONA</b>
----------	-----	-----------------------	-----	-------------------	-----	-----------------------------

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%	8	SF	\$40	<b>\$320</b>
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%	8	SF	\$40	<b>\$320</b>
214 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%	16	SF	\$40	<b>\$640</b>
218 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%	24	SF	\$40	<b>\$960</b>
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%	8	SF	\$40	<b>\$320</b>
226 to 228 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%	8	SF	\$40	<b>\$320</b>
228 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%	8	SF	\$40	<b>\$320</b>

<b>TOTAL COST FOR:</b>	<b>S</b>	<i>side of</i> <b>HANFORD ARMONA RD</b>	<i>Starting at:</i> <b>RANDALL ST</b>	<b>\$15,680.00</b>
------------------------	----------	---	---------------------------------------	--------------------

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	253	<b>HANFORD ARMONA</b>	340	<b>RANDALL ST</b>	253	<b>14205 HANFORD-ARMONA</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HANFORD ARMONA RD</b>													<b>\$15,680.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	413	<b>PIMO ST</b>	396	<b>DAN DR</b>	339	<b>RANDALL CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
4 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
16 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
28 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
44 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
53 to 67 feet		Driveway				56			
54 to 56 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
54 to 55 feet	PR26BREF	<b>Vertical Change</b>	1.0"			4	REF		
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
58 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
62 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
64 to 66 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
66 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			96	SF	\$40	<b>\$3,840</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
98 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
112 to 133 feet		Driveway				84			
114 to 115 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
114 to 116 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
118 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
122 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			40	SF	\$40	<b>\$1,600</b>
130 to 132 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
138 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
150 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	413	<b>PIMO ST</b>	396	<b>DAN DR</b>	339	<b>RANDALL CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
154 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
162 to 163 feet	PS24B	<b>Protruding Object</b>	65" to tree			4	JOB	\$75	<b>\$300</b>
162 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
166 to 170 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
169 to 185 feet		Driveway				64			
170 to 171 feet	PR26BREF	<b>Vertical Change</b>	1.7"			4	REF		
170 to 172 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
174 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
182 to 184 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
186 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
192 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
198 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
200 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
212 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
218 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
222 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
226 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
232 to 236 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
236 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
254 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
257 to 278 feet		Driveway				84			
258 to 260 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
258 to 259 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
260 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
264 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			40	SF	\$40	<b>\$1,600</b>
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	413	<b>PIMO ST</b>	396	<b>DAN DR</b>	339	<b>RANDALL CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
276 to 278 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
278 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			96	SF	\$40	<b>\$3,840</b>
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
308 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
316 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
324 to 330 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
332 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$656</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>PIMO ST</b>	<i>Starting at:</i> <b>DAN DR</b>					<b>\$48,956.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	413	<b>PIMO ST</b>	396	<b>DAN DR</b>	339	<b>RANDALL CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PIMO ST</b>													<b>\$48,956.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W-N</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>	233	<b>FERN CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
3 to 4 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
5 to 6 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			4	REF		
6 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
6 to 7 feet	PS24B	<b>Protruding Object</b>				4	JOB	\$75	<b>\$300</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
16 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
40 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
49 to 67 feet		Driveway				72			
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
60 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
68 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
80 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
90 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
108 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
120 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
129 to 144 feet		Driveway				60			
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
134 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
144 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W-N</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>	233	<b>FERN CIR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
180 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
186 to 207 feet		Driveway				82					
190 to 192 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	\$320		
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	\$320		
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	\$320		
196 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	\$960		
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	\$320		
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	\$320		
208 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
228 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
244 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
250 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
262 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
338 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
352 to 353 feet	PS24B	<b>Protruding Object</b>	65" to tree, entire corner			4	JOB	\$75	\$300		
364 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
368 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
372 to 374 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
380 to 382 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
<b>TOTAL COST FOR:</b>		<b>W-N</b>	<i>side of</i>	<b>VISTA DR</b>	<i>Starting at:</i>	<b>HOOD AVE</b>			<b>\$32,600.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W-N</b>	367	<b>VISTA DR</b>	262	<b>HOOD AVE</b>	233	<b>FERN CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: VISTA DR</b>													<b>\$32,600.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
38 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	\$1,760		
54 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	\$1,760		
60 to 85 feet		Driveway				139					
61 to 62 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF				
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	\$440		
64 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	\$1,760		
72 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	\$1,320		
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	\$440		
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	\$440		
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	\$440		
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	\$440		
86 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	\$1,320		
92 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	\$2,200		
102 to 104 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	\$440		
104 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	\$1,320		
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
112 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	\$1,320		
120 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	\$4,840		
144 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
146 to 172 feet		Driveway				143					
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	\$440		
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	\$440		
152 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	\$1,320		
158 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	\$1,760		
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	\$880		
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	\$440		
172 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	\$1,760		
180 to 182 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
182 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	\$1,320		
188 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
190 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
194 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	\$1,320		
200 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
206 to 210 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	\$880		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
208 to 233 feet		Driveway				141			
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
212 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	<b>\$1,320</b>
218 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
226 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>
230 to 232 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
232 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
238 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
244 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
266 to 293 feet		Driveway				146			
268 to 270 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
274 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			55	SF	\$40	<b>\$2,200</b>
284 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
288 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
290 to 292 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
297 to 324 feet		Driveway				149			
300 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
310 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			33	SF	\$40	<b>\$1,320</b>
316 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	<b>\$1,320</b>
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
326 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			110	SF	\$40	<b>\$4,400</b>
346 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
348 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
356 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
357 to 382 feet		Driveway				139			

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
360 to 362 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
366 to 382 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		88	SF	\$40	<b>\$3,520</b>	
382 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
392 to 394 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
394 to 396 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
396 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>	
408 to 416 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
414 to 441 feet		Driveway			148				
420 to 422 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
422 to 424 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
426 to 430 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
430 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
436 to 438 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
438 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
440 to 442 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
442 to 444 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
443 to 444 feet	PR04B	Continuous Width	30" to shrub		6	JOB	\$50	<b>\$275</b>	
444 to 445 feet	PR26BREF	<b>Vertical Change</b>	1.0"		6	REF			
444 to 446 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
476 to 478 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
486 to 494 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
496 to 504 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
500 to 527 feet		Driveway			152				
506 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
508 to 510 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
508 to 510 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
510 to 514 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
514 to 516 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
516 to 520 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
520 to 522 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
522 to 526 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
526 to 530 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
530 to 532 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
531 to 532 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF		
531 to 555 feet		Driveway				127			
534 to 538 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
538 to 540 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
538 to 540 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
540 to 542 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
542 to 546 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
546 to 552 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			33	SF	\$40	<b>\$1,320</b>
552 to 558 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			33	SF	\$40	<b>\$1,320</b>
558 to 560 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$440</b>
558 to 559 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			6	REF		
560 to 562 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
561 to 562 feet	PR26BREF	<b>Vertical Change</b>	0.9"			6	REF		
562 to 568 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
568 to 570 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
570 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
574 to 576 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
578 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
582 to 588 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
583 to 609 feet		Driveway				141			
590 to 592 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
590 to 592 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
592 to 594 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
594 to 596 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
596 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			55	SF	\$40	<b>\$2,200</b>
606 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			33	SF	\$40	<b>\$1,320</b>
612 to 613 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			6	REF		
612 to 614 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>
614 to 628 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>
614 to 615 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
630 to 638 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
644 to 647 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			15	SF	\$40	<b>\$594</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>OAK ST</b>	<i>Starting at:</i>	<b>LYN ST</b>			<b>\$109,989.00</b>		

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	318	<b>OAK ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: OAK ST</b>									<b>\$109,989.00</b>	

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	671	<b>1ST ST</b>	1315	<b>CROSS ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			40	SF	\$40	<b>\$1,600</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
12 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
18 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			50	SF	\$40	<b>\$2,000</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
30 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			70	SF	\$40	<b>\$2,800</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
46 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			70	SF	\$40	<b>\$2,800</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
64 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
70 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
106 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
114 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	<b>\$2,400</b>
126 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
130 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
134 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
138 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
144 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
149 to 179 feet		Driveway				150			
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			10	SF	\$40	<b>\$400</b>
151 to 152 feet	PR26BREF	<b>Vertical Change</b>	1.4"			5	REF		
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>
154 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			20	SF	\$40	<b>\$800</b>
158 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			30	SF	\$40	<b>\$1,200</b>
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			10	SF	\$40	<b>\$400</b>
166 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			10	SF	\$40	<b>\$400</b>
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			10	SF	\$40	<b>\$400</b>

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	671	<b>1ST ST</b>	1315	<b>CROSS ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
178 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>		
184 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>		
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
190 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40	<b>\$1,200</b>		
196 to 198 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
198 to 200 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
202 to 206 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40	<b>\$800</b>		
206 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
208 to 214 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>		
214 to 220 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			30	SF	\$40	<b>\$1,200</b>		
220 to 222 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
222 to 226 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			20	SF	\$40	<b>\$800</b>		
226 to 232 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>		
232 to 234 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
234 to 236 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
236 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>		
240 to 256 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			80	SF	\$40	<b>\$3,200</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>		
258 to 262 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40	<b>\$800</b>		
258 to 273 feet		Curb Ramp				75					
262 to 264 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			10	SF	\$40	<b>\$400</b>		
264 to 268 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			20	SF	\$40	<b>\$800</b>		
268 to 270 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			10	SF	\$40	<b>\$400</b>		
270 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>		
274 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
276 to 288 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			60	SF	\$40	<b>\$2,400</b>		
288 to 290 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>		
290 to 291 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			5	REF				
290 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
292 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
294 to 296 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				
300 to 302 feet	PR11A	Running Slope	6.0-7.0%			10	SF	\$40	<b>\$400</b>		
303 to 304 feet	PR26B	<b>Vertical Change</b>	0.8"			5	SF	\$25	<b>\$125</b>		

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	671	<b>1ST ST</b>	1315	<b>CROSS ST</b>	146	<b>EMPIRE ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
310 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
318 to 320 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
320 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	\$2,400		
334 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
336 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	\$400		
338 to 340 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
340 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	\$400		
342 to 346 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	\$800		
346 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	\$2,800		
360 to 362 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
362 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	\$400		
366 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	\$800		
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
372 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
384 to 394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			50	SF	\$40	\$2,000		
398 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
408 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	\$1,200		
414 to 416 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	\$400		
416 to 428 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	\$2,400		
422 to 424 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
430 to 432 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			10	SF	\$40	\$400		
432 to 433 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			5	REF				
432 to 434 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	\$400		
434 to 436 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	\$400		
436 to 438 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	\$400		
438 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	\$400		
446 to 447 feet	PR26A	<b>Vertical Change</b>	0.5"			5	LF	\$25	\$125		
450 to 460 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			50	SF	\$40	\$2,000		
474 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
477 to 496 feet		Curb Ramp				95					
479 to 480 feet	PR26BREF	<b>Vertical Change</b>	1.2"			5	REF				
480 to 482 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
482 to 484 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF				

Year to be Completed **TBD**Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	671	<b>1ST ST</b>	1315	<b>CROSS ST</b>	146	<b>EMPIRE ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
484 to 486 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
484 to 486 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
488 to 492 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
490 to 494 feet	PR11AREF	Running Slope	6.0-7.0%			20	REF		
492 to 494 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
500 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	<b>\$2,800</b>
522 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
524 to 526 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
526 to 528 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
528 to 530 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			10	SF	\$40	<b>\$400</b>
529 to 530 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF		
530 to 532 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			10	SF	\$40	<b>\$400</b>
532 to 534 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
534 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
548 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
556 to 574 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of 1ST ST</i>	<i>Starting at: CROSS ST</i>					<b>\$93,050.00</b>

Year to be Completed **TBD**

Priority **2**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	671	<b>1ST ST</b>	1315	<b>CROSS ST</b>	146	<b>EMPIRE ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 1ST ST</b>													<b>\$93,050.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	204	<b>CORNELIA DR</b>	204	<b>CORNELIA END</b>	197	<b>CHRISTOPHER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			40	SF	\$40	<b>\$1,600</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
22 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
35 to 61 feet		Driveway				102			
36 to 38 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
36 to 37 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
40 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			32	SF	\$40	<b>\$1,280</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
56 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
62 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
70 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
78 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
82 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
102 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
112 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
116 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	204	<b>CORNELIA DR</b>	204	<b>CORNELIA END</b>	197	<b>CHRISTOPHER ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
124 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
130 to 134 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>	
132 to 133 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			4	REF			
134 to 136 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
144 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>	
154 to 186 feet		Driveway				130				
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
164 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>	
168 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>	
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>	
176 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>	
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>	
184 to 186 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
194 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
198 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
200 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>	
206 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
212 to 216 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
216 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
218 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>	
224 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>	
238 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
246 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	204	<b>CORNELIA DR</b>	204	<b>CORNELIA END</b>	197	<b>CHRISTOPHER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
248 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
250 to 252 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
254 to 255 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
258 to 283 feet		Driveway			101				
260 to 262 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
262 to 264 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
272 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
282 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
290 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
292 to 294 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
294 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
300 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
320 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
322 to 343 feet		Driveway			82				
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
328 to 334 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		24	SF	\$40	<b>\$960</b>	
334 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>	
338 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
350 to 352 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
352 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
353 to 373 feet		Driveway			81				
353 to 354 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
354 to 356 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
356 to 358 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	204	<b>CORNELIA DR</b>	204	<b>CORNELIA END</b>	197	<b>CHRISTOPHER ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
360 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		48	SF	\$40	<b>\$1,920</b>		
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
374 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
380 to 384 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
390 to 392 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
394 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
402 to 408 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
410 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
414 to 422 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>		
422 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
424 to 426 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
426 to 428 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		8	SF	\$40	<b>\$320</b>		
428 to 430 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
430 to 432 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
432 to 434 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
434 to 436 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
436 to 438 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
438 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
440 to 444 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$688</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of CORNELIA DR Starting at: CORNELIA END</b>		<b>\$59,248.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	204	<b>CORNELIA DR</b>	204	<b>CORNELIA END</b>	197	<b>CHRISTOPHER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CORNELIA DR</b>													<b>\$59,248.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	295	<b>LOCUST ST</b>	295	<b>7TH DAV ACADEMY</b>	295	<b>ACROSS FR 14356 LOCUST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			12	SF	\$40	<b>\$480</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			24	SF	\$40	<b>\$960</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>
14 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			48	SF	\$40	<b>\$1,920</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
30 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
36 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	<b>\$2,400</b>
46 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>
58 to 62 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
64 to 70 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	<b>\$480</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
74 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
84 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
92 to 98 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
98 to 102 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			24	SF	\$40	<b>\$960</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			12	SF	\$40	<b>\$480</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			36	SF	\$40	<b>\$1,440</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
112 to 122 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			60	SF	\$40	<b>\$2,400</b>
122 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			84	SF	\$40	<b>\$3,360</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
140 to 142 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	295	<b>LOCUST ST</b>	295	<b>7TH DAV ACADEMY</b>	295	<b>ACROSS FR 14356 LOCUST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
142 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
146 to 152 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
154 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
164 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
168 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
180 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
186 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
188 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
192 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
193 to 223 feet		Driveway				180			
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			12	SF	\$40	<b>\$480</b>
195 to 196 feet	PR26BREF	<b>Vertical Change</b>	0.8"			6	REF		
196 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			12	SF	\$40	<b>\$480</b>
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			12	SF	\$40	<b>\$480</b>
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			12	SF	\$40	<b>\$480</b>
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			12	SF	\$40	<b>\$480</b>
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			12	SF	\$40	<b>\$480</b>
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			12	SF	\$40	<b>\$480</b>
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			12	SF	\$40	<b>\$480</b>
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			12	SF	\$40	<b>\$480</b>
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			12	SF	\$40	<b>\$480</b>
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			12	SF	\$40	<b>\$480</b>
222 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			60	SF	\$40	<b>\$2,400</b>
232 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
234 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
240 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
244 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	295	<b>LOCUST ST</b>	295	<b>7TH DAV ACADEMY</b>	295	<b>ACROSS FR 14356 LOCUST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
246 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	\$1,440		
254 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
260 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	\$480		
262 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	\$480		
264 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
268 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960		
272 to 278 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	\$1,440		
278 to 280 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	\$480		
280 to 290 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			60	SF	\$40	\$2,400		
290 to 298 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	\$1,920		
298 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	\$2,400		
312 to 320 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	\$1,920		
322 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	\$480		
326 to 330 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
330 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	\$1,440		
336 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	\$480		
338 to 340 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	\$480		
340 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	\$1,440		
346 to 358 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	\$2,880		
358 to 359 feet	PR26AREF	<b>Vertical Change</b>	0.5"			6	REF				
360 to 362 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	\$480		
362 to 364 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			12	SF	\$40	\$480		
364 to 365 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			6	SF	\$40	\$240		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>LOCUST ST</b>		<i>Starting at:</i> <b>7TH DAV ACADEMY</b>				<b>\$82,800.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	295	<b>LOCUST ST</b>	295	<b>7TH DAV ACADEMY</b>	295	<b>ACROSS FR 14356 LOCUST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LOCUST ST</b>													<b>\$82,800.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	402	<b>LYN END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
6 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,558</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
26 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
36 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,558</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
94 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			53	SF	\$40	<b>\$2,132</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
104 to 131 feet		Driveway				146			
105 to 106 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$426</b>
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
116 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			64	SF	\$40	<b>\$2,558</b>
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
132 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
138 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,706</b>
146 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
152 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
160 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
164 to 192 feet		Driveway				149			
165 to 166 feet	PR26BREF	<b>Vertical Change</b>	0.7"			5	REF		
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
168 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			43	SF	\$40	<b>\$1,706</b>
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$426</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	402	<b>LYN END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
178 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		21	SF	\$40	<b>\$853</b>		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$426</b>		
184 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		21	SF	\$40	<b>\$853</b>		
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$426</b>		
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>		
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
194 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>		
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
202 to 204 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>		
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>		
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
212 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of LYN ST Starting at: ADA ST</i>		<b>\$36,670.40</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>	402	<b>LYN END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LYN ST</b>									<b>\$36,670.40</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
10 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
27 to 52 feet		Driveway				103			
28 to 30 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
28 to 29 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
40 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			40	SF	\$40	<b>\$1,600</b>
48 to 50 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
58 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
99 to 114 feet		Driveway				62			
100 to 102 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
101 to 102 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
108 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
112 to 114 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
114 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
148 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
152 to 171 feet		Driveway				75			
154 to 155 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
154 to 156 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	396	<b>DAN DR</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>		
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>		
158 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		16	SF	\$40	<b>\$640</b>		
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>		
164 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>		
168 to 170 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
170 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
178 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
190 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
208 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
228 to 243 feet		Driveway			60					
229 to 230 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF				
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
234 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		
236 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>		
240 to 242 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF				
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
242 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
264 to 266 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
266 to 270 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>		
270 to 274 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
274 to 276 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
276 to 278 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
278 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$368</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i> <b>DAN DR</b>	<i>Starting at:</i> <b>HANFORD ARMONA RD</b>	<b>\$26,928.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	396	<b>DAN DR</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>									<b>\$26,928.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1101	<b>CHRISTOPHER CIR</b>	1101	<b>CHRISTOPHER END</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
8 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
20 to 38 feet		Driveway				70			
21 to 22 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
24 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
38 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			16	SF	\$40	<b>\$640</b>
42 to 46 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
49 to 69 feet		Driveway				82			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
56 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			40	SF	\$40	<b>\$1,600</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
80 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			64	SF	\$40	<b>\$2,560</b>
96 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
110 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
137 to 158 feet		Driveway				82			
138 to 139 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
140 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			24	SF	\$40	<b>\$960</b>
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
150 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>
156 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1101	<b>CHRISTOPHER CIR</b>	1101	<b>CHRISTOPHER END</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
162 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
165 to 166 feet	PR04B	Continuous Width			4	JOB	\$50	<b>\$200</b>	
169 to 190 feet		Driveway			85				
170 to 171 feet	PR26BREF	<b>Vertical Change</b>	0.7"		4	REF			
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
172 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
180 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
188 to 190 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
216 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
220 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
226 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
228 to 232 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
231 to 232 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
232 to 234 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
233 to 234 feet	PR26AREF	<b>Vertical Change</b>	-0.5"		4	REF			
234 to 236 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
236 to 238 feet	PR05A	Cross Slope (PAR)	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
237 to 238 feet	PR26AREF	<b>Vertical Change</b>	-0.8"		4	REF			
238 to 240 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
240 to 242 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	

<b>TOTAL COST FOR:</b>	<b>S</b>	<i>side of</i> <b>CHRISTOPHER CIR</b>	<i>Starting at:</i> <b>CHRISTOPHER END</b>	<b>\$29,000.00</b>
------------------------	----------	---------------------------------------	--	--------------------

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1101	<b>CHRISTOPHER CIR</b>	1101	<b>CHRISTOPHER END</b>	304	<b>MATTHEW WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CHRISTOPHER CIR</b>													<b>\$29,000.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF		
4 to 6 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
6 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			220	SF	\$40	<b>\$8,800</b>
10 to 12 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
18 to 20 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
20 to 22 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
24 to 26 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
26 to 28 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
26 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			242	SF	\$40	<b>\$9,680</b>
28 to 34 feet	PR11AREF	Running Slope	5.0-6.0%			66	REF		
36 to 40 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
40 to 42 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
50 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
54 to 56 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
56 to 58 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
58 to 62 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
60 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			264	SF	\$40	<b>\$10,560</b>
64 to 66 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
66 to 72 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF		
74 to 78 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
80 to 82 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
84 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
86 to 92 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF		
86 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			154	SF	\$40	<b>\$6,160</b>
92 to 94 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF		
94 to 98 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
98 to 102 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
100 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>	
102 to 108 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF			
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
108 to 110 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF			
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
110 to 112 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF			
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
112 to 114 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
114 to 122 feet	PR11AREF	Running Slope	7.0-8.0%			88	REF			
114 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			352	SF	\$40	<b>\$14,080</b>	
122 to 124 feet	PR11AREF	Running Slope	9.0-10.0%			22	REF			
124 to 128 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF			
128 to 130 feet	PR11AREF	Running Slope	8.0-9.0%			22	REF			
130 to 134 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF			
134 to 136 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
136 to 138 feet	PR11AREF	Running Slope	8.0-9.0%			22	REF			
138 to 140 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF			
140 to 142 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
142 to 146 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF			
146 to 150 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF			
146 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			110	SF	\$40	<b>\$4,400</b>	
150 to 154 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF			
154 to 156 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
156 to 158 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF			
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
156 to 193 feet		Driveway				403				
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>	
160 to 164 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF			
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>	
162 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			66	SF	\$40	<b>\$2,640</b>	
164 to 166 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF			
166 to 170 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF			
168 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			66	SF	\$40	<b>\$2,640</b>	
170 to 172 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF			

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
172 to 174 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
176 to 180 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
180 to 190 feet	PR11AREF	Running Slope	5.0-6.0%		110	REF			
180 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		66	SF	\$40	<b>\$2,640</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
190 to 192 feet	PR11AREF	Running Slope	11.0-12.0%		22	REF			
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
192 to 196 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
192 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
196 to 200 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF			
198 to 204 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>	
202 to 204 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
206 to 208 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
206 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
210 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
212 to 216 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF			
214 to 216 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
218 to 220 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
220 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>	
228 to 230 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
228 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		132	SF	\$40	<b>\$5,280</b>	
236 to 276 feet		Driveway			442				
240 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
244 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		88	SF	\$40	<b>\$3,520</b>	
246 to 248 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
250 to 252 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	
254 to 256 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
254 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		198	SF	\$40	<b>\$7,920</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
256 to 258 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF				
258 to 260 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				
270 to 272 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF				
272 to 274 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				
272 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			44	SF	\$40		<b>\$1,760</b>	
276 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			88	SF	\$40		<b>\$3,520</b>	
278 to 280 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF				
280 to 282 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF				
284 to 288 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40		<b>\$1,760</b>	
288 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40		<b>\$880</b>	
290 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40		<b>\$880</b>	
292 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40		<b>\$880</b>	
294 to 302 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			88	SF	\$40		<b>\$3,520</b>	
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40		<b>\$880</b>	
304 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40		<b>\$880</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40		<b>\$880</b>	
308 to 310 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				
308 to 310 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40		<b>\$880</b>	
310 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40		<b>\$880</b>	
310 to 311 feet	PR26BREF	<b>Vertical Change</b>	0.8"			11	REF				
312 to 341 feet		Driveway				326					
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40		<b>\$880</b>	
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40		<b>\$880</b>	
316 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40		<b>\$880</b>	
318 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40		<b>\$1,760</b>	
322 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			88	SF	\$40		<b>\$3,520</b>	
328 to 330 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF				
330 to 332 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40		<b>\$880</b>	
332 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40		<b>\$1,760</b>	
336 to 338 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF				
336 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40		<b>\$1,760</b>	
338 to 340 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF				
340 to 342 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
342 to 346 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF				
342 to 344 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
344 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		220	SF	\$40	<b>\$8,800</b>		
348 to 354 feet	PR11AREF	Running Slope	6.0-7.0%		66	REF				
354 to 358 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF				
360 to 362 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
362 to 366 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF				
364 to 366 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
366 to 368 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF				
366 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
368 to 370 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
370 to 372 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
372 to 374 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
372 to 374 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
374 to 384 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		110	SF	\$40	<b>\$4,400</b>		
384 to 388 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF				
384 to 386 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
386 to 388 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
388 to 502 feet		Driveway			1253					
388 to 392 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF				
388 to 392 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>		
392 to 394 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
394 to 396 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>		
396 to 400 feet	PR11AREF	Running Slope	7.0-8.0%		44	REF				
396 to 398 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
398 to 400 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>		
400 to 402 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
400 to 402 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
402 to 404 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF				
402 to 408 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		66	SF	\$40	<b>\$2,640</b>		
404 to 406 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
408 to 410 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
408 to 410 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	
410 to 414 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
410 to 414 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>	
414 to 416 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
414 to 418 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		44	SF	\$40	<b>\$1,760</b>	
416 to 418 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
418 to 420 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
418 to 420 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
420 to 422 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
420 to 422 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
422 to 424 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
422 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
424 to 426 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
426 to 432 feet	PR11AREF	Running Slope	6.0-7.0%		66	REF			
426 to 430 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
430 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
432 to 434 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
434 to 436 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
436 to 438 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
436 to 440 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
438 to 440 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
440 to 444 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
440 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>	
444 to 446 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
446 to 448 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
446 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
448 to 450 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
448 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>	
450 to 452 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
452 to 454 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
454 to 458 feet	PR11AREF	Running Slope	7.0-8.0%		44	REF			
454 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
456 to 458 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
458 to 460 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
458 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
460 to 462 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
460 to 464 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>	
462 to 464 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
464 to 466 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
464 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		88	SF	\$40	<b>\$3,520</b>	
466 to 468 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
468 to 470 feet	PR11AREF	Running Slope	9.0-10.0%		22	REF			
470 to 476 feet	PR11AREF	Running Slope	6.0-7.0%		66	REF			
472 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		88	SF	\$40	<b>\$3,520</b>	
476 to 478 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
478 to 480 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
480 to 482 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF			
480 to 488 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		88	SF	\$40	<b>\$3,520</b>	
482 to 484 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
484 to 486 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
488 to 490 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
488 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
490 to 492 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
490 to 492 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	
492 to 494 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
492 to 502 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		110	SF	\$40	<b>\$4,400</b>	
494 to 496 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF			
496 to 500 feet	PR11AREF	Running Slope	7.0-8.0%		44	REF			
500 to 504 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
502 to 508 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		66	SF	\$40	<b>\$2,640</b>	
504 to 506 feet	PR11AREF	Running Slope	8.0-9.0%		22	REF			
506 to 510 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF			
508 to 510 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
510 to 512 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF			
510 to 514 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		44	SF	\$40	<b>\$1,760</b>	
512 to 520 feet	PR11AREF	Running Slope	5.0-6.0%		88	REF			
514 to 516 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
516 to 530 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			154	SF	\$40	<b>\$6,160</b>	
524 to 530 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF			
528 to 529 feet	PR04B	Continuous Width	SW reduced to 4.5'			11	JOB	\$50	<b>\$550</b>	
530 to 532 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF			
530 to 538 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>	
532 to 534 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
534 to 536 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF			
536 to 542 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF			
540 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
542 to 546 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF			
546 to 550 feet	PR11A	Running Slope	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>	
550 to 552 feet	PR11A	Running Slope	5.0-6.0%			22	SF	\$40	<b>\$880</b>	
552 to 554 feet	PR11A	Running Slope	8.0-9.0%			22	SF	\$40	<b>\$880</b>	
554 to 556 feet	PR11A	Running Slope	7.0-8.0%			22	SF	\$40	<b>\$880</b>	
556 to 558 feet	PR11A	Running Slope	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
558 to 560 feet	PR11A	Running Slope	5.0-6.0%			22	SF	\$40	<b>\$880</b>	
560 to 564 feet	PR11A	Running Slope	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>	
564 to 566 feet	PR11A	Running Slope	7.0-8.0%			22	SF	\$40	<b>\$880</b>	
566 to 568 feet	PR11A	Running Slope	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
568 to 572 feet	PR11A	Running Slope	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>	
572 to 574 feet	PR11A	Running Slope	6.0-7.0%			22	SF	\$40	<b>\$880</b>	
574 to 576 feet	PR11A	Running Slope	5.0-6.0%			22	SF	\$40	<b>\$880</b>	
576 to 578 feet	PR11A	Running Slope	7.0-8.0%			22	SF	\$40	<b>\$880</b>	
578 to 586 feet	PR11AREF	Running Slope	6.0-7.0%			88	REF			
584 to 586 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
586 to 590 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF			
586 to 590 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>	
590 to 592 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF			
590 to 592 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>	
592 to 596 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF			
596 to 642 feet		Driveway				507				
597 to 598 feet	PR26BREF	<b>Vertical Change</b>	1.4"			11	REF			
598 to 602 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>	
602 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
606 to 608 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
606 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>		
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>		
612 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		88	SF	\$40	<b>\$3,520</b>		
614 to 616 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
616 to 618 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
618 to 620 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
620 to 624 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>		
624 to 626 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
624 to 638 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		154	SF	\$40	<b>\$6,160</b>		
630 to 634 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF				
636 to 638 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
638 to 640 feet	PR11AREF	Running Slope	12.0-13.0%		22	REF				
638 to 640 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>		
640 to 642 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
640 to 642 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
642 to 644 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
650 to 654 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
654 to 660 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		66	SF	\$40	<b>\$2,640</b>		
660 to 662 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
662 to 668 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>		
668 to 670 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
670 to 674 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
676 to 696 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		220	SF	\$40	<b>\$8,800</b>		
694 to 696 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
700 to 704 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
708 to 736 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		308	SF	\$40	<b>\$12,320</b>		
728 to 730 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
736 to 740 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
740 to 746 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		66	SF	\$40	<b>\$2,640</b>		
746 to 750 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>		
750 to 752 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		22	SF	\$40	<b>\$880</b>		
752 to 756 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
756 to 768	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	132	SF	\$40	<b>\$5,280</b>	
768 to 772	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	44	SF	\$40	<b>\$1,760</b>	
772 to 776	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	44	SF	\$40	<b>\$1,760</b>	
776 to 778	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	22	SF	\$40	<b>\$880</b>	
778 to 788	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	110	SF	\$40	<b>\$4,400</b>	
788 to 790	feet	PR05A	Cross Slope (PAR)			5.0-6.0%	22	SF	\$40	<b>\$880</b>	
790 to 798	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	88	SF	\$40	<b>\$3,520</b>	
798 to 800	feet	PR05A	Cross Slope (PAR)			5.0-6.0%	22	SF	\$40	<b>\$880</b>	
800 to 802	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	22	SF	\$40	<b>\$880</b>	
802 to 804	feet	PR05A	Cross Slope (PAR)			5.0-6.0%	22	SF	\$40	<b>\$880</b>	
804 to 814	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	110	SF	\$40	<b>\$4,400</b>	
814 to 816	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	22	SF	\$40	<b>\$880</b>	
816 to 822	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	66	SF	\$40	<b>\$2,640</b>	
822 to 824	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	22	SF	\$40	<b>\$880</b>	
824 to 830	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	66	SF	\$40	<b>\$2,640</b>	
830 to 832	feet	PR05A	Cross Slope (PAR)			5.0-6.0%	22	SF	\$40	<b>\$880</b>	
832 to 840	feet	PR05A	Cross Slope (PAR)			4.0-5.0%	88	SF	\$40	<b>\$3,520</b>	
840 to 846	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	66	SF	\$40	<b>\$2,640</b>	
846 to 848	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	22	SF	\$40	<b>\$880</b>	
848 to 854	feet	PR05A	Cross Slope (PAR)			3.0-4.0%	66	SF	\$40	<b>\$2,640</b>	
854 to 856	feet	PR05A	Cross Slope (PAR)			2.0-3.0%	22	SF	\$40	<b>\$880</b>	
855 to 901	feet		Driveway				506				
856 to 858	feet	PR11AREF	Running Slope			5.0-6.0%	22	REF			
856 to 858	feet	PR10A	<b>Cross Slope (Driveway)</b>			3.0-4.0%	22	SF	\$40	<b>\$880</b>	
856 to 857	feet	PR26BREF	<b>Vertical Change</b>			1.5"	11	REF			
858 to 860	feet	PR10A	<b>Cross Slope (Driveway)</b>			4.0-5.0%	22	SF	\$40	<b>\$880</b>	
860 to 862	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	22	SF	\$40	<b>\$880</b>	
862 to 866	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	44	SF	\$40	<b>\$1,760</b>	
866 to 868	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	22	SF	\$40	<b>\$880</b>	
868 to 872	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	44	SF	\$40	<b>\$1,760</b>	
872 to 882	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	110	SF	\$40	<b>\$4,400</b>	
876 to 878	feet	PR11AREF	Running Slope			5.0-6.0%	22	REF			
882 to 884	feet	PR10A	<b>Cross Slope (Driveway)</b>			5.0-6.0%	22	SF	\$40	<b>\$880</b>	
884 to 886	feet	PR10A	<b>Cross Slope (Driveway)</b>			6.0-7.0%	22	SF	\$40	<b>\$880</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total			
886 to 898 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		132	SF	\$40	<b>\$5,280</b>			
896 to 898 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF					
898 to 900 feet	PR11AREF	Running Slope	9.0-10.0%		22	REF					
898 to 900 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>			
900 to 908 feet	PR11AREF	Running Slope	6.0-7.0%		88	REF					
900 to 902 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>			
902 to 904 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>			
904 to 916 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		132	SF	\$40	<b>\$5,280</b>			
914 to 916 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF					
916 to 942 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		286	SF	\$40	<b>\$11,440</b>			
918 to 928 feet	PR11AREF	Running Slope	5.0-6.0%		110	REF					
932 to 934 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF					
934 to 936 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF					
938 to 940 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF					
942 to 944 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF					
942 to 944 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>			
944 to 946 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>			
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>BERNARD DR</b>		<i>Starting at:</i> <b>HUBERT WAY</b>	<b>\$396,550.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1325	<b>BERNARD DR</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$396,550.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	370	<b>WARD DR</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 10 feet	PR11A	Running Slope	5.0-6.0%			48	SF	\$40	<b>\$1,920</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
6 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
14 to 16 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
20 to 26 feet	PR11AREF	Running Slope	5.0-6.0%			36	REF		
20 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
26 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
28 to 30 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
30 to 32 feet	PR11AREF	Running Slope	7.0-8.0%			12	REF		
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
36 to 38 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
36 to 38 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
40 to 42 feet	PR11AREF	Running Slope	7.0-8.0%			12	REF		
40 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
46 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
56 to 58 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
56 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			84	SF	\$40	<b>\$3,360</b>
58 to 60 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF		
62 to 66 feet	PR11AREF	Running Slope	5.0-6.0%			24	REF		
72 to 74 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
74 to 132 feet		Driveway				346			
75 to 76 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF		
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			12	SF	\$40	<b>\$480</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			12	SF	\$40	<b>\$480</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>
82 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			60	SF	\$40	<b>\$2,400</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	370	<b>WARD DR</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
84 to 90 feet	PR11AREF	Running Slope	5.0-6.0%			36	REF			
90 to 92 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF			
92 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			24	SF	\$40	<b>\$960</b>	
94 to 96 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF			
96 to 98 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF			
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>	
98 to 100 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF			
100 to 102 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF			
100 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			24	SF	\$40	<b>\$960</b>	
104 to 106 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF			
104 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>	
108 to 110 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF			
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>	
110 to 112 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF			
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			12	SF	\$40	<b>\$480</b>	
112 to 114 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF			
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>	
114 to 118 feet	PR11AREF	Running Slope	9.0-10.0%			24	REF			
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			12	SF	\$40	<b>\$480</b>	
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>	
118 to 120 feet	PR11AREF	Running Slope	7.0-8.0%			12	REF			
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			12	SF	\$40	<b>\$480</b>	
120 to 122 feet	PR11AREF	Running Slope	6.0-7.0%			12	REF			
120 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>	
122 to 126 feet	PR11AREF	Running Slope	5.0-6.0%			24	REF			
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			24	SF	\$40	<b>\$960</b>	
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>	
138 to 183 feet		Driveway				271				
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			12	SF	\$40	<b>\$480</b>	
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			12	SF	\$40	<b>\$480</b>	
144 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			36	SF	\$40	<b>\$1,440</b>	
150 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			36	SF	\$40	<b>\$1,440</b>	
156 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			36	SF	\$40	<b>\$1,440</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	370	<b>WARD DR</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
162 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			36	SF	\$40	<b>\$1,440</b>
168 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			36	SF	\$40	<b>\$1,440</b>
172 to 174 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
174 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			24	SF	\$40	<b>\$960</b>
178 to 182 feet	PR11AREF	Running Slope	7.0-8.0%			24	REF		
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			12	SF	\$40	<b>\$480</b>
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			12	SF	\$40	<b>\$480</b>
182 to 184 feet	PR11AREF	Running Slope	8.0-9.0%			12	REF		
182 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			12	SF	\$40	<b>\$480</b>
184 to 186 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$480</b>
188 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
194 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$480</b>
196 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
203 to 249 feet		Driveway				272			
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			12	SF	\$40	<b>\$480</b>
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			12	SF	\$40	<b>\$480</b>
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			12	SF	\$40	<b>\$480</b>
214 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			96	SF	\$40	<b>\$3,840</b>
230 to 232 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>
232 to 236 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			24	SF	\$40	<b>\$960</b>
236 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			12	SF	\$40	<b>\$480</b>
238 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			48	SF	\$40	<b>\$1,920</b>
246 to 248 feet	PR11AREF	Running Slope	5.0-6.0%			12	REF		
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			12	SF	\$40	<b>\$480</b>
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			12	SF	\$40	<b>\$480</b>
250 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
258 to 260 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$480</b>
260 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
267 to 315 feet		Driveway				289			
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			12	SF	\$40	<b>\$480</b>
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			12	SF	\$40	<b>\$480</b>
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			12	SF	\$40	<b>\$480</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	370	<b>WARD DR</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		12	SF	\$40	<b>\$480</b>	
276 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		24	SF	\$40	<b>\$960</b>	
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		12	SF	\$40	<b>\$480</b>	
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		12	SF	\$40	<b>\$480</b>	
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		12	SF	\$40	<b>\$480</b>	
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		12	SF	\$40	<b>\$480</b>	
288 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		24	SF	\$40	<b>\$960</b>	
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		12	SF	\$40	<b>\$480</b>	
294 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		36	SF	\$40	<b>\$1,440</b>	
300 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		12	SF	\$40	<b>\$480</b>	
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		12	SF	\$40	<b>\$480</b>	
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		12	SF	\$40	<b>\$480</b>	
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		12	SF	\$40	<b>\$480</b>	
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		12	SF	\$40	<b>\$480</b>	
316 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	<b>\$1,800</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>WARD DR</b>	<i>Starting at:</i> <b>BERNARD DR</b>				<b>\$74,280.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	370	<b>WARD DR</b>	1325	<b>BERNARD DR</b>	1746	<b>HWY 41 NB OFFRAMP</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: WARD DR</b>													<b>\$74,280.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	308	<b>MULBERRY ST</b>	308	<b>20278 MULBERRY</b>	1315	<b>CROSS ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
30 to 42 feet		Driveway			48				
31 to 32 feet	PR26BREF	<b>Vertical Change</b>	1.0"		4	REF			
32 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		32	SF	\$40	<b>\$1,280</b>	
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
42 to 44 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		8	SF	\$40	<b>\$320</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
46 to 48 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
48 to 50 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
53 to 54 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF			
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
58 to 60 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
62 to 76 feet		Driveway			56				
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
62 to 63 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
80 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
80 to 81 feet	PR04B	Continuous Width	width reduces to 36"		4	JOB	\$50	<b>\$200</b>	
84 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
86 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		104	SF	\$40	<b>\$4,160</b>	
112 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
114 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	308	<b>MULBERRY ST</b>	308	<b>20278 MULBERRY</b>	1315	<b>CROSS ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
138 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
146 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
152 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
166 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
176 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
186 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>		
194 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>		
216 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
218 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
220 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$272</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>MULBERRY ST</b>	<i>Starting at:</i> <b>20278 MULBERRY</b>					<b>\$25,112.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	308	<b>MULBERRY ST</b>	308	<b>20278 MULBERRY</b>	1315	<b>CROSS ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MULBERRY ST</b>													<b>\$25,112.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	204	<b>CORNELIA DR</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
2 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
22 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
29 to 55 feet		Driveway				103			
31 to 32 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
34 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
38 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
52 to 54 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
64 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
75 to 93 feet		Driveway				70			
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
95 to 110 feet		Driveway				63			
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
102 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			16	SF	\$40	<b>\$640</b>
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			8	SF	\$40	<b>\$320</b>
108 to 110 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	204	<b>CORNELIA DR</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
116 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
120 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
134 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
146 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>CORNELIA DR</b>		<i>Starting at:</i> <b>PIMO ST</b>		<b>\$20,160.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	204	<b>CORNELIA DR</b>	413	<b>PIMO ST</b>	204	<b>CORNELIA END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CORNELIA DR</b>													<b>\$20,160.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	267	<b>HUME AVE</b>	250	<b>GRANT ST</b>	268	<b>HUME CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
48 to 64 feet		Driveway				61			
50 to 51 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
50 to 52 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
116 to 140 feet		Driveway				94			
117 to 118 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
134 to 136 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
138 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
160 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
170 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
182 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
188 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
190 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
194 to 196 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
196 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
200 to 204 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	267	<b>HUME AVE</b>	250	<b>GRANT ST</b>	268	<b>HUME CIR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
206 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>HUME AVE</b>		<i>Starting at:</i> <b>GRANT ST</b>		<b>\$15,360.00</b>			

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	267	<b>HUME AVE</b>	250	<b>GRANT ST</b>	268	<b>HUME CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME AVE</b>													<b>\$15,360.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	308	<b>MULBERRY ST</b>	308	<b>20259 MULBERRY</b>	308	<b>20259 MULBERRY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 12 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			39	SF	\$40	<b>\$1,560</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			13	SF	\$40	<b>\$520</b>
16 to 22 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			20	SF	\$40	<b>\$780</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$260</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$260</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	<b>\$260</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			13	SF	\$40	<b>\$520</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$260</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$260</b>
35 to 59 feet		Driveway				78			
36 to 37 feet	PR26BREF	<b>Vertical Change</b>	1.3"			3	REF		
36 to 38 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF		
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$260</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			7	SF	\$40	<b>\$260</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			7	SF	\$40	<b>\$260</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			7	SF	\$40	<b>\$260</b>
44 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			13	SF	\$40	<b>\$520</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$260</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%			7	SF	\$40	<b>\$260</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$260</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			7	SF	\$40	<b>\$260</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			7	SF	\$40	<b>\$260</b>
58 to 59 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			4	SF	\$40	<b>\$169</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>MULBERRY ST</b>		<i>Starting at:</i> <b>20259 MULBERRY</b>				<b>\$7,709.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	308	<b>MULBERRY ST</b>	308	<b>20259 MULBERRY</b>	308	<b>20259 MULBERRY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MULBERRY ST</b>													<b>\$7,709.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	368	<b>WALKER ST</b>	134	<b>14TH AVE</b>	368	<b>13923 WALKER</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
64 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
76 to 77 feet	PS24B	<b>Protruding Object</b>	65" to tree			4	JOB	\$75	<b>\$300</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
123 to 140 feet		Driveway				70			
185 to 204 feet		Driveway				77			
186 to 188 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
186 to 187 feet	PR26BREF	<b>Vertical Change</b>	1.4"			4	REF		
188 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
202 to 204 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
212 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
213 to 214 feet	PS24B	<b>Protruding Object</b>	68" to tree			4	JOB	\$75	<b>\$300</b>
226 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
228 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
240 to 262 feet		Driveway				88			
240 to 244 feet	PR11AREF	Running Slope	5.0-6.0%			16	REF		
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
241 to 242 feet	PR26BREF	<b>Vertical Change</b>	1.5"			4	REF		
242 to 244 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
248 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
256 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
260 to 262 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	368	<b>WALKER ST</b>	134	<b>14TH AVE</b>	368	<b>13923 WALKER</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
260 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
262 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
268 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
307 to 324 feet		Driveway				70					
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
377 to 387 feet		Driveway				42					
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of WALKER ST</i>		<i>Starting at: 14TH AVE</i>				<b>\$13,720.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	368	<b>WALKER ST</b>	134	<b>14TH AVE</b>	368	<b>13923 WALKER</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: WALKER ST</b>													<b>\$13,720.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1315	<b>CROSS ST</b>	308	<b>MULBERRY ST</b>	192	<b>CENTER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
48 to 70 feet		Driveway				120			
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
58 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>
62 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			22	SF	\$40	<b>\$880</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
70 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
78 to 101 feet		Driveway				128			
79 to 80 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF		
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
82 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
90 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			33	SF	\$40	<b>\$1,320</b>
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
114 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	1315	<b>CROSS ST</b>	308	<b>MULBERRY ST</b>	192	<b>CENTER ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
132 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
136 to 160 feet		Driveway				132				
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>	
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>	
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>	
148 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			44	SF	\$40	<b>\$1,760</b>	
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
164 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
166 to 189 feet		Driveway				125				
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>	
172 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>	
176 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>	
180 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>	
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>	
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
194 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>	
198 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>	
198 to 221 feet		Driveway				126				
200 to 202 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF			
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>	
200 to 201 feet	PR26BREF	<b>Vertical Change</b>	1.2"			6	REF			
202 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	<b>\$880</b>	
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>	
208 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1315	<b>CROSS ST</b>	308	<b>MULBERRY ST</b>	192	<b>CENTER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
214 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
218 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
220 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
224 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
228 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
238 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
246 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
248 to 250 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
258 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	
266 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
275 to 299 feet		Driveway			132				
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
278 to 280 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
280 to 282 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
282 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		33	SF	\$40	<b>\$1,320</b>	
288 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
292 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		22	SF	\$40	<b>\$880</b>	
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
298 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
300 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
302 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
308 to 310 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
310 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
315 to 339 feet		Driveway			135				
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
320 to 322 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		11	SF	\$40	<b>\$440</b>	
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$440</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1315	<b>CROSS ST</b>	308	<b>MULBERRY ST</b>	192	<b>CENTER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		11	SF	\$40	<b>\$440</b>	
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
328 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		22	SF	\$40	<b>\$880</b>	
332 to 336 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		22	SF	\$40	<b>\$880</b>	
336 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
338 to 348 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
348 to 350 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
350 to 356 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		33	SF	\$40	<b>\$1,320</b>	
356 to 360 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
360 to 362 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
362 to 366 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
366 to 374 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>	
374 to 382 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
382 to 386 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
386 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		77	SF	\$40	<b>\$3,080</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>CROSS ST</b>	<i>Starting at:</i>	<b>MULBERRY ST</b>	<b>\$76,560.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1315	<b>CROSS ST</b>	308	<b>MULBERRY ST</b>	192	<b>CENTER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CROSS ST</b>													<b>\$76,560.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	267	<b>HUME AVE</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
40 to 62 feet		Driveway				85			
42 to 44 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
54 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
107 to 124 feet		Driveway				70			
110 to 112 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
118 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			24	SF	\$40	<b>\$960</b>
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
140 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
141 to 157 feet		Driveway				66			
142 to 144 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
142 to 143 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF		
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	267	<b>HUME AVE</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
150 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		16	SF	\$40	<b>\$640</b>	
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
182 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
190 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
202 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
209 to 225 feet		Driveway			62				
210 to 212 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
211 to 212 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
214 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		32	SF	\$40	<b>\$1,280</b>	
222 to 224 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>	
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
226 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
230 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		80	SF	\$40	<b>\$3,200</b>	
258 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
274 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
275 to 290 feet		Driveway			60				
276 to 278 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
276 to 277 feet	PR26BREF	<b>Vertical Change</b>	1.1"		4	REF			
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
280 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		24	SF	\$40	<b>\$960</b>	
286 to 288 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
288 to 290 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
288 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
292 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
296 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
330 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	267	<b>HUME AVE</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>								
<b>TOTAL COST FOR:</b>													<b>\$27,840.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	267	<b>HUME AVE</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME AVE</b>													<b>\$27,840.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	169	<b>ALVIN ST</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
17 to 33 feet		Driveway				86			
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$426</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$426</b>
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
28 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			21	SF	\$40	<b>\$853</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$426</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
37 to 38 feet	PR26BREF	<b>Vertical Change</b>	1.3"			5	REF		
38 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
39 to 54 feet		Driveway				82			
44 to 46 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$853</b>
56 to 58 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
56 to 58 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$426</b>
58 to 59 feet	PR26B	<b>Vertical Change</b>	1.3"			5	SF	\$25	<b>\$133</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
86 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
87 to 104 feet		Driveway				92			
92 to 94 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$426</b>
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			21	SF	\$40	<b>\$853</b>
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$426</b>
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$426</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			11	SF	\$40	<b>\$426</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	169	<b>ALVIN ST</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
107 to 108 feet	PR26AREF	<b>Vertical Change</b>	-0.8"		5	REF				
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
109 to 123 feet		Driveway			78					
109 to 110 feet	PR26BREF	<b>Vertical Change</b>	0.7"		5	REF				
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
114 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>		
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		11	SF	\$40	<b>\$426</b>		
120 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		32	SF	\$40	<b>\$1,279</b>		
126 to 128 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>		
126 to 127 feet	PR26AREF	<b>Vertical Change</b>	-0.5"		5	REF				
128 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>		
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
134 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>		
146 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>		
152 to 154 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>		
154 to 158 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		21	SF	\$40	<b>\$853</b>		
158 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>		
164 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		53	SF	\$40	<b>\$2,132</b>		
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>		
178 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>		
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>		
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>		
194 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>		
202 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		21	SF	\$40	<b>\$853</b>		
206 to 208 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$426</b>		
208 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$426</b>		
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of</i> <b>ALVIN ST</b>	<i>Starting at:</i> <b>ADA ST</b>	<b>\$32,539.65</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	169	<b>ALVIN ST</b>	389	<b>ADA ST</b>	166	<b>ALEN WY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALVIN ST</b>													<b>\$32,539.65</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1325	<b>BERNARD DR</b>	370	<b>WARD DR</b>	1325	<b>BERNARD END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		14	SF	\$40	<b>\$560</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
10 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,120</b>	
18 to 20 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		7	SF	\$40	<b>\$280</b>	
20 to 22 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		7	SF	\$40	<b>\$280</b>	
28 to 36 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,120</b>	
30 to 32 feet	PR11AREF	Running Slope	5.0-6.0%		7	REF			
36 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
42 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
46 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		28	SF	\$40	<b>\$1,120</b>	
54 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>	
64 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
88 to 90 feet	PR11A	Running Slope	5.0-6.0%		7	SF	\$40	<b>\$280</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>	
104 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>	
112 to 114 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		7	SF	\$40	<b>\$280</b>	
114 to 118 feet	PR05A	Cross Slope (PAR)	9.0-10.0%		14	SF	\$40	<b>\$560</b>	
118 to 126 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,120</b>	
126 to 130 feet	PR11AREF	Running Slope	5.0-6.0%		14	REF			
126 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		7	SF	\$40	<b>\$280</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	1325	<b>BERNARD DR</b>	370	<b>WARD DR</b>	1325	<b>BERNARD END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
132 to 136 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			14	SF	\$40	\$560		
136 to 138 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			7	SF	\$40	\$280		
138 to 142 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			14	SF	\$40	\$560		
142 to 144 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			7	SF	\$40	\$280		
144 to 146 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	\$280		
146 to 148 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	\$280		
148 to 154 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			21	SF	\$40	\$840		
154 to 156 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			7	SF	\$40	\$280		
156 to 160 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			14	SF	\$40	\$560		
160 to 164 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			14	SF	\$40	\$560		
164 to 168 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			14	SF	\$40	\$560		
168 to 170 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	\$280		
170 to 172 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			7	SF	\$40	\$280		
172 to 174 feet	PR05A	Cross Slope (PAR)	14.0-15.0%			7	SF	\$40	\$280		
174 to 176 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			7	SF	\$40	\$280		
176 to 178 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	\$280		
178 to 180 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	\$280		
180 to 182 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			7	SF	\$40	\$280		
182 to 184 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			7	SF	\$40	\$280		
184 to 188 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			14	SF	\$40	\$560		
188 to 190 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			7	SF	\$40	\$280		
190 to 192 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			7	SF	\$40	\$280		
192 to 194 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			7	SF	\$40	\$280		
194 to 196 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	\$280		
196 to 198 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			7	SF	\$40	\$280		
198 to 200 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			7	SF	\$40	\$280		
200 to 202 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			7	SF	\$40	\$280		
202 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	\$1,120		
210 to 212 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	\$280		
213 to 256 feet		Driveway				148					
216 to 218 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF				
220 to 222 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			7	SF	\$40	\$280		
226 to 230 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			14	SF	\$40	\$560		
232 to 234 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			7	SF	\$40	\$280		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	1325	<b>BERNARD DR</b>	370	<b>WARD DR</b>	1325	<b>BERNARD END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
258 to 259 feet	PR04B	Continuous Width	SW widens to 5'-0"		4	JOB	\$50	<b>\$175</b>		
280 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		42	SF	\$40	<b>\$1,680</b>		
294 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>		
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
314 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
322 to 326 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
344 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
346 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
350 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
358 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
362 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
368 to 372 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
402 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
456 to 458 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
466 to 468 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
469 to 515 feet		Driveway			162					
478 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
520 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
526 to 532 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$840</b>		
536 to 538 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
540 to 544 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of BERNARD DR Starting at: WARD DR</b>		<b>\$38,255.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1325	<b>BERNARD DR</b>	370	<b>WARD DR</b>	1325	<b>BERNARD END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$38,255.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	671	<b>1ST ST</b>	146	<b>EMPIRE ST</b>	671	<b>20238 1ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
12 to 13 feet	PR26AREF	<b>Vertical Change</b>	0.5"			5	REF		
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
14 to 20 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
30 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
32 to 58 feet		Driveway				117			
32 to 33 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$360</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$360</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			9	SF	\$40	<b>\$360</b>
40 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			72	SF	\$40	<b>\$2,880</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
70 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
76 to 77 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF		
82 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
85 to 86 feet	PR26AREF	<b>Vertical Change</b>	-0.9"			5	REF		
86 to 88 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
86 to 88 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			9	SF	\$40	<b>\$360</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	>15.0%			9	SF	\$40	<b>\$360</b>
88 to 89 feet	PR26BREF	<b>Vertical Change</b>	1.6"			5	REF		
90 to 92 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
90 to 92 feet	PR05A	Cross Slope (PAR)	10.0-11.0%			9	SF	\$40	<b>\$360</b>
90 to 91 feet	PR26AREF	<b>Vertical Change</b>	0.5"			5	REF		
91 to 114 feet		Driveway				103			
92 to 94 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	671	<b>1ST ST</b>	146	<b>EMPIRE ST</b>	671	<b>20238 1ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
94 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		18	SF	\$40	<b>\$720</b>	
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$360</b>	
100 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		18	SF	\$40	<b>\$720</b>	
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$360</b>	
106 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		18	SF	\$40	<b>\$720</b>	
110 to 112 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		9	SF	\$40	<b>\$360</b>	
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$360</b>	
114 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		27	SF	\$40	<b>\$1,080</b>	
120 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
122 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>	
130 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		18	SF	\$40	<b>\$720</b>	
134 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
152 to 156 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		18	SF	\$40	<b>\$720</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of 1ST ST</i>	<i>Starting at: EMPIRE ST</i>				<b>\$24,840.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	671	<b>1ST ST</b>	146	<b>EMPIRE ST</b>	671	<b>20238 1ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 1ST ST</b>													<b>\$24,840.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1101	<b>CHRISTOPHER CIR</b>	304	<b>MATTHEW WAY</b>	204	<b>CORNELIA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 17 feet		Driveway				69			
18 to 20 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	\$320
19 to 20 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			4	REF		
20 to 22 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	\$320
21 to 22 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640
56 to 76 feet		Driveway				80			
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	\$320
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	\$320
62 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	\$640
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	\$320
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	\$640
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	\$640
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	\$320
78 to 80 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	\$320
79 to 80 feet	PR26AREF	<b>Vertical Change</b>	-0.9"			4	REF		
80 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320
81 to 82 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
82 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960
83 to 132 feet		Driveway	mis click 30' too long			196			
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	\$320
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	\$320
92 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			32	SF	\$40	\$1,280
100 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	\$640
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	\$320
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	\$320
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	\$320
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	\$320
112 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	\$640

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1101	<b>CHRISTOPHER CIR</b>	304	<b>MATTHEW WAY</b>	204	<b>CORNELIA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
116 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			24	SF	\$40	<b>\$960</b>		
122 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>		
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
136 to 140 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
140 to 144 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
144 to 146 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
146 to 148 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
148 to 152 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>		
149 to 150 feet	PR26AREF	<b>Vertical Change</b>	-0.9"			4	REF				
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>CHRISTOPHER CIR</b>		<i>Starting at:</i> <b>MATTHEW WAY</b>				<b>\$18,560.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1101	<b>CHRISTOPHER CIR</b>	304	<b>MATTHEW WAY</b>	204	<b>CORNELIA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CHRISTOPHER CIR</b>													<b>\$18,560.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1315	<b>CROSS ST</b>	1315	<b>19144 CROSS</b>	1315	<b>19144 CROSS</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
8 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		20	SF	\$40	<b>\$800</b>	
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
14 to 16 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
16 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		20	SF	\$40	<b>\$800</b>	
22 to 30 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		40	SF	\$40	<b>\$1,600</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
34 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		30	SF	\$40	<b>\$1,200</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
42 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
44 to 45 feet	PS24B	<b>Protruding Object</b>			5	JOB	\$75	<b>\$375</b>	
44 to 50 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		30	SF	\$40	<b>\$1,200</b>	
49 to 67 feet		Driveway			89				
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		10	SF	\$40	<b>\$400</b>	
50 to 51 feet	PR26BREF	<b>Vertical Change</b>	1.4"		5	REF			
52 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		30	SF	\$40	<b>\$1,200</b>	
58 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		20	SF	\$40	<b>\$800</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		10	SF	\$40	<b>\$400</b>	
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		10	SF	\$40	<b>\$400</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		10	SF	\$40	<b>\$400</b>	
68 to 70 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
70 to 77 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		36	SF	\$40	<b>\$1,420</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>CROSS ST</b>	<i>Starting at:</i>	<b>19144 CROSS</b>	<b>\$15,795.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1315	<b>CROSS ST</b>	1315	<b>19144 CROSS</b>	1315	<b>19144 CROSS</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CROSS ST</b>													<b>\$15,795.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	402	<b>LYN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
32 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>
49 to 69 feet		Driveway				108			
50 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
56 to 58 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
58 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
64 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			33	SF	\$40	<b>\$1,320</b>
70 to 74 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			22	SF	\$40	<b>\$880</b>
73 to 74 feet	PR26AREF	<b>Vertical Change</b>	-0.9"			6	REF		
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
75 to 76 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF		
76 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
90 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
94 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	402	<b>LYN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
116 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	\$1,320		
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
130 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
131 to 153 feet		Driveway				119					
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	\$440		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	\$440		
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	\$440		
140 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	\$1,320		
146 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			22	SF	\$40	\$880		
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	\$440		
152 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	\$880		
156 to 158 feet	PR05A	Cross Slope (PAR)	11.0-12.0%			11	SF	\$40	\$440		
157 to 158 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			6	REF				
158 to 160 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	\$440		
159 to 160 feet	PR26BREF	<b>Vertical Change</b>	1.1"			6	REF				
160 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	\$1,760		
168 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
178 to 180 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	\$440		
180 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
184 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
188 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
190 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
192 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
196 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	\$880		
202 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	\$880		
206 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	\$440		
210 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		
224 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	\$440		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	402	<b>LYN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
246 to 252 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>		
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
254 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
258 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
260 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>		
262 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>LYN ST</b>	<i>Starting at:</i>	<b>LYN ST</b>			<b>\$45,760.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	402	<b>LYN ST</b>	402	<b>LYN ST</b>	389	<b>ADA ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LYN ST</b>													<b>\$45,760.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	331	<b>POWERS DR</b>	331	<b>POWERS END</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
18 to 22 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
26 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	<b>\$2,400</b>
48 to 50 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
48 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
54 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
68 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
76 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			60	SF	\$40	<b>\$2,400</b>
88 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			50	SF	\$40	<b>\$2,000</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
112 to 113 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF		
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
116 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			60	SF	\$40	<b>\$2,400</b>
128 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			30	SF	\$40	<b>\$1,200</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
136 to 138 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
136 to 138 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
138 to 139 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			5	REF		
138 to 140 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			10	SF	\$40	<b>\$400</b>
141 to 142 feet	PR26B	<b>Vertical Change</b>	0.7"			5	SF	\$25	<b>\$125</b>
142 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40	<b>\$800</b>
144 to 146 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	331	<b>POWERS DR</b>	331	<b>POWERS END</b>	1325	<b>BERNARD DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
144 to 178 feet		Driveway				172					
145 to 146 feet	PR26BREF	<b>Vertical Change</b>	1.5"			5	REF				
146 to 148 feet	PR11AREF	Running Slope	10.0-11.0%			10	REF				
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40		<b>\$400</b>	
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40		<b>\$400</b>	
150 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			70	SF	\$40		<b>\$2,800</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40		<b>\$400</b>	
166 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			30	SF	\$40		<b>\$1,200</b>	
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40		<b>\$400</b>	
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40		<b>\$400</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40		<b>\$400</b>	
182 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40		<b>\$400</b>	
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40		<b>\$400</b>	
186 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40		<b>\$400</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40		<b>\$400</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40		<b>\$400</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40		<b>\$400</b>	
194 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			20	SF	\$40		<b>\$800</b>	
198 to 200 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40		<b>\$400</b>	
200 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40		<b>\$1,200</b>	
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40		<b>\$800</b>	
210 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40		<b>\$1,600</b>	
218 to 222 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			20	SF	\$40		<b>\$800</b>	
222 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			90	SF	\$40		<b>\$3,600</b>	
238 to 277 feet		Driveway				197					
238 to 240 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
239 to 240 feet	PR26BREF	<b>Vertical Change</b>	0.9"			5	REF				
240 to 242 feet	PR11AREF	Running Slope	7.0-8.0%			10	REF				
240 to 242 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			10	SF	\$40		<b>\$400</b>	
242 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			50	SF	\$40		<b>\$2,000</b>	
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40		<b>\$400</b>	
254 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			40	SF	\$40		<b>\$1,600</b>	
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			10	SF	\$40		<b>\$400</b>	
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			10	SF	\$40		<b>\$400</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>E</b>	331	<b>POWERS DR</b>	331	<b>POWERS END</b>	1325	<b>BERNARD DR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		10	SF	\$40	<b>\$400</b>				
268 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		30	SF	\$40	<b>\$1,200</b>				
274 to 276 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		10	SF	\$40	<b>\$400</b>				
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>				
278 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
282 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
286 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>				
293 to 294 feet	PR26AREF	<b>Vertical Change</b>	0.5"		5	REF						
294 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>				
296 to 298 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>				
298 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
300 to 302 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF						
300 to 304 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		20	SF	\$40	<b>\$800</b>				
302 to 304 feet	PR11AREF	Running Slope	7.0-8.0%		10	REF						
304 to 306 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF						
304 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
308 to 320 feet	PR11A	Running Slope	7.0-8.0%		60	SF	\$40	<b>\$2,400</b>				
308 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
310 to 312 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>				
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>				
320 to 324 feet	PR11A	Running Slope	6.0-7.0%		20	SF	\$40	<b>\$800</b>				
324 to 326 feet	PR11A	Running Slope	9.0-10.0%		10	SF	\$40	<b>\$400</b>				
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of</i>	<b>POWERS DR</b>	<i>Starting at:</i>	<b>POWERS END</b>	<b>\$57,725.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	331	<b>POWERS DR</b>	331	<b>POWERS END</b>	1325	<b>BERNARD DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: POWERS DR</b>													<b>\$57,725.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	323	<b>PALM CIR</b>	367	<b>VISTA DR</b>	323	<b>PALM END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
4 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
36 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
52 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
62 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
76 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		120	SF	\$40	<b>\$4,800</b>		
110 to 124 feet		Driveway			55					
111 to 112 feet	PR26BREF	<b>Vertical Change</b>	0.9"		4	REF				
112 to 114 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF				
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
114 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>		
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
122 to 124 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF				
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
128 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
134 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
138 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>		
156 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
187 to 206 feet		Driveway			78					
188 to 190 feet	PR11AREF	Running Slope	9.0-10.0%		8	REF				
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
188 to 189 feet	PR26BREF	<b>Vertical Change</b>	1.3"		4	REF				
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>		
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		8	SF	\$40	<b>\$320</b>		
194 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		24	SF	\$40	<b>\$960</b>		
200 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>		
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>E</b>	<b>side of PALM CIR</b>	<b>Starting at: VISTA DR</b>	<b>\$19,200.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	323	<b>PALM CIR</b>	367	<b>VISTA DR</b>	323	<b>PALM END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PALM CIR</b>													<b>\$19,200.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	350	<b>SEQUOIA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
12 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
15 to 45 feet		Driveway				120			
16 to 18 feet	PR11AREF	Running Slope	8.0-9.0%			8	REF		
16 to 17 feet	PR26BREF	<b>Vertical Change</b>	1.2"			4	REF		
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
30 to 32 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			8	SF	\$40	<b>\$320</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR11AREF	Running Slope	9.0-10.0%			8	REF		
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
106 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
110 to 124 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			56	SF	\$40	<b>\$2,240</b>
124 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
146 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
164 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
172 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
182 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
192 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	350	<b>SEQUOIA DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
194 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
202 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
210 to 212 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
216 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
248 to 265 feet		Driveway				68					
248 to 250 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
248 to 250 feet	PR10A	Cross Slope (Driveway)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
249 to 250 feet	PR26BREF	Vertical Change	1.7"			4	REF				
250 to 252 feet	PR10A	Cross Slope (Driveway)	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
252 to 258 feet	PR10A	Cross Slope (Driveway)	11.0-12.0%			24	SF	\$40	<b>\$960</b>		
258 to 260 feet	PR10A	Cross Slope (Driveway)	13.0-14.0%			8	SF	\$40	<b>\$320</b>		
260 to 262 feet	PR10A	Cross Slope (Driveway)	14.0-15.0%			8	SF	\$40	<b>\$320</b>		
262 to 264 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
262 to 264 feet	PR10A	Cross Slope (Driveway)	12.0-13.0%			8	SF	\$40	<b>\$320</b>		
264 to 266 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
264 to 266 feet	PR10A	Cross Slope (Driveway)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
266 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
276 to 278 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
278 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>		
294 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>		
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
322 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
338 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
350 to 352 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
354 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
362 to 364 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
364 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
366 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
370 to 374 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
374 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
378 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of DAN DR</i>		<i>Starting at: PIMO ST</i>	<b>\$37,760.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	396	<b>DAN DR</b>	413	<b>PIMO ST</b>	350	<b>SEQUOIA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DAN DR</b>													<b>\$37,760.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	384	<b>5TH ST</b>	384	<b>20334 5TH</b>	384	<b>20362 5TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$706</b>
4 to 20 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			71	SF	\$40	<b>\$2,822</b>
20 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			35	SF	\$40	<b>\$1,411</b>
28 to 36 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			35	SF	\$40	<b>\$1,411</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$353</b>
38 to 42 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			18	SF	\$40	<b>\$706</b>
42 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$706</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$353</b>
48 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$706</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$353</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$353</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$706</b>
60 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$706</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$353</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$706</b>
70 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,411</b>
78 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,764</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$353</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$353</b>
93 to 109 feet		Driveway				71			
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$353</b>
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$353</b>
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			18	SF	\$40	<b>\$706</b>
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			9	SF	\$40	<b>\$353</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			9	SF	\$40	<b>\$353</b>
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			9	SF	\$40	<b>\$353</b>
108 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			18	SF	\$40	<b>\$706</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$353</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of 5TH ST</i>	<i>Starting at: 20334 5TH</i>					<b>\$19,756.80</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	384	<b>5TH ST</b>	384	<b>20334 5TH</b>	384	<b>20362 5TH</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 5TH ST</b>													<b>\$19,756.80</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name							
<b>N</b>	192	<b>CENTER ST</b>	192	<b>20258 CENTER ST</b>	192	<b>20258 CENTER ST</b>							
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total					
0 to 2 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>					
2 to 24 feet		Driveway			90								
2 to 4 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>					
3 to 4 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF							
4 to 6 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF							
4 to 6 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>					
6 to 8 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>					
8 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		16	SF	\$40	<b>\$640</b>					
12 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>					
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>					
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		16	SF	\$40	<b>\$640</b>					
20 to 22 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF							
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>					
24 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>					
34 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>					
42 to 44 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>					
44 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>					
50 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>					
52 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		15	SF	\$40	<b>\$608</b>					
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i>	<b>CENTER ST</b>	<i>Starting at:</i>	<b>20258 CENTER ST</b>	<b>\$8,928.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	192	<b>CENTER ST</b>	192	<b>20258 CENTER ST</b>	192	<b>20258 CENTER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CENTER ST</b>													<b>\$8,928.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	253	<b>HANFORD ARMONA</b>	1185	<b>C ST</b>	412	<b>MAHOGANY ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
10 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$840</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
20 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$840</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
30 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>
36 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			28	SF	\$40	<b>\$1,120</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
68 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	<b>\$2,800</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
92 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			105	SF	\$40	<b>\$4,200</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
130 to 136 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			21	SF	\$40	<b>\$840</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
138 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			28	SF	\$40	<b>\$1,120</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
148 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			49	SF	\$40	<b>\$1,960</b>
162 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,400</b>
172 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
178 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			105	SF	\$40	<b>\$4,200</b>
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
210 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
228 to 232 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>
232 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,400</b>
242 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>
248 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			28	SF	\$40	<b>\$1,120</b>
256 to 260 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	253	<b>HANFORD ARMONA</b>	1185	<b>C ST</b>	412	<b>MAHOGANY ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
260 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$840</b>	
266 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>	
274 to 276 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
276 to 306 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			105	SF	\$40	<b>\$4,200</b>	
305 to 326 feet		Driveway				77				
306 to 307 feet	PR26BREF	<b>Vertical Change</b>	0.9"			4	REF			
306 to 308 feet	PR11AREF	Running Slope	5.0-6.0%			7	REF			
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			7	SF	\$40	<b>\$280</b>	
308 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			14	SF	\$40	<b>\$560</b>	
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			7	SF	\$40	<b>\$280</b>	
314 to 318 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			14	SF	\$40	<b>\$560</b>	
318 to 320 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			7	SF	\$40	<b>\$280</b>	
320 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			14	SF	\$40	<b>\$560</b>	
324 to 326 feet	PR11AREF	Running Slope	6.0-7.0%			7	REF			
324 to 326 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			7	SF	\$40	<b>\$280</b>	
326 to 344 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			63	SF	\$40	<b>\$2,520</b>	
344 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
346 to 350 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			14	SF	\$40	<b>\$560</b>	
350 to 352 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
352 to 354 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>	
354 to 374 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			70	SF	\$40	<b>\$2,800</b>	
374 to 382 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			28	SF	\$40	<b>\$1,120</b>	
382 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			14	SF	\$40	<b>\$560</b>	
386 to 392 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>	
392 to 394 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			7	SF	\$40	<b>\$280</b>	
394 to 404 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,400</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>	
408 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
410 to 448 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			133	SF	\$40	<b>\$5,320</b>	
448 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>	
464 to 470 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$840</b>	
470 to 472 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>	
472 to 474 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	253	<b>HANFORD ARMONA</b>	1185	<b>C ST</b>	412	<b>MAHOGANY ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
474 to 476 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
476 to 478 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
478 to 502 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		84	SF	\$40	<b>\$3,360</b>		
502 to 506 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		14	SF	\$40	<b>\$560</b>		
506 to 516 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,400</b>		
532 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
540 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
558 to 560 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
562 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,400</b>		
574 to 586 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		42	SF	\$40	<b>\$1,680</b>		
586 to 596 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		35	SF	\$40	<b>\$1,400</b>		
596 to 604 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		28	SF	\$40	<b>\$1,120</b>		
602 to 622 feet		Driveway			68					
604 to 606 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
606 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
610 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		14	SF	\$40	<b>\$560</b>		
614 to 618 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
618 to 620 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
620 to 624 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
624 to 628 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		14	SF	\$40	<b>\$560</b>		
628 to 636 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		28	SF	\$40	<b>\$1,120</b>		
636 to 646 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		35	SF	\$40	<b>\$1,400</b>		
646 to 650 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		14	SF	\$40	<b>\$560</b>		
650 to 656 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		21	SF	\$40	<b>\$840</b>		
656 to 658 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		7	SF	\$40	<b>\$280</b>		
658 to 660 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		7	SF	\$40	<b>\$280</b>		
660 to 670 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,400</b>		
670 to 672 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
672 to 682 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,400</b>		
682 to 684 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		7	SF	\$40	<b>\$280</b>		
684 to 714 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		105	SF	\$40	<b>\$4,200</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<i>side of HANFORD ARMONA RD</i>	<i>Starting at: C ST</i>	<b>\$90,440.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	253	<b>HANFORD ARMONA</b>	1185	<b>C ST</b>	412	<b>MAHOGANY ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HANFORD ARMONA RD</b>													<b>\$90,440.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
16 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			64	SF	\$40	<b>\$2,560</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
38 to 42 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
42 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			120	SF	\$40	<b>\$4,800</b>
72 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
94 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
106 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
110 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
120 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
135 to 155 feet		Driveway				78			
136 to 138 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
137 to 138 feet	PR26BREF	<b>Vertical Change</b>	1.3"			4	REF		
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
140 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			16	SF	\$40	<b>\$640</b>
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			8	SF	\$40	<b>\$320</b>
146 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
152 to 154 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
171 to 189 feet		Driveway				74			
172 to 174 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
172 to 173 feet	PR26BREF	<b>Vertical Change</b>	1.1"			4	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
174 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		16	SF	\$40	<b>\$640</b>		
178 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		40	SF	\$40	<b>\$1,600</b>		
188 to 190 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF				
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
236 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
242 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
268 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
284 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
296 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
300 to 302 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>VISTA DR</b>	<i>Starting at:</i> <b>DAN DR</b>	<b>\$29,760.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	367	<b>VISTA DR</b>	396	<b>DAN DR</b>	350	<b>SEQUOIA DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: VISTA DR</b>													<b>\$29,760.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	368	<b>WALKER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
20 to 21 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
20 to 22 feet	PR11AREF	Running Slope	8.0-9.0%		8	REF			
23 to 24 feet	PR26B	<b>Vertical Change</b>	-1.2"		4	SF	\$25	<b>\$100</b>	
28 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
38 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
46 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
60 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
86 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
98 to 125 feet		Driveway			106				
99 to 100 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
100 to 102 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
102 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
106 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
112 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
116 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>	
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
122 to 124 feet	PR11AREF	Running Slope	6.0-7.0%		8	REF			
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
164 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
187 to 215 feet		Driveway			112				
188 to 190 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
190 to 192 feet	PR11AREF	Running Slope	7.0-8.0%		8	REF			
190 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
196 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		40	SF	\$40	<b>\$1,600</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	368	<b>WALKER ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
206 to 210 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>		
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
216 to 217 feet	PR26B	<b>Vertical Change</b>	0.6"		4	SF	\$25	<b>\$100</b>		
224 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
240 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
244 to 246 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
246 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		80	SF	\$40	<b>\$3,200</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
268 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
270 to 280 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		40	SF	\$40	<b>\$1,600</b>		
288 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
292 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
296 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
300 to 304 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
302 to 303 feet	PR26AREF	<b>Vertical Change</b>	-0.8"		4	REF				
304 to 306 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>		
306 to 308 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>E</b>	<b>side of 14TH AVE</b>	<b>Starting at: HOOD AVE</b>	<b>\$28,040.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	368	<b>WALKER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$28,040.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	146	<b>EMPIRE ST</b>	192	<b>CENTER ST</b>	8000	<b>ALLEY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$368</b>	
14 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		37	SF	\$40	<b>\$1,472</b>	
22 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$736</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$368</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$368</b>	
30 to 36 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		28	SF	\$40	<b>\$1,104</b>	
34 to 35 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF			
36 to 37 feet	PR26AREF	<b>Vertical Change</b>	-0.8"		5	REF			
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$368</b>	
54 to 77 feet		Driveway			105				
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		9	SF	\$40	<b>\$368</b>	
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		9	SF	\$40	<b>\$368</b>	
58 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		9	SF	\$40	<b>\$368</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$368</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		9	SF	\$40	<b>\$368</b>	
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$368</b>	
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		18	SF	\$40	<b>\$736</b>	
70 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		18	SF	\$40	<b>\$736</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		9	SF	\$40	<b>\$368</b>	
104 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,417</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>EMPIRE ST</b>		<i>Starting at:</i> <b>CENTER ST</b>		<b>\$10,248.80</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	146	<b>EMPIRE ST</b>	192	<b>CENTER ST</b>	8000	<b>ALLEY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>													<b>\$10,248.80</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	402	<b>LYN ST</b>	402	<b>LYN END</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
10 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			43	SF	\$40	<b>\$1,706</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>
18 to 46 feet		Driveway				148			
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$426</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$426</b>
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$426</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$426</b>
36 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			32	SF	\$40	<b>\$1,279</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$426</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$426</b>
46 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			21	SF	\$40	<b>\$853</b>
46 to 46 feet		Driveway				1			
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
50 to 51 feet	PR26AREF	<b>Vertical Change</b>	0.5"			5	REF		
52 to 54 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$426</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			21	SF	\$40	<b>\$853</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			11	SF	\$40	<b>\$426</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			11	SF	\$40	<b>\$426</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$426</b>
64 to 72 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			43	SF	\$40	<b>\$1,706</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
73 to 74 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF		
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
94 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			128	SF	\$40	<b>\$5,117</b>
101 to 102 feet	PS24B	<b>Protruding Object</b>				5	JOB	\$75	<b>\$400</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	402	<b>LYN ST</b>	402	<b>LYN END</b>	389	<b>ADA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
122 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,706</b>		
130 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>		
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>		
138 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>		
142 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>		
144 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$426</b>		
152 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>		
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>		
158 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,706</b>		
166 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>		
170 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>		
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>LYN ST</b>	<i>Starting at:</i> <b>LYN END</b>					<b>\$34,938.15</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	402	<b>LYN ST</b>	402	<b>LYN END</b>	389	<b>ADA ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LYN ST</b>													<b>\$34,938.15</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	171	<b>APRIL CIR</b>	171	<b>APRIL END</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
9 to 24 feet		Driveway			59				
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
18 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		24	SF	\$40	<b>\$960</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
31 to 32 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
50 to 51 feet	PS24B	<b>Protruding Object</b>	73" to tree		4	JOB	\$75	<b>\$300</b>	
57 to 77 feet		Driveway			81				
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
68 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		24	SF	\$40	<b>\$960</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
76 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		24	SF	\$40	<b>\$960</b>	
82 to 84 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
83 to 84 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
84 to 86 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
86 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
90 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
93 to 109 feet		Driveway			63				
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
104 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
111 to 112 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		4	REF			
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
113 to 114 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
140 to 142 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>S</b>	171	<b>APRIL CIR</b>	171	<b>APRIL END</b>	304	<b>MATTHEW WAY</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%	16	SF	\$40	<b>\$640</b>
146 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	16	SF	\$40	<b>\$640</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	6.0-7.0%	8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR: S side of APRIL CIR Starting at: APRIL END</b>						<b>\$14,060.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	171	<b>APRIL CIR</b>	171	<b>APRIL END</b>	304	<b>MATTHEW WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: APRIL CIR</b>													<b>\$14,060.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1274	<b>DANA CIR</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
16 to 18 feet	PR11A	Running Slope	5.0-6.0%			11	SF	\$40	<b>\$440</b>
18 to 20 feet	PR11A	Running Slope	6.0-7.0%			11	SF	\$40	<b>\$440</b>
20 to 22 feet	PR11A	Running Slope	5.0-6.0%			11	SF	\$40	<b>\$440</b>
24 to 26 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
24 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
28 to 32 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
34 to 38 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
38 to 40 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
40 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>
42 to 46 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
56 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
58 to 62 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
66 to 132 feet		Driveway				364			
68 to 74 feet	PR11AREF	Running Slope	7.0-8.0%			33	REF		
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
74 to 76 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
94 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
104 to 106 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
116 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
136 to 146 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
150 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
156 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1274	<b>DANA CIR</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
168 to 170 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
170 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>	
186 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		11	SF	\$40	<b>\$440</b>	
190 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
194 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
198 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
202 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>	
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
212 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
216 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
238 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
242 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>	
243 to 272 feet		Driveway			161				
244 to 246 feet	PR11AREF	Running Slope	6.0-7.0%		11	REF			
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
246 to 248 feet	PR11AREF	Running Slope	5.0-6.0%		11	REF			
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
248 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		22	SF	\$40	<b>\$880</b>	
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
256 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
258 to 262 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		22	SF	\$40	<b>\$880</b>	
262 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		33	SF	\$40	<b>\$1,320</b>	
268 to 270 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
270 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
272 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
276 to 277 feet	PR26B	<b>Vertical Change</b>	-0.6"		6	SF	\$25	<b>\$138</b>	
276 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
282 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1274	<b>DANA CIR</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
291 to 351 feet		Driveway				332			
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
294 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
298 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
300 to 302 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
302 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
304 to 306 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
306 to 308 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			11	SF	\$40	<b>\$440</b>
308 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
316 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			77	SF	\$40	<b>\$3,080</b>
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			11	SF	\$40	<b>\$440</b>
332 to 338 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			33	SF	\$40	<b>\$1,320</b>
338 to 340 feet	PR11AREF	Running Slope	7.0-8.0%			11	REF		
338 to 340 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
340 to 342 feet	PR11AREF	Running Slope	6.0-7.0%			11	REF		
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
342 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
346 to 350 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
350 to 353 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			14	SF	\$40	<b>\$550</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>DANA CIR</b>	<i>Starting at:</i> <b>BERNARD DR</b>					<b>\$60,967.50</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1274	<b>DANA CIR</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: DANA CIR</b>													<b>\$60,967.50</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	197	<b>CHRISTOPHER ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
6 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
14 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
24 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
35 to 48 feet		Driveway				51			
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
38 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			48	SF	\$40	<b>\$1,920</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
52 to 53 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
54 to 72 feet		Driveway				73			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
64 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			48	SF	\$40	<b>\$1,920</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
78 to 79 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF		
78 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
86 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
92 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
96 to 100 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
106 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
110 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	197	<b>CHRISTOPHER ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
122 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
127 to 147 feet		Driveway				78					
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
136 to 138 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
138 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			40	SF	\$40	<b>\$1,600</b>		
148 to 150 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			8	SF	\$40	<b>\$320</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
152 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
152 to 153 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF				
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
159 to 160 feet	PS24B	<b>Protruding Object</b>				4	JOB	\$75	<b>\$300</b>		
166 to 183 feet		Driveway				70					
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
176 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			24	SF	\$40	<b>\$960</b>		
182 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>		
184 to 186 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF				
186 to 188 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>MATTHEW WAY</b>		<i>Starting at:</i> <b>ROSEMARY CIR</b>				<b>\$27,500.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	197	<b>CHRISTOPHER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATTHEW WAY</b>													<b>\$27,500.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	342	<b>ROSEMARY CIR</b>	350	<b>SEQUOIA DR</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
6 to 7 feet	PS24B	<b>Protruding Object</b>	54" to tree		4	JOB	\$75	<b>\$300</b>	
12 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
22 to 32 feet		Driveway			40				
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%		8	SF	\$40	<b>\$320</b>	
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		8	SF	\$40	<b>\$320</b>	
34 to 36 feet	PR05A	Cross Slope (PAR)	12.0-13.0%		8	SF	\$40	<b>\$320</b>	
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
50 to 51 feet	PS24B	<b>Protruding Object</b>	48" to tree		4	JOB	\$75	<b>\$300</b>	
53 to 54 feet	PR26B	<b>Vertical Change</b>	-0.6"		4	SF	\$25	<b>\$100</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
56 to 58 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
58 to 60 feet	PR11AREF	Running Slope	5.0-6.0%		8	REF			
58 to 60 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
63 to 64 feet	PR26B	<b>Vertical Change</b>	0.6"		4	SF	\$25	<b>\$100</b>	
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
66 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
72 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
78 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
88 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
94 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	342	<b>ROSEMARY CIR</b>	350	<b>SEQUOIA DR</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
118 to 122 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			16	SF	\$40	<b>\$640</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
124 to 128 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
126 to 127 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			4	REF		
128 to 130 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ROSEMARY CIR</b>		<i>Starting at:</i> <b>SEQUOIA DR</b>				<b>\$16,800.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	342	<b>ROSEMARY CIR</b>	350	<b>SEQUOIA DR</b>	304	<b>MATTHEW WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ROSEMARY CIR</b>													<b>\$16,800.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	134	<b>14TH AVE</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,590</b>
16 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,026</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>
24 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,538</b>
32 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,538</b>
36 to 75 feet		Driveway				249			
38 to 40 feet	PR11AREF	Running Slope	5.0-6.0%			13	REF		
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			13	SF	\$40	<b>\$513</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			13	SF	\$40	<b>\$513</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			13	SF	\$40	<b>\$513</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			26	SF	\$40	<b>\$1,026</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			13	SF	\$40	<b>\$513</b>
56 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			26	SF	\$40	<b>\$1,026</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			26	SF	\$40	<b>\$1,026</b>
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			13	SF	\$40	<b>\$513</b>
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			13	SF	\$40	<b>\$513</b>
76 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,026</b>
77 to 78 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF		
80 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,564</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>
92 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,026</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			13	SF	\$40	<b>\$513</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			13	SF	\$40	<b>\$513</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,538</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			13	SF	\$40	<b>\$513</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	389	<b>ADA ST</b>	134	<b>14TH AVE</b>	402	<b>LYN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
112 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,538</b>	
118 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			51	SF	\$40	<b>\$2,051</b>	
142 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,026</b>	
146 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>	
148 to 150 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			13	SF	\$40	<b>\$513</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>	
151 to 179 feet		Driveway				182				
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			13	SF	\$40	<b>\$513</b>	
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			13	SF	\$40	<b>\$513</b>	
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			13	SF	\$40	<b>\$513</b>	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>	
160 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			26	SF	\$40	<b>\$1,026</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>	
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			26	SF	\$40	<b>\$1,026</b>	
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>	
172 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			13	SF	\$40	<b>\$513</b>	
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			13	SF	\$40	<b>\$513</b>	
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			13	SF	\$40	<b>\$513</b>	
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			13	SF	\$40	<b>\$513</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			13	SF	\$40	<b>\$513</b>	
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			13	SF	\$40	<b>\$513</b>	
<b>TOTAL COST FOR:</b>							<b>S</b>	<b>side of ADA ST Starting at: 14TH AVE</b>		<b>\$41,536.80</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	389	<b>ADA ST</b>	134	<b>14TH AVE</b>	402	<b>LYN ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$41,536.80</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	192	<b>CENTER ST</b>	192	<b>20269 CENTER</b>	192	<b>20269 CENTER</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	9.0-10.0%			9	SF	\$40	<b>\$360</b>
1 to 24 feet		Driveway				101			
2 to 4 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
4 to 6 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			9	SF	\$40	<b>\$360</b>
6 to 10 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			18	SF	\$40	<b>\$720</b>
10 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%			36	SF	\$40	<b>\$1,440</b>
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%			18	SF	\$40	<b>\$720</b>
20 to 22 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
30 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
44 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
50 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
54 to 57 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			13	SF	\$40	<b>\$522</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>CENTER ST</b>		<i>Starting at:</i> <b>20269 CENTER</b>		<b>\$10,242.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	192	<b>CENTER ST</b>	192	<b>20269 CENTER</b>	192	<b>20269 CENTER</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CENTER ST</b>													<b>\$10,242.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	146	<b>EMPIRE ST</b>	671	<b>1ST ST</b>	1312	<b>3RD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR11A	Running Slope	5.0-6.0%			12	SF	\$40	<b>\$473</b>
16 to 18 feet	PR11A	Running Slope	5.0-6.0%			12	SF	\$40	<b>\$473</b>
19 to 20 feet	PR26B	<b>Vertical Change</b>	0.8"			6	SF	\$25	<b>\$148</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
22 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,418</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$946</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
34 to 35 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			6	REF		
37 to 38 feet	PR26B	<b>Vertical Change</b>	0.7"			6	SF	\$25	<b>\$148</b>
42 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			130	SF	\$40	<b>\$5,201</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$946</b>
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$946</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
118 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			106	SF	\$40	<b>\$4,255</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>
138 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,418</b>
146 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			47	SF	\$40	<b>\$1,891</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>
156 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			59	SF	\$40	<b>\$2,364</b>
164 to 165 feet	PR26AREF	<b>Vertical Change</b>	-1.4"			6	REF		
166 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>
167 to 168 feet	PR26BREF	<b>Vertical Change</b>	1.0"			6	REF		
170 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$946</b>
174 to 175 feet	PR26BREF	<b>Vertical Change</b>	1.1"			6	REF		
176 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>
179 to 180 feet	PR26B	<b>Vertical Change</b>	-0.7"			6	SF	\$25	<b>\$148</b>
186 to 187 feet	PR26B	<b>Vertical Change</b>	0.9"			6	SF	\$25	<b>\$148</b>
188 to 189 feet	PR26B	<b>Vertical Change</b>	-1.0"			6	SF	\$25	<b>\$148</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	146	<b>EMPIRE ST</b>	671	<b>1ST ST</b>	1312	<b>3RD ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
190 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$473</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			12	SF	\$40	<b>\$473</b>		
194 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$946</b>		
198 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$473</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>EMPIRE ST</b>	<i>Starting at:</i>	<b>1ST ST</b>			<b>\$30,525.15</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	146	<b>EMPIRE ST</b>	671	<b>1ST ST</b>	1312	<b>3RD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>													<b>\$30,525.15</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	267	<b>HUME AVE</b>	300	<b>MANZANITA ST</b>	250	<b>GRANT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
134 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
152 to 153 feet	PR26B	<b>Vertical Change</b>	1.4"			4	SF	\$25	<b>\$100</b>
152 to 154 feet	PR11AREF	Running Slope	11.0-12.0%			8	REF		
152 to 154 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	12.0-13.0%			8	SF	\$40	<b>\$320</b>
154 to 155 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			4	REF		
155 to 170 feet		Driveway				60			
156 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			16	SF	\$40	<b>\$640</b>
160 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			16	SF	\$40	<b>\$640</b>
164 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			16	SF	\$40	<b>\$640</b>
168 to 170 feet	PR11AREF	Running Slope	12.0-13.0%			8	REF		
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>HUME AVE</b>	<i>Starting at:</i> <b>MANZANITA ST</b>					<b>\$7,460.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	267	<b>HUME AVE</b>	300	<b>MANZANITA ST</b>	250	<b>GRANT ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUME AVE</b>													<b>\$7,460.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	389	<b>13893 ADA</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
2 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		43	SF	\$40	<b>\$1,706</b>	
14 to 15 feet	PS24B	<b>Protruding Object</b>			5	JOB	\$75	<b>\$400</b>	
14 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,279</b>	
15 to 32 feet		Driveway			87				
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$426</b>	
22 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		32	SF	\$40	<b>\$1,279</b>	
28 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		32	SF	\$40	<b>\$1,279</b>	
33 to 34 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		5	REF			
34 to 36 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		11	SF	\$40	<b>\$426</b>	
36 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		21	SF	\$40	<b>\$853</b>	
36 to 37 feet	PR26BREF	<b>Vertical Change</b>	0.7"		5	REF			
39 to 49 feet		Driveway			57				
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		11	SF	\$40	<b>\$426</b>	
42 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		32	SF	\$40	<b>\$1,279</b>	
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		21	SF	\$40	<b>\$853</b>	
52 to 54 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		11	SF	\$40	<b>\$426</b>	
52 to 53 feet	PR26AREF	<b>Vertical Change</b>	-0.5"		5	REF			
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$426</b>	
55 to 56 feet	PR26BREF	<b>Vertical Change</b>	0.6"		5	REF			
74 to 77 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$704</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of ADA ST</i>	<i>Starting at: LYN ST</i>				<b>\$11,763.31</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	389	<b>13893 ADA</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$11,763.31</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	1747	<b>HWY 41 SB ONRAMP</b>	266	<b>HUBERT WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
38 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
50 to 54 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>
54 to 60 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			66	SF	\$40	<b>\$2,640</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			22	SF	\$40	<b>\$880</b>
62 to 63 feet	PR04B	Continuous Width				11	JOB	\$50	<b>\$550</b>
62 to 64 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
70 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
76 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			176	SF	\$40	<b>\$7,040</b>
92 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
111 to 147 feet		Driveway				391			
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
116 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
120 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			88	SF	\$40	<b>\$3,520</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1325	<b>BERNARD DR</b>	1747	<b>HWY 41 SB ONRAMP</b>	266	<b>HUBERT WAY</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
128 to 130 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>		
130 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		176	SF	\$40	<b>\$7,040</b>		
142 to 146 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF				
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
148 to 150 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF				
148 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		110	SF	\$40	<b>\$4,400</b>		
149 to 150 feet	PR26BREF	<b>Vertical Change</b>	0.7"		11	REF				
158 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
162 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
166 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
168 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
170 to 172 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
170 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
174 to 176 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>		
176 to 180 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>		
180 to 184 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		44	SF	\$40	<b>\$1,760</b>		
184 to 190 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		66	SF	\$40	<b>\$2,640</b>		
190 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
192 to 198 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		66	SF	\$40	<b>\$2,640</b>		
198 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>BERNARD DR</b>	<i>Starting at:</i> <b>HWY 41 SB ONRAMP</b>	<b>\$77,990.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1325	<b>BERNARD DR</b>	1747	<b>HWY 41 SB ONRAMP</b>	266	<b>HUBERT WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$77,990.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	342	<b>ROSEMARY CIR</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 12 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF		
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
13 to 14 feet	PR26B	<b>Vertical Change</b>	1.3"			4	SF	\$25	<b>\$100</b>
16 to 17 feet	PR26A	<b>Vertical Change</b>	-0.5"			4	LF	\$25	<b>\$100</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
23 to 56 feet		Driveway				130			
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
30 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			16	SF	\$40	<b>\$640</b>
34 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			40	SF	\$40	<b>\$1,600</b>
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
48 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			24	SF	\$40	<b>\$960</b>
54 to 56 feet	PR11AREF	Running Slope	6.0-7.0%			8	REF		
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
62 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
72 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
78 to 98 feet		Driveway				79			
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>
88 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
94 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
103 to 104 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
106 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
114 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
120 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	342	<b>ROSEMARY CIR</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
130 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ROSEMARY CIR</b>		<i>Starting at:</i> <b>MATTHEW WAY</b>		<b>\$16,840.00</b>			

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	342	<b>ROSEMARY CIR</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ROSEMARY CIR</b>													<b>\$16,840.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	168	<b>ALMOND ST</b>	300	<b>MANZANITA ST</b>	134	<b>14TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
8 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
28 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
56 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
64 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
72 to 85 feet		Driveway				52			
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
76 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			24	SF	\$40	<b>\$960</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
88 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
94 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
110 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
116 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
128 to 129 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
142 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
150 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
156 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
169 to 183 feet		Driveway				54			
174 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
180 to 182 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
186 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
232 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
236 to 238 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
238 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
238 to 259 feet		Driveway				83			
260 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
262 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	168	<b>ALMOND ST</b>	300	<b>MANZANITA ST</b>	134	<b>14TH AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
268 to 270 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320		
270 to 272 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
272 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280		
280 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960		
286 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
288 to 292 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640		
292 to 294 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	\$320		
294 to 296 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
296 to 298 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	\$320		
296 to 297 feet	PR26AREF	<b>Vertical Change</b>	-0.8"			4	REF				
298 to 306 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	\$1,280		
306 to 308 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
308 to 310 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320		
310 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
312 to 330 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			72	SF	\$40	\$2,880		
330 to 332 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
332 to 334 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320		
334 to 338 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640		
338 to 342 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	\$640		
342 to 344 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	\$320		
344 to 348 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			16	SF	\$40	\$640		
348 to 349 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			4	SF	\$40	\$176		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>ALMOND ST</b>	<i>Starting at:</i> <b>MANZANITA ST</b>					<b>\$39,856.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	168	<b>ALMOND ST</b>	300	<b>MANZANITA ST</b>	134	<b>14TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALMOND ST</b>													<b>\$39,856.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	171	<b>APRIL CIR</b>	304	<b>MATTHEW WAY</b>	171	<b>APRIL END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
2 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
16 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
18 to 36 feet		Driveway			72				
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
26 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		24	SF	\$40	<b>\$960</b>	
32 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>	
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%		8	SF	\$40	<b>\$320</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
40 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
40 to 41 feet	PR26BREF	<b>Vertical Change</b>	0.8"		4	REF			
44 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
52 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
55 to 74 feet		Driveway			77				
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
76 to 78 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
80 to 81 feet	PR26BREF	<b>Vertical Change</b>	0.6"		4	REF			
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
90 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
104 to 124 feet		Driveway			79				
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
-------------	-----------	--------------------	-----------	----------------------	-----------	----------------

<b>N</b>	171	<b>APRIL CIR</b>	304	<b>MATTHEW WAY</b>	171	<b>APRIL END</b>
----------	-----	------------------	-----	--------------------	-----	------------------

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
112 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%	24	SF	\$40	<b>\$960</b>
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%	8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%	8	SF	\$40	<b>\$320</b>
122 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%	24	SF	\$40	<b>\$960</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	8	SF	\$40	<b>\$320</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	8	SF	\$40	<b>\$320</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	8	SF	\$40	<b>\$320</b>

<b>TOTAL COST FOR:</b>	<b>N</b>	<i>side of</i> <b>APRIL CIR</b>	<i>Starting at:</i> <b>MATTHEW WAY</b>	<b>\$17,920.00</b>
------------------------	----------	---------------------------------	--	--------------------

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	171	<b>APRIL CIR</b>	304	<b>MATTHEW WAY</b>	171	<b>APRIL END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: APRIL CIR</b>													<b>\$17,920.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	342	<b>ROSEMARY CIR</b>	342	<b>ROSEMARY END</b>	304	<b>MATTHEW WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
21 to 41 feet		Driveway				82			
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
30 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
34 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			24	SF	\$40	<b>\$960</b>
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
50 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
64 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
80 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
86 to 97 feet		Driveway				42			
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
99 to 100 feet	PR26AREF	<b>Vertical Change</b>	-1.0"			4	REF		
100 to 102 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
101 to 102 feet	PR26BREF	<b>Vertical Change</b>	0.8"			4	REF		
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>S</b>	342	<b>ROSEMARY CIR</b>	342	<b>ROSEMARY END</b>	304	<b>MATTHEW WAY</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
109 to 110 feet	PR26BREF	<b>Vertical Change</b>	0.7"		4	REF						
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
112 to 131 feet		Driveway			78							
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>				
114 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		16	SF	\$40	<b>\$640</b>				
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>				
120 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		16	SF	\$40	<b>\$640</b>				
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>				
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>				
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>				
132 to 134 feet	PR05A	Cross Slope (PAR)	8.0-9.0%		8	SF	\$40	<b>\$320</b>				
134 to 136 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>				
136 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>				
140 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>				
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>				
146 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>				
152 to 156 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>				
156 to 157 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		4	REF						
156 to 158 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>				
<b>TOTAL COST FOR:</b>							<b>S</b>	<i>side of</i>	<b>ROSEMARY CIR</b>	<i>Starting at:</i>	<b>ROSEMARY END</b>	<b>\$21,760.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	342	<b>ROSEMARY CIR</b>	342	<b>ROSEMARY END</b>	304	<b>MATTHEW WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ROSEMARY CIR</b>													<b>\$21,760.00</b>	

Year to be Completed TBD

Priority 3

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>113' W/O POWERS</b>	331	<b>POWERS DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360
2 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720
3 to 4 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF		
4 to 8 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360
7 to 76 feet		Driveway				310			
8 to 10 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
8 to 10 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	\$360
10 to 14 feet	PR11AREF	Running Slope	10.0-11.0%			18	REF		
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	\$360
12 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			18	SF	\$40	\$720
14 to 16 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
16 to 18 feet	PR11AREF	Running Slope	8.0-9.0%			9	REF		
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	\$360
18 to 20 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			18	SF	\$40	\$720
20 to 26 feet	PR11AREF	Running Slope	7.0-8.0%			27	REF		
22 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			45	SF	\$40	\$1,800
26 to 30 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
32 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			18	SF	\$40	\$720
34 to 36 feet	PR11AREF	Running Slope	8.0-9.0%			9	REF		
36 to 38 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
36 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			81	SF	\$40	\$3,240
38 to 40 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
40 to 50 feet	PR11AREF	Running Slope	6.0-7.0%			45	REF		
50 to 52 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
52 to 56 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			9	SF	\$40	\$360
56 to 60 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
56 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			72	SF	\$40	\$2,880
60 to 62 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
62 to 66 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
66 to 68 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>113' W/O POWERS</b>	331	<b>POWERS DR</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total	
70 to 76 feet	PR11AREF	Running Slope	6.0-7.0%	27	REF			
72 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%	36	SF	\$40	<b>\$1,440</b>	
76 to 78 feet	PR11AREF	Running Slope	5.0-6.0%	9	REF			
78 to 84 feet	PR11AREF	Running Slope	6.0-7.0%	27	REF			
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>	
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>	
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%	9	REF			
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>	
88 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	36	SF	\$40	<b>\$1,440</b>	
96 to 98 feet	PR11AREF	Running Slope	6.0-7.0%	9	REF			
98 to 102 feet	PR11AREF	Running Slope	5.0-6.0%	18	REF			
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>	
110 to 112 feet	PR11A	Running Slope	5.0-6.0%	9	SF	\$40	<b>\$360</b>	
<b>TOTAL COST FOR:</b>						<b>S</b>	<b>side of BERNARD DR Starting at: 113' W/O POWERS</b>	<b>\$18,360.00</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name		
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS DR</b>	1747	<b>HWY 41 SB ONRAMP</b>		
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>
2 to 6 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF		
2 to 4 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		22	SF	\$40	<b>\$880</b>
4 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		110	SF	\$40	<b>\$4,400</b>
6 to 8 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF		
8 to 10 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
12 to 14 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF		
14 to 16 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF		
14 to 18 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		44	SF	\$40	<b>\$1,760</b>
16 to 20 feet	PR11AREF	Running Slope	6.0-7.0%		44	REF		
18 to 28 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		110	SF	\$40	<b>\$4,400</b>
22 to 24 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
26 to 38 feet	PR11AREF	Running Slope	5.0-6.0%		132	REF		
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>
32 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		88	SF	\$40	<b>\$3,520</b>
38 to 40 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
40 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		110	SF	\$40	<b>\$4,400</b>
42 to 44 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
44 to 50 feet	PR11AREF	Running Slope	5.0-6.0%		66	REF		
50 to 52 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
50 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>
52 to 56 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF		
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>
56 to 58 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
56 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>
62 to 64 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF		
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>
64 to 66 feet	PR11AREF	Running Slope	7.0-8.0%		22	REF		
64 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>
66 to 70 feet	PR11AREF	Running Slope	5.0-6.0%		44	REF		
68 to 70 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		22	SF	\$40	<b>\$880</b>
70 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS DR</b>	1747	<b>HWY 41 SB ONRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
72 to 78 feet	PR11AREF	Running Slope	5.0-6.0%			66	REF		
74 to 80 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			66	SF	\$40	<b>\$2,640</b>
78 to 80 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
80 to 86 feet	PR11AREF	Running Slope	5.0-6.0%			66	REF		
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
84 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			110	SF	\$40	<b>\$4,400</b>
86 to 88 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
88 to 90 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF		
90 to 94 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
94 to 100 feet	PR11AREF	Running Slope	6.0-7.0%			66	REF		
100 to 110 feet	PR11A	Running Slope	5.0-6.0%			110	SF	\$40	<b>\$4,400</b>
100 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
108 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
110 to 112 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF		
112 to 116 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
112 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
116 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
122 to 124 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
122 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			110	SF	\$40	<b>\$4,400</b>
124 to 126 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
126 to 128 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
130 to 134 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
134 to 138 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
134 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
140 to 144 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
140 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
144 to 178 feet		Driveway				378			
144 to 148 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
145 to 146 feet	PR26AREF	<b>Vertical Change</b>	0.5"			11	REF		
148 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			66	SF	\$40	<b>\$2,640</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS DR</b>	1747	<b>HWY 41 SB ONRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
152 to 154 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
156 to 164 feet	PR11AREF	Running Slope	5.0-6.0%			88	REF		
156 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			66	SF	\$40	<b>\$2,640</b>
162 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>
166 to 170 feet	PR11AREF	Running Slope	7.0-8.0%			44	REF		
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
170 to 172 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
170 to 174 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>
174 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
180 to 182 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
182 to 186 feet	PR11AREF	Running Slope	5.0-6.0%			44	REF		
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
184 to 186 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
186 to 188 feet	PR11AREF	Running Slope	9.0-10.0%			22	REF		
186 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			154	SF	\$40	<b>\$6,160</b>
188 to 190 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
190 to 196 feet	PR11AREF	Running Slope	7.0-8.0%			66	REF		
196 to 198 feet	PR11AREF	Running Slope	8.0-9.0%			22	REF		
198 to 200 feet	PR11AREF	Running Slope	7.0-8.0%			22	REF		
200 to 204 feet	PR11AREF	Running Slope	6.0-7.0%			44	REF		
200 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
202 to 240 feet		Driveway				420			
204 to 218 feet	PR11AREF	Running Slope	5.0-6.0%			154	REF		
210 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
220 to 226 feet	PR11AREF	Running Slope	5.0-6.0%			66	REF		
224 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
230 to 232 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
230 to 238 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			88	SF	\$40	<b>\$3,520</b>
232 to 234 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
236 to 238 feet	PR11AREF	Running Slope	6.0-7.0%			22	REF		
238 to 240 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS DR</b>	1747	<b>HWY 41 SB ONRAMP</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
238 to 240 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
242 to 244 feet	PR11AREF	Running Slope	6.0-7.0%		22	REF				
242 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
245 to 288 feet		Driveway			472					
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
252 to 258 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>		
258 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		220	SF	\$40	<b>\$8,800</b>		
262 to 264 feet	PR11AREF	Running Slope	5.0-6.0%		22	REF				
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
280 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		66	SF	\$40	<b>\$2,640</b>		
286 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>		
320 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
324 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
340 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	<b>\$2,640</b>		
348 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
358 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		132	SF	\$40	<b>\$5,280</b>		
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
372 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
376 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
380 to 390 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		110	SF	\$40	<b>\$4,400</b>		
390 to 394 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		44	SF	\$40	<b>\$1,760</b>		
394 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		132	SF	\$40	<b>\$5,280</b>		
410 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
418 to 420 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
420 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
428 to 430 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
432 to 436 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<b>side of BERNARD DR Starting at: POWERS DR</b>					<b>\$155,760.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1325	<b>BERNARD DR</b>	331	<b>POWERS DR</b>	1747	<b>HWY 41 SB ONRAMP</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$174,120.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	134	<b>14TH AVE</b>	134	<b>11403 14TH</b>	389	<b>ADA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		192	SF	\$40	<b>\$7,692</b>	
30 to 52 feet		Driveway			140				
30 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		13	SF	\$40	<b>\$513</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		13	SF	\$40	<b>\$513</b>	
34 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		38	SF	\$40	<b>\$1,538</b>	
40 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		13	SF	\$40	<b>\$513</b>	
42 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		51	SF	\$40	<b>\$2,051</b>	
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		13	SF	\$40	<b>\$513</b>	
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
61 to 86 feet		Driveway			162				
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		13	SF	\$40	<b>\$513</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		13	SF	\$40	<b>\$513</b>	
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		13	SF	\$40	<b>\$513</b>	
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		13	SF	\$40	<b>\$513</b>	
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		13	SF	\$40	<b>\$513</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		13	SF	\$40	<b>\$513</b>	
76 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		26	SF	\$40	<b>\$1,026</b>	
80 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		26	SF	\$40	<b>\$1,026</b>	
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		13	SF	\$40	<b>\$513</b>	
86 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		64	SF	\$40	<b>\$2,564</b>	
98 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		38	SF	\$40	<b>\$1,538</b>	
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
116 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>	
148 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,564</b>	
157 to 198 feet		Driveway			266				
160 to 162 feet	PR11AREF	Running Slope	5.0-6.0%		13	REF			
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		13	SF	\$40	<b>\$513</b>	
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		13	SF	\$40	<b>\$513</b>	
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		13	SF	\$40	<b>\$513</b>	
166 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		26	SF	\$40	<b>\$1,026</b>	
170 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		51	SF	\$40	<b>\$2,051</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	134	<b>14TH AVE</b>	134	<b>11403 14TH</b>	389	<b>ADA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		13	SF	\$40	<b>\$513</b>		
180 to 184 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		26	SF	\$40	<b>\$1,026</b>		
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		13	SF	\$40	<b>\$513</b>		
186 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		51	SF	\$40	<b>\$2,051</b>		
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		13	SF	\$40	<b>\$513</b>		
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		13	SF	\$40	<b>\$513</b>		
216 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>		
230 to 234 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		26	SF	\$40	<b>\$1,026</b>		
250 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,026</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		13	SF	\$40	<b>\$513</b>		
258 to 259 feet	PR26BREF	<b>Vertical Change</b>	0.9"		6	REF				
260 to 262 feet	PR11AREF	Running Slope	6.0-7.0%		13	REF				
260 to 262 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		13	SF	\$40	<b>\$513</b>		
<b>TOTAL COST FOR:</b>							<b>E</b>	<b>side of 14TH AVE Starting at: 11403 14TH</b>		<b>\$42,049.60</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	134	<b>14TH AVE</b>	134	<b>11403 14TH</b>	389	<b>ADA ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$42,049.60</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	241	<b>FRONT ST</b>	317	<b>OAK AVE</b>	317	<b>755' W/O OAK</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
76 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>
95 to 121 feet		Driveway				231			
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
140 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
154 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
158 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>
164 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>
178 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
192 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			126	SF	\$40	<b>\$5,040</b>
206 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
208 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>
214 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			90	SF	\$40	<b>\$3,600</b>
224 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>
230 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			108	SF	\$40	<b>\$4,320</b>
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
244 to 246 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
248 to 252 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
254 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	<b>\$2,880</b>
262 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
266 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
272 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	241	<b>FRONT ST</b>	317	<b>OAK AVE</b>	317	<b>755' W/O OAK</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
274 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			144	SF	\$40	<b>\$5,760</b>	
294 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
300 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>	
312 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>	
316 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
324 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
332 to 334 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
334 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
445 to 471 feet		Driveway				238				
446 to 447 feet	PR26BREF	<b>Vertical Change</b>	0.8"			9	REF			
446 to 448 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF			
446 to 448 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
448 to 450 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			18	SF	\$40	<b>\$720</b>	
450 to 452 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			18	SF	\$40	<b>\$720</b>	
452 to 454 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>	
454 to 460 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			54	SF	\$40	<b>\$2,160</b>	
460 to 462 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>	
462 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			72	SF	\$40	<b>\$2,880</b>	
470 to 472 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
472 to 474 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
482 to 484 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
486 to 504 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			162	SF	\$40	<b>\$6,480</b>	
512 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
516 to 524 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
536 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
542 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
556 to 564 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
576 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>	
584 to 592 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
594 to 602 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
604 to 610 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>	
618 to 624 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>	
630 to 632 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	241	<b>FRONT ST</b>	317	<b>OAK AVE</b>	317	<b>755' W/O OAK</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
634 to 636	feet	PR05A	Cross Slope (PAR)		2.0-3.0%	18	SF	\$40	<b>\$720</b>
644 to 656	feet	PR05A	Cross Slope (PAR)		2.0-3.0%	108	SF	\$40	<b>\$4,320</b>
654 to 682	feet		Driveway			250			
655 to 656	feet	PR26BREF	<b>Vertical Change</b>		1.1"	9	REF		
656 to 658	feet	PR10A	<b>Cross Slope (Driveway)</b>		7.0-8.0%	18	SF	\$40	<b>\$720</b>
658 to 660	feet	PR10A	<b>Cross Slope (Driveway)</b>		8.0-9.0%	18	SF	\$40	<b>\$720</b>
660 to 662	feet	PR10A	<b>Cross Slope (Driveway)</b>		7.0-8.0%	18	SF	\$40	<b>\$720</b>
662 to 664	feet	PR10A	<b>Cross Slope (Driveway)</b>		8.0-9.0%	18	SF	\$40	<b>\$720</b>
664 to 668	feet	PR10A	<b>Cross Slope (Driveway)</b>		7.0-8.0%	36	SF	\$40	<b>\$1,440</b>
668 to 670	feet	PR10A	<b>Cross Slope (Driveway)</b>		8.0-9.0%	18	SF	\$40	<b>\$720</b>
670 to 672	feet	PR10A	<b>Cross Slope (Driveway)</b>		7.0-8.0%	18	SF	\$40	<b>\$720</b>
672 to 676	feet	PR10A	<b>Cross Slope (Driveway)</b>		8.0-9.0%	36	SF	\$40	<b>\$1,440</b>
676 to 678	feet	PR10A	<b>Cross Slope (Driveway)</b>		6.0-7.0%	18	SF	\$40	<b>\$720</b>
678 to 680	feet	PR11AREF	Running Slope		5.0-6.0%	18	REF		
678 to 680	feet	PR10A	<b>Cross Slope (Driveway)</b>		5.0-6.0%	18	SF	\$40	<b>\$720</b>
680 to 682	feet	PR10A	<b>Cross Slope (Driveway)</b>		3.0-4.0%	18	SF	\$40	<b>\$720</b>
682 to 710	feet	PR10A	<b>Cross Slope (Driveway)</b>		2.0-3.0%	252	SF	\$40	<b>\$10,080</b>
710 to 712	feet	PR05A	Cross Slope (PAR)		3.0-4.0%	18	SF	\$40	<b>\$720</b>
712 to 714	feet	PR05A	Cross Slope (PAR)		2.0-3.0%	18	SF	\$40	<b>\$720</b>
714 to 732	feet	PR05A	Cross Slope (PAR)		3.0-4.0%	162	SF	\$40	<b>\$6,480</b>
732 to 734	feet	PR05A	Cross Slope (PAR)		2.0-3.0%	18	SF	\$40	<b>\$720</b>
734 to 736	feet	PR05A	Cross Slope (PAR)		4.0-5.0%	18	SF	\$40	<b>\$720</b>
736 to 744	feet	PR05A	Cross Slope (PAR)		3.0-4.0%	72	SF	\$40	<b>\$2,880</b>
744 to 754	feet	PR05A	Cross Slope (PAR)		2.0-3.0%	90	SF	\$40	<b>\$3,600</b>

<b>TOTAL COST FOR:</b>	<b>N</b>	<i>side of</i> <b>FRONT ST</b>	<i>Starting at:</i> <b>OAK AVE</b>	<b>\$159,120.00</b>
------------------------	----------	--------------------------------	------------------------------------	---------------------

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	241	<b>FRONT ST</b>	317	<b>OAK AVE</b>	317	<b>755' W/O OAK</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FRONT ST</b>													<b>\$159,120.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	266	<b>HUBERT WAY</b>	266	<b>217' N/O HUBERT</b>	1325	<b>BERNARD DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
8 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			110	SF	\$40	<b>\$4,400</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
21 to 58 feet		Driveway				414			
22 to 23 feet	PR26BREF	<b>Vertical Change</b>	1.0"			11	REF		
22 to 24 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
26 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			88	SF	\$40	<b>\$3,520</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
36 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			110	SF	\$40	<b>\$4,400</b>
46 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			44	SF	\$40	<b>\$1,760</b>
50 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>
58 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
66 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			220	SF	\$40	<b>\$8,800</b>
88 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			154	SF	\$40	<b>\$6,160</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
110 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
116 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			132	SF	\$40	<b>\$5,280</b>
127 to 165 feet		Driveway				414			
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
128 to 129 feet	PR26BREF	<b>Vertical Change</b>	0.8"			11	REF		
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
134 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			66	SF	\$40	<b>\$2,640</b>
140 to 142 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
142 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			176	SF	\$40	<b>\$7,040</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	266	<b>HUBERT WAY</b>	266	<b>217' N/O HUBERT</b>	1325	<b>BERNARD DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>		
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>		
162 to 164 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF				
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			22	SF	\$40	<b>\$880</b>		
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
166 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
170 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
172 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
176 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			154	SF	\$40	<b>\$6,160</b>		
190 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
194 to 196 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>		
196 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>		
200 to 204 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			44	SF	\$40	<b>\$1,760</b>		
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>		
206 to 210 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			44	SF	\$40	<b>\$1,760</b>		
210 to 212 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			22	SF	\$40	<b>\$880</b>		
212 to 216 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			44	SF	\$40	<b>\$1,760</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of HUBERT WAY</i>		<i>Starting at: 217' N/O HUBERT</i>				<b>\$94,160.00</b>		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD DR</b>	1325	<b>230' N/O BERNARD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
2 to 4 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
4 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
12 to 50 feet		Driveway				419			
13 to 14 feet	PR26BREF	<b>Vertical Change</b>	0.8"			11	REF		
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
16 to 18 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
20 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			88	SF	\$40	<b>\$3,520</b>
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
30 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			66	SF	\$40	<b>\$2,640</b>
36 to 42 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			66	SF	\$40	<b>\$2,640</b>
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			22	SF	\$40	<b>\$880</b>
44 to 46 feet	PR11AREF	Running Slope	5.0-6.0%			22	REF		
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>
52 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			374	SF	\$40	<b>\$14,960</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
90 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
126 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			176	SF	\$40	<b>\$7,040</b>
142 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
156 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			132	SF	\$40	<b>\$5,280</b>
168 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD DR</b>	1325	<b>230' N/O BERNARD</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
178 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			66	SF	\$40	<b>\$2,640</b>		
186 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
190 to 228 feet		Driveway				418					
190 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			88	SF	\$40	<b>\$3,520</b>		
198 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
202 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>		
208 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
212 to 216 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>		
216 to 218 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
222 to 226 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of HUBERT WAY</i>		<i>Starting at: BERNARD DR</i>				<b>\$86,240.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	266	<b>HUBERT WAY</b>	1325	<b>BERNARD DR</b>	1325	<b>230' N/O BERNARD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HUBERT WAY</b>													<b>\$180,400.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	276	<b>JENSEN ST</b>	276	<b>10753 JENSEN</b>	1181	<b>14198 BARBARA</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
18 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
32 to 38 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>		
38 to 40 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
40 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>		
63 to 93 feet		Driveway				135					
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
68 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			18	SF	\$40	<b>\$720</b>		
72 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			9	SF	\$40	<b>\$360</b>		
74 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			18	SF	\$40	<b>\$720</b>		
78 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			45	SF	\$40	<b>\$1,800</b>		
88 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			9	SF	\$40	<b>\$360</b>		
90 to 92 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			9	SF	\$40	<b>\$360</b>		
101 to 102 feet	PR26A	<b>Vertical Change</b>	0.5"			5	LF	\$25	<b>\$113</b>		
106 to 107 feet	PR26B	<b>Vertical Change</b>	-0.6"			5	SF	\$25	<b>\$113</b>		
113 to 114 feet	PR26B	<b>Vertical Change</b>	-0.6"			5	SF	\$25	<b>\$113</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>JENSEN ST</b>	<i>Starting at:</i> <b>10753 JENSEN</b>					<b>\$9,337.50</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	276	<b>JENSEN ST</b>	276	<b>10753 JENSEN</b>	1181	<b>14198 BARBARA</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: JENSEN ST</b>													<b>\$9,337.50</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	134	<b>14TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
4 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>
7 to 8 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF		
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
42 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
60 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
62 to 88 feet		Driveway				141			
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			11	SF	\$40	<b>\$440</b>
70 to 72 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
78 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			22	SF	\$40	<b>\$880</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
86 to 88 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			11	SF	\$40	<b>\$440</b>
88 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			22	SF	\$40	<b>\$880</b>
92 to 93 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			6	REF		
92 to 94 feet	PR11AREF	Running Slope	5.0-6.0%			11	REF		
92 to 94 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
94 to 95 feet	PR26BREF	<b>Vertical Change</b>	0.6"			6	REF		
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
140 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
146 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
148 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	134	<b>14TH AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
154 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>		
158 to 160 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>		
160 to 162 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>		
162 to 166 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>		
186 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
186 to 187 feet	PR26BREF	<b>Vertical Change</b>	0.7"			6	REF				
188 to 190 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>		
190 to 192 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			11	SF	\$40	<b>\$440</b>		
192 to 196 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>		
196 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
198 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>		
200 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>		
202 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>		
212 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	<b>\$4,840</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ADA ST</b>	<i>Starting at:</i> <b>LYN ST</b>					<b>\$33,440.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	389	<b>ADA ST</b>	402	<b>LYN ST</b>	134	<b>14TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$33,440.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	367	<b>VISTA DR</b>	233	<b>FERN CIR</b>	323	<b>PALM CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
152 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
158 to 172 feet		Driveway				57			
160 to 162 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF		
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
162 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	12.0-13.0%			16	SF	\$40	<b>\$640</b>
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	11.0-12.0%			8	SF	\$40	<b>\$320</b>
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%			8	SF	\$40	<b>\$320</b>
170 to 172 feet	PR11AREF	Running Slope	10.0-11.0%			8	REF		
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			8	SF	\$40	<b>\$320</b>
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
182 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
190 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
198 to 200 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
212 to 214 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
214 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
216 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of VISTA DR</i>		<i>Starting at: FERN CIR</i>				<b>\$8,320.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	367	<b>VISTA DR</b>	233	<b>FERN CIR</b>	323	<b>PALM CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: VISTA DR</b>													<b>\$8,320.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	671	<b>1ST ST</b>	671	<b>20372 1ST</b>	1317	<b>RAILROAD ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		6	SF	\$40	<b>\$246</b>		
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$493</b>		
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
102 to 104 feet	PR11A	Running Slope	13.0-14.0%		6	SF	\$40	<b>\$246</b>		
102 to 103 feet	PR26B	<b>Vertical Change</b>	-1.0"		3	SF	\$25	<b>\$77</b>		
105 to 106 feet	PR26B	<b>Vertical Change</b>	1.6"		3	SF	\$25	<b>\$77</b>		
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
108 to 124 feet		Driveway			47					
110 to 111 feet	PR26BREF	<b>Vertical Change</b>	1.6"		3	REF				
110 to 112 feet	PR11AREF	Running Slope	11.0-12.0%		6	REF				
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		6	SF	\$40	<b>\$246</b>		
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		6	SF	\$40	<b>\$246</b>		
114 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		18	SF	\$40	<b>\$739</b>		
120 to 122 feet	PR11AREF	Running Slope	10.0-11.0%		6	REF				
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		6	SF	\$40	<b>\$246</b>		
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
132 to 133 feet	PR26A	<b>Vertical Change</b>	0.5"		3	LF	\$25	<b>\$77</b>		
137 to 138 feet	PR26A	<b>Vertical Change</b>	-0.5"		3	LF	\$25	<b>\$77</b>		
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		6	SF	\$40	<b>\$246</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of 1ST ST</i>	<i>Starting at: 20372 1ST</i>	<b>\$4,743.20</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	671	<b>1ST ST</b>	671	<b>20372 1ST</b>	1317	<b>RAILROAD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 1ST ST</b>													<b>\$4,743.20</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	369	<b>WALNUT ST</b>	253	<b>HANFORD ARMONA RD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
8 to 35 feet		Driveway			164				
9 to 10 feet	PR26BREF	<b>Vertical Change</b>	0.9"		6	REF			
12 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		84	SF	\$40	<b>\$3,360</b>	
26 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		36	SF	\$40	<b>\$1,440</b>	
32 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
36 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		12	SF	\$40	<b>\$480</b>	
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
52 to 76 feet		Driveway			141				
53 to 54 feet	PR26BREF	<b>Vertical Change</b>	0.8"		6	REF			
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		12	SF	\$40	<b>\$480</b>	
56 to 60 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		12	SF	\$40	<b>\$480</b>	
62 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		12	SF	\$40	<b>\$480</b>	
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		12	SF	\$40	<b>\$480</b>	
66 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		12	SF	\$40	<b>\$480</b>	
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		12	SF	\$40	<b>\$480</b>	
70 to 74 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		24	SF	\$40	<b>\$960</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
134 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		12	SF	\$40	<b>\$480</b>	
152 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
158 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$480</b>	
160 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
164 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<b>side of 14TH AVE</b>		<b>Starting at: WALNUT ST</b>		<b>\$21,600.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	369	<b>WALNUT ST</b>	253	<b>HANFORD ARMONA RD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$21,600.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>W</b>	146	<b>EMPIRE ST</b>	146	<b>19110 EMPIRE</b>	192	<b>CENTER ST</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total				
0 to 2 feet	PR05A	Cross Slope (PAR)	12.0-13.0%		9	SF	\$40	<b>\$360</b>				
2 to 25 feet		Driveway			106							
2 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		45	SF	\$40	<b>\$1,800</b>				
12 to 14 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		9	SF	\$40	<b>\$360</b>				
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		9	SF	\$40	<b>\$360</b>				
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	13.0-14.0%		9	SF	\$40	<b>\$360</b>				
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	14.0-15.0%		9	SF	\$40	<b>\$360</b>				
20 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	>15.0%		9	SF	\$40	<b>\$360</b>				
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	10.0-11.0%		9	SF	\$40	<b>\$360</b>				
26 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		81	SF	\$40	<b>\$3,240</b>				
46 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		54	SF	\$40	<b>\$2,160</b>				
60 to 63 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		12	SF	\$40	<b>\$468</b>				
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i>	<b>EMPIRE ST</b>	<i>Starting at:</i>	<b>19110 EMPIRE</b>	<b>\$10,188.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	146	<b>EMPIRE ST</b>	146	<b>19110 EMPIRE</b>	192	<b>CENTER ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>													<b>\$10,188.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	300	<b>MANZANITA ST</b>	267	<b>HUME AVE</b>	372	<b>WILLOW CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
24 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
30 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
38 to 46 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
52 to 56 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
60 to 72 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			48	SF	\$40	<b>\$1,920</b>
72 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
82 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
92 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
104 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
110 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
118 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
122 to 126 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
124 to 125 feet	PS24B	<b>Protruding Object</b>	62" to tree			4	JOB	\$75	<b>\$300</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
128 to 136 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
140 to 142 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	300	<b>MANZANITA ST</b>	267	<b>HUME AVE</b>	372	<b>WILLOW CIR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
146 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>		
158 to 162 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
162 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
166 to 168 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
168 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
174 to 176 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
176 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>MANZANITA ST</b>		<i>Starting at:</i> <b>HUME AVE</b>				<b>\$28,140.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	300	<b>MANZANITA ST</b>	267	<b>HUME AVE</b>	372	<b>WILLOW CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MANZANITA ST</b>													<b>\$28,140.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	317	<b>OAK AVE</b>	237	<b>FLORA WAY</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
6 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
7 to 8 feet	PS24B	<b>Protruding Object</b>				6	JOB	\$75	<b>\$413</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
24 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
32 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
46 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
60 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
72 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
78 to 99 feet		Driveway				118			
78 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			11	SF	\$40	<b>\$440</b>
80 to 82 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			11	SF	\$40	<b>\$440</b>
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			11	SF	\$40	<b>\$440</b>
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			22	SF	\$40	<b>\$880</b>
90 to 94 feet	PR10A	<b>Cross Slope (Driveway)</b>	9.0-10.0%			22	SF	\$40	<b>\$880</b>
94 to 96 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			11	SF	\$40	<b>\$440</b>
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			11	SF	\$40	<b>\$440</b>
100 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
104 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
108 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
130 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
136 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
144 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
154 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
162 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	389	<b>ADA ST</b>	317	<b>OAK AVE</b>	237	<b>FLORA WAY</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
198 to 209 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			61	SF	\$40	<b>\$2,420</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of ADA ST</i>		<i>Starting at: OAK AVE</i>		<b>\$36,272.50</b>			

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	389	<b>ADA ST</b>	317	<b>OAK AVE</b>	237	<b>FLORA WAY</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$36,272.50</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL</b>	356	<b>TEMPLE DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
10 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
22 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
30 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			144	SF	\$40	<b>\$5,760</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
74 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
79 to 91 feet		Curb Ramp				55			
82 to 84 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
84 to 86 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
84 to 86 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
86 to 88 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
86 to 90 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			18	SF	\$40	<b>\$720</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
92 to 117 feet		Crosswalk				114			
94 to 96 feet	PR11A	Running Slope	5.0-6.0%			9	SF	\$40	<b>\$360</b>
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
116 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
118 to 128 feet		Curb Ramp				45			
120 to 122 feet	PR11AREF	Running Slope	8.0-9.0%			9	REF		
120 to 122 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL</b>	356	<b>TEMPLE DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
138 to 140 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
140 to 142 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	\$360		
142 to 144 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
144 to 146 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	\$360		
146 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
150 to 154 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	\$720		
154 to 160 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			27	SF	\$40	\$1,080		
160 to 166 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	\$1,080		
166 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
168 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	\$1,080		
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
180 to 190 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	\$1,800		
190 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
192 to 194 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
196 to 208 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	\$2,160		
208 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	\$1,800		
218 to 220 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	\$360		
220 to 222 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
222 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
228 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
234 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	\$3,240		
252 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	\$1,080		
258 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
266 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
272 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
274 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	\$1,080		
280 to 282 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	\$360		
282 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	\$720		
286 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	\$720		
290 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	\$3,240		
308 to 324 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			72	SF	\$40	\$2,880		
324 to 326 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	\$360		
326 to 338 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	\$2,160		
338 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	\$3,240		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL</b>	356	<b>TEMPLE DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
358 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
366 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>		
370 to 372 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
372 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>		
378 to 386 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			36	SF	\$40	<b>\$1,440</b>		
386 to 398 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>		
398 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
408 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
414 to 416 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
416 to 430 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>		
430 to 444 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			63	SF	\$40	<b>\$2,520</b>		
444 to 452 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
452 to 454 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
454 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
456 to 458 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
458 to 460 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
460 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
462 to 498 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			162	SF	\$40	<b>\$6,480</b>		
498 to 504 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>		
504 to 508 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
510 to 516 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>		
516 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
518 to 520 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>		
520 to 522 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
522 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
526 to 528 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
528 to 534 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
534 to 536 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
536 to 542 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
542 to 544 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
544 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>		
554 to 566 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>		
566 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
572 to 580 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL</b>	356	<b>TEMPLE DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
580 to 586 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
586 to 590 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
590 to 592 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
594 to 600 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>	
600 to 606 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
606 to 618 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			54	SF	\$40	<b>\$2,160</b>	
617 to 630 feet		Curb Ramp				59				
618 to 620 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
622 to 624 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
626 to 630 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF			
628 to 630 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
631 to 663 feet		Crosswalk				145				
632 to 634 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
634 to 652 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			81	SF	\$40	<b>\$3,240</b>	
652 to 654 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
654 to 656 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>	
656 to 658 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>	
658 to 660 feet	PR05A	Cross Slope (PAR)	8.0-9.0%			9	SF	\$40	<b>\$360</b>	
663 to 675 feet		Curb Ramp				51				
664 to 666 feet	PR11AREF	Running Slope	9.0-10.0%			9	REF			
664 to 666 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
666 to 668 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF			
666 to 668 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
668 to 670 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
676 to 678 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$306</b>	
<b>TOTAL COST FOR:</b>							<b>E</b>	<b>side of SHAW PL Starting at: 11899 SHAW PL</b>		<b>\$110,106.00</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL</b>	356	<b>TEMPLE DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SHAW PL</b>													<b>\$110,106.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	413	<b>PIMO ST</b>	413	<b>13961 PIMO ST</b>	1185	<b>C ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
36 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		80	SF	\$40	<b>\$3,200</b>	
84 to 85 feet	PR26B	<b>Vertical Change</b>	-0.6"		5	SF	\$25	<b>\$125</b>	
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF			
86 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		30	SF	\$40	<b>\$1,200</b>	
86 to 87 feet	PR26BREF	<b>Vertical Change</b>	0.6"		5	REF			
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
93 to 94 feet	PR26BREF	<b>Vertical Change</b>	0.8"		5	REF			
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
104 to 117 feet		Driveway			62				
128 to 129 feet	PR26B	<b>Vertical Change</b>	-0.6"		5	SF	\$25	<b>\$125</b>	
128 to 130 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF			
128 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
130 to 131 feet	PR26BREF	<b>Vertical Change</b>	0.8"		5	REF			
135 to 136 feet	PR26B	<b>Vertical Change</b>	0.6"		5	SF	\$25	<b>\$125</b>	
143 to 154 feet		Driveway			51				
190 to 207 feet		Driveway			84				
192 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
202 to 204 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
204 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
206 to 208 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
208 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		30	SF	\$40	<b>\$1,200</b>	
214 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
228 to 230 feet	PR11AREF	Running Slope	5.0-6.0%		10	REF			
230 to 231 feet	PR26B	<b>Vertical Change</b>	-0.8"		5	SF	\$25	<b>\$125</b>	
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
232 to 233 feet	PR26BREF	<b>Vertical Change</b>	0.7"		5	REF			
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of PIMO ST Starting at: 13961 PIMO ST</i>					<b>\$12,100.00</b>	

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	413	<b>PIMO ST</b>	413	<b>13961 PIMO ST</b>	1185	<b>C ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PIMO ST</b>													<b>\$12,100.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	413	<b>PIMO ST</b>	262	<b>HOOD AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
238 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
289 to 312 feet		Driveway			90				
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
294 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		24	SF	\$40	<b>\$960</b>	
300 to 310 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		40	SF	\$40	<b>\$1,600</b>	
310 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
314 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
326 to 330 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
330 to 332 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
332 to 334 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
334 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
336 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>	
348 to 350 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
350 to 358 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
358 to 360 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
360 to 368 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		32	SF	\$40	<b>\$1,280</b>	
368 to 372 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
372 to 374 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
374 to 376 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
376 to 386 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		40	SF	\$40	<b>\$1,600</b>	
386 to 388 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
388 to 398 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		40	SF	\$40	<b>\$1,600</b>	
398 to 400 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
400 to 404 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
406 to 408 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
408 to 410 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
410 to 412 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
412 to 414 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
412 to 413 feet	PR26AREF	<b>Vertical Change</b>	-0.6"		4	REF			
414 to 418 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	134	<b>14TH AVE</b>	413	<b>PIMO ST</b>	262	<b>HOOD AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
418 to 438 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		80	SF	\$40	<b>\$3,200</b>		
438 to 448 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		40	SF	\$40	<b>\$1,600</b>		
448 to 450 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
450 to 456 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		24	SF	\$40	<b>\$960</b>		
456 to 460 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
460 to 464 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
464 to 484 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		80	SF	\$40	<b>\$3,200</b>		
484 to 500 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		64	SF	\$40	<b>\$2,560</b>		
500 to 502 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
502 to 504 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
504 to 506 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
506 to 516 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
516 to 520 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
520 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
522 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
524 to 532 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
532 to 534 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
534 to 536 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
536 to 538 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
538 to 540 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
540 to 548 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>		
548 to 550 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
550 to 556 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>		
556 to 558 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
558 to 562 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
562 to 564 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
564 to 578 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		56	SF	\$40	<b>\$2,240</b>		
578 to 582 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
582 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
586 to 588 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
590 to 596 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>		
596 to 598 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
598 to 602 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
602 to 614 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		48	SF	\$40	<b>\$1,920</b>		

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	413	<b>PIMO ST</b>	262	<b>HOOD AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
622 to 628	feet	PR05A	Cross Slope (PAR)			24	SF	\$40	<b>\$960</b>		
628 to 636	feet	PR05A	Cross Slope (PAR)			32	SF	\$40	<b>\$1,280</b>		
636 to 638	feet	PR05A	Cross Slope (PAR)			8	SF	\$40	<b>\$320</b>		
638 to 640	feet	PR05A	Cross Slope (PAR)			8	SF	\$40	<b>\$320</b>		
640 to 648	feet	PR05A	Cross Slope (PAR)			32	SF	\$40	<b>\$1,280</b>		
648 to 658	feet	PR05A	Cross Slope (PAR)			40	SF	\$40	<b>\$1,600</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of 14TH AVE</i>	<i>Starting at: PIMO ST</i>					<b>\$57,280.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	413	<b>PIMO ST</b>	262	<b>HOOD AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$57,280.00</b>	

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	300	<b>MANZANITA ST</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
15 to 27 feet		Driveway				49			
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
26 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
62 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
64 to 77 feet		Driveway				54			
66 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
70 to 72 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
72 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			16	SF	\$40	<b>\$640</b>
76 to 80 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
86 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
90 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
106 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
123 to 134 feet		Driveway				44			
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
132 to 134 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
170 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
183 to 193 feet		Driveway				42			
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
186 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			24	SF	\$40	<b>\$960</b>
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
198 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
208 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	300	<b>MANZANITA ST</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
216 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
230 to 232 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
232 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
238 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
242 to 254 feet		Driveway				46				
244 to 246 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
248 to 250 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
250 to 252 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
252 to 254 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
284 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
302 to 316 feet		Driveway				56				
304 to 312 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			32	SF	\$40	<b>\$1,280</b>	
312 to 314 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
314 to 316 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
350 to 351 feet	PR26B	<b>Vertical Change</b>	-0.6"			4	SF	\$25	<b>\$100</b>	
350 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
354 to 356 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
356 to 364 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>	
361 to 373 feet		Driveway				46				
364 to 366 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
366 to 368 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>	
368 to 370 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>	
370 to 372 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>	
372 to 374 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
374 to 376 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
376 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
396 to 402 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
408 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>	
421 to 435 feet		Driveway				55				

Year to be Completed **TBD**Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	300	<b>MANZANITA ST</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
424 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
426 to 432 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			24	SF	\$40	<b>\$960</b>
432 to 434 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
434 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
436 to 438 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
438 to 440 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
454 to 462 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
464 to 466 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
466 to 468 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
468 to 470 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
474 to 478 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
480 to 482 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
480 to 493 feet		Driveway				52			
486 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			16	SF	\$40	<b>\$640</b>
490 to 494 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			16	SF	\$40	<b>\$640</b>
495 to 496 feet	PR26B	<b>Vertical Change</b>	0.6"			4	SF	\$25	<b>\$100</b>
500 to 504 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
504 to 506 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
506 to 514 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
514 to 522 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
522 to 536 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
536 to 538 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
538 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
540 to 542 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
541 to 554 feet		Driveway				51			
548 to 550 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
582 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
592 to 596 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
596 to 598 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
598 to 602 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
600 to 613 feet		Driveway				50			
602 to 608 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			24	SF	\$40	<b>\$960</b>
608 to 610 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
610 to 612 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	300	<b>MANZANITA ST</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
612 to 614 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
614 to 616 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
616 to 624 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		32	SF	\$40	<b>\$1,280</b>	
624 to 626 feet	PR05A	Cross Slope (PAR)	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
626 to 628 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
628 to 632 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
632 to 634 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
634 to 636 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
636 to 638 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
638 to 640 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
640 to 648 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
648 to 652 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
652 to 654 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
654 to 656 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
656 to 658 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
660 to 673 feet		Driveway			52				
660 to 664 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
664 to 666 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
666 to 670 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
670 to 688 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		72	SF	\$40	<b>\$2,880</b>	
688 to 692 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
692 to 694 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
694 to 696 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
696 to 698 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
698 to 712 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		56	SF	\$40	<b>\$2,240</b>	
712 to 716 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
716 to 718 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
718 to 719 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		4	SF	\$40	<b>\$176</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>MANZANITA ST</b>		<i>Starting at:</i> <b>ALMOND ST</b>		<b>\$69,816.00</b>		

Year to be Completed **TBD**

Priority **3**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	300	<b>MANZANITA ST</b>	168	<b>ALMOND ST</b>	267	<b>HUME AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MANZANITA ST</b>													<b>\$69,816.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	295	<b>LOCUST ST</b>	132	<b>430' E/O 14 1/2 AVE</b>	132	<b>14 1/2 AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
42 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		47	SF	\$40	<b>\$1,879</b>	
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
130 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		31	SF	\$40	<b>\$1,253</b>	
145 to 171 feet		Driveway			209				
146 to 148 feet	PR11AREF	Running Slope	13.0-14.0%		16	REF			
146 to 147 feet	PR26BREF	<b>Vertical Change</b>	1.7"		8	REF			
148 to 150 feet	PR11AREF	Running Slope	7.0-8.0%		16	REF			
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
168 to 170 feet	PR11AREF	Running Slope	9.0-10.0%		16	REF			
170 to 172 feet	PR11AREF	Running Slope	5.0-6.0%		16	REF			
180 to 181 feet	PR26A	<b>Vertical Change</b>	0.5"		8	LF	\$25	<b>\$196</b>	
196 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
234 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		31	SF	\$40	<b>\$1,253</b>	
244 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		47	SF	\$40	<b>\$1,879</b>	
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
354 to 356 feet	PR11A	Running Slope	5.0-6.0%		16	SF	\$40	<b>\$626</b>	
355 to 356 feet	PR26B	<b>Vertical Change</b>	0.8"		8	SF	\$25	<b>\$196</b>	
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
378 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$626</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>LOCUST ST</b>	<i>Starting at:</i> <b>430' E/O 14 1/2 AVE</b>				<b>\$13,545.90</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	295	<b>LOCUST ST</b>	132	<b>430' E/O 14 1/2 AVE</b>	132	<b>14 1/2 AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: LOCUST ST</b>													<b>\$13,545.90</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	326	<b>PARK ST</b>	387	<b>REDWOOD ST</b>	326	<b>14211 PARK</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
8 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
11 to 12 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		4	REF			
12 to 16 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
13 to 14 feet	PR26BREF	<b>Vertical Change</b>	1.4"		4	REF			
16 to 18 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
17 to 18 feet	PR26AREF	<b>Vertical Change</b>	-0.5"		4	REF			
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
42 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
62 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
84 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>PARK ST</b>		<i>Starting at:</i> <b>REDWOOD ST</b>		<b>\$9,280.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	326	<b>PARK ST</b>	387	<b>REDWOOD ST</b>	326	<b>14211 PARK</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PARK ST</b>													<b>\$9,280.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1179	<b>GARDEN DR</b>	379	<b>2ND PL</b>	161	<b>3RD PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			9	SF	\$40	<b>\$360</b>
6 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
32 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
38 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
62 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
88 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
94 to 121 feet		Driveway				125			
94 to 95 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
96 to 98 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
98 to 100 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
98 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
116 to 118 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
118 to 120 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
122 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
134 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>
158 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
194 to 198 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
238 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1179	<b>GARDEN DR</b>	379	<b>2ND PL</b>	161	<b>3RD PL</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
252 to 254 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
266 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
288 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>	
300 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>	
312 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>	
318 to 345 feet		Driveway				122				
322 to 326 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF			
326 to 328 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
330 to 332 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
340 to 342 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
340 to 342 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
346 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
380 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
386 to 388 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
388 to 390 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
390 to 392 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
392 to 396 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>	
396 to 400 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>	
412 to 416 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>	
416 to 418 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>GARDEN DR</b>	<i>Starting at:</i> <b>2ND PL</b>					<b>\$32,760.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1179	<b>GARDEN DR</b>	379	<b>2ND PL</b>	161	<b>3RD PL</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$32,760.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	192	<b>CENTER ST</b>	1315	<b>CROSS ST</b>	1316	<b>PROSPECT AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			110	SF	\$40	<b>\$4,400</b>
22 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
30 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			132	SF	\$40	<b>\$5,280</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
60 to 64 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			22	SF	\$40	<b>\$880</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
66 to 76 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			55	SF	\$40	<b>\$2,200</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			11	SF	\$40	<b>\$440</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
84 to 86 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
88 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			22	SF	\$40	<b>\$880</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
94 to 100 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			33	SF	\$40	<b>\$1,320</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
108 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
116 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
122 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
130 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
138 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
144 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			33	SF	\$40	<b>\$1,320</b>
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
152 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			22	SF	\$40	<b>\$880</b>
152 to 173 feet		Driveway				117			
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$440</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	192	<b>CENTER ST</b>	1315	<b>CROSS ST</b>	1316	<b>PROSPECT AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
162 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		22	SF	\$40	<b>\$880</b>	
166 to 168 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		11	SF	\$40	<b>\$440</b>	
168 to 170 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
170 to 172 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
172 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		44	SF	\$40	<b>\$1,760</b>	
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
183 to 205 feet		Driveway			124				
186 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		11	SF	\$40	<b>\$440</b>	
188 to 192 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	
192 to 194 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		11	SF	\$40	<b>\$440</b>	
196 to 198 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		11	SF	\$40	<b>\$440</b>	
198 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		22	SF	\$40	<b>\$880</b>	
202 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		22	SF	\$40	<b>\$880</b>	
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>	
212 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>CENTER ST</b>	<i>Starting at:</i> <b>CROSS ST</b>				<b>\$43,560.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	192	<b>CENTER ST</b>	1315	<b>CROSS ST</b>	1316	<b>PROSPECT AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CENTER ST</b>													<b>\$43,560.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	372	<b>WILLOW CIR</b>	300	<b>MANZANITA ST</b>	372	<b>WILLOW END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
2 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
8 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
18 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
24 to 32 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
40 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
42 to 55 feet		Driveway				49			
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
62 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
66 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
112 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
115 to 130 feet		Driveway				63			
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			16	SF	\$40	<b>\$640</b>
128 to 130 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>
130 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>
152 to 166 feet		Driveway				59			
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
156 to 158 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			8	SF	\$40	<b>\$320</b>
158 to 160 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	372	<b>WILLOW CIR</b>	300	<b>MANZANITA ST</b>	372	<b>WILLOW END</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
160 to 162 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>		
162 to 164 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>		
164 to 166 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
178 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		15	SF	\$40	<b>\$592</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>WILLOW CIR</b>		<i>Starting at:</i> <b>MANZANITA ST</b>		<b>\$19,152.00</b>			

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	372	<b>WILLOW CIR</b>	372	<b>WILLOW END</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
5 to 19 feet		Driveway			59				
8 to 10 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
10 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
12 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		8	SF	\$40	<b>\$320</b>	
18 to 20 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
41 to 56 feet		Driveway			60				
42 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
46 to 48 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
48 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	8.0-9.0%		16	SF	\$40	<b>\$640</b>	
52 to 54 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%		8	SF	\$40	<b>\$320</b>	
54 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
102 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
107 to 121 feet		Driveway			53				
110 to 112 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
112 to 114 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		8	SF	\$40	<b>\$320</b>	
114 to 118 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
126 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
138 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
146 to 148 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
148 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	372	<b>WILLOW CIR</b>	372	<b>WILLOW END</b>	300	<b>MANZANITA ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
152 to 154 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
154 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
158 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
164 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
172 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
182 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
184 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>WILLOW CIR</b>		<i>Starting at:</i> <b>WILLOW END</b>				<b>\$18,880.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	372	<b>WILLOW CIR</b>	372	<b>WILLOW END</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total

<b>TOTAL COST: MID-BLOCK BARRIERS FOR: <b>WILLOW CIR</b></b>								<b>\$38,032.00</b>
--	--	--	--	--	--	--	--	--------------------

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	379	<b>2ND PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
10 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
25 to 85 feet		Driveway				270			
28 to 30 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
30 to 32 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
32 to 34 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
40 to 44 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
48 to 50 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
52 to 56 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
68 to 70 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
78 to 82 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
121 to 147 feet		Driveway				116			
126 to 130 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
140 to 142 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
142 to 146 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
156 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
176 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
183 to 212 feet		Driveway				130			
186 to 190 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
186 to 202 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>
204 to 206 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
206 to 208 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
210 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>
214 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
220 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
236 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
240 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	379	<b>2ND PL</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
242 to 243 feet	PR26BREF	<b>Vertical Change</b>	0.9"		5	REF				
244 to 246 feet	PR11AREF	Running Slope	8.0-9.0%		9	REF				
246 to 269 feet		Driveway			104					
246 to 248 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
258 to 260 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
262 to 264 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
264 to 266 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
266 to 268 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
270 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
276 to 302 feet		Driveway			118					
276 to 278 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
277 to 278 feet	PR26BREF	<b>Vertical Change</b>	1.0"		5	REF				
278 to 280 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
280 to 282 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
282 to 290 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>		
296 to 298 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
296 to 298 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
298 to 300 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
300 to 302 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
322 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
330 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>		
340 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
358 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
362 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>GARDEN DR</b>	<i>Starting at:</i> <b>3RD PL</b>	<b>\$23,400.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	379	<b>2ND PL</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$23,400.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	146	<b>EMPIRE ST</b>	146	<b>STRATFORD SCHOOL</b>	1312	<b>3RD ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
34 to 40 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960
40 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640
44 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	\$1,920
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
58 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	\$960
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
68 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
72 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640
76 to 80 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	\$640
80 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640
84 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
146 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640
159 to 160 feet	PR26A	<b>Vertical Change</b>	-0.5"			4	LF	\$25	\$100
170 to 172 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320
172 to 174 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320
174 to 176 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	\$320
176 to 178 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
180 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	\$640
184 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	\$2,560
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320
202 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640
208 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960
218 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
222 to 224 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
242 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
246 to 248 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320
250 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280
260 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	146	<b>EMPIRE ST</b>	146	<b>STRATFORD SCHOOL</b>	1312	<b>3RD ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
264 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
272 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
286 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
294 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
322 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
324 to 326 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
326 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
328 to 330 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
330 to 338 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
352 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
356 to 360 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
360 to 362 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
362 to 364 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
364 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
372 to 374 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>EMPIRE ST</b>		<i>Starting at:</i> <b>STRATFORD SCHOOL</b>				<b>\$28,580.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	146	<b>EMPIRE ST</b>	146	<b>STRATFORD SCHOOL</b>	1312	<b>3RD ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>													<b>\$28,580.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1325	<b>BERNARD DR</b>	1325	<b>BERNARD END</b>	1274	<b>DANA CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			90	SF	\$40	<b>\$3,600</b>
24 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
34 to 35 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
36 to 38 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
39 to 40 feet	PR04B	Continuous Width				5	JOB	\$50	<b>\$250</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
41 to 42 feet	PR26BREF	<b>Vertical Change</b>	0.6"			5	REF		
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
48 to 49 feet	PR04B	Continuous Width				5	JOB	\$50	<b>\$250</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
56 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
62 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			50	SF	\$40	<b>\$2,000</b>
80 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			60	SF	\$40	<b>\$2,400</b>
110 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
282 to 284 feet	PR11A	Running Slope	6.0-7.0%			10	SF	\$40	<b>\$400</b>
286 to 288 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
286 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
288 to 290 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
292 to 294 feet	PR11A	Running Slope	5.0-6.0%			10	SF	\$40	<b>\$400</b>
302 to 306 feet	PR11A	Running Slope	5.0-6.0%			20	SF	\$40	<b>\$800</b>
302 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
320 to 322 feet	PR11A	Running Slope	6.0-7.0%			10	SF	\$40	<b>\$400</b>
324 to 326 feet	PR11A	Running Slope	6.0-7.0%			10	SF	\$40	<b>\$400</b>
340 to 342 feet	PR11A	Running Slope	5.0-6.0%			10	SF	\$40	<b>\$400</b>
342 to 344 feet	PR11A	Running Slope	6.0-7.0%			10	SF	\$40	<b>\$400</b>
402 to 408 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
404 to 497 feet		Driveway				466			
420 to 426 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1325	<b>BERNARD DR</b>	1325	<b>BERNARD END</b>	1274	<b>DANA CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
428 to 430 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
432 to 436 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
444 to 446 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
452 to 456 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
458 to 470 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		60	SF	\$40	<b>\$2,400</b>	
472 to 478 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
478 to 480 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
480 to 490 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		50	SF	\$40	<b>\$2,000</b>	
494 to 496 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
520 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
554 to 556 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
582 to 584 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
600 to 602 feet	PR11A	Running Slope	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
628 to 630 feet	PR11A	Running Slope	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
668 to 670 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
674 to 684 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		50	SF	\$40	<b>\$2,000</b>	
688 to 690 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
694 to 698 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
706 to 714 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
716 to 718 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
724 to 726 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
728 to 730 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
732 to 734 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
742 to 750 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
796 to 798 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
800 to 806 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
814 to 816 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
820 to 822 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
842 to 844 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
858 to 862 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
872 to 874 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
876 to 878 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
880 to 886 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<b>side of BERNARD DR Starting at: BERNARD END</b>				<b>\$46,900.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1325	<b>BERNARD DR</b>	1325	<b>BERNARD END</b>	1274	<b>DANA CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$46,900.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	253	<b>HANFORD ARMONA</b>	134	<b>14TH AVE</b>	134	<b>50' W/O 14TH</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
50 to 58 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
57 to 58 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
58 to 60 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
58 to 60 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
59 to 60 feet	PR26BREF	<b>Vertical Change</b>	0.8"			5	REF		
62 to 64 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
66 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
76 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of HANFORD ARMONA RD</i>		<i>Starting at: 14TH AVE</i>				<b>\$7,200.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	253	<b>HANFORD ARMONA</b>	134	<b>14TH AVE</b>	134	<b>50' W/O 14TH</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HANFORD ARMONA RD</b>													<b>\$7,200.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1179	<b>GARDEN DR</b>	126	<b>10TH AVE</b>	378	<b>1ST PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
12 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
20 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
34 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
46 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
98 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
104 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
154 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
166 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
176 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
182 to 188 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
189 to 214 feet		Driveway				115			
190 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
192 to 194 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
194 to 196 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
196 to 198 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
206 to 212 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
210 to 212 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
212 to 214 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
216 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
218 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>
244 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
252 to 254 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
254 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>
265 to 296 feet		Driveway				139			
268 to 270 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
268 to 272 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	1179	<b>GARDEN DR</b>	126	<b>10TH AVE</b>	378	<b>1ST PL</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
270 to 272 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF				
290 to 292 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF				
290 to 292 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
292 to 294 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF				
292 to 296 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
298 to 310 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			54	SF	\$40	<b>\$2,160</b>		
312 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
316 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
324 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
338 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
342 to 344 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
344 to 350 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			27	SF	\$40	<b>\$1,080</b>		
350 to 352 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
352 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
356 to 358 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
364 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
368 to 370 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>		
370 to 372 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
372 to 374 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$414</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<i>side of</i> <b>GARDEN DR</b>		<i>Starting at:</i> <b>10TH AVE</b>	<b>\$33,174.00</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	126	<b>10TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
13 to 44 feet		Driveway			142				
16 to 18 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
18 to 20 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
38 to 40 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
40 to 42 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
58 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		54	SF	\$40	<b>\$2,160</b>	
70 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
72 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
77 to 110 feet		Driveway			145				
82 to 84 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
94 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
102 to 104 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
104 to 108 feet	PR11AREF	Running Slope	5.0-6.0%		18	REF			
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
120 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
145 to 185 feet		Driveway			179				
148 to 150 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
150 to 152 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
178 to 180 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
180 to 182 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
198 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
204 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		54	SF	\$40	<b>\$2,160</b>	
216 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
218 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	<b>\$1,800</b>	
228 to 230 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
230 to 250 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		90	SF	\$40	<b>\$3,600</b>	
258 to 262 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	126	<b>10TH AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
263 to 299 feet		Driveway			159					
264 to 266 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
266 to 268 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
268 to 270 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF				
292 to 294 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
294 to 296 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF				
296 to 298 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF				
298 to 300 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
328 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>		
346 to 354 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>		
354 to 356 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>		
356 to 358 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>		
358 to 360 feet	PR05A	Cross Slope (PAR)	6.0-7.0%		9	SF	\$40	<b>\$360</b>		
360 to 362 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>		
362 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>		
368 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>		
370 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>		
376 to 378 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>		
378 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$324</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>GARDEN DR</b>	<i>Starting at:</i> <b>1ST PL</b>	<b>\$25,884.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	126	<b>10TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$59,058.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	134	<b>14TH AVE</b>	8000	<b>ALLEY</b>	164	<b>6TH ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			23	SF	\$40	<b>\$933</b>	
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
12 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			23	SF	\$40	<b>\$933</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			23	SF	\$40	<b>\$933</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
38 to 39 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			6	REF			
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
46 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			23	SF	\$40	<b>\$933</b>	
50 to 51 feet	PR26B	<b>Vertical Change</b>	0.9"			6	SF	\$25	<b>\$146</b>	
56 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			23	SF	\$40	<b>\$933</b>	
84 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			12	SF	\$40	<b>\$466</b>	
140 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			12	SF	\$40	<b>\$466</b>	
<b>TOTAL COST FOR:</b>							<b>E</b>	<i>side of 14TH AVE</i>	<i>Starting at: ALLEY</i>	<b>\$8,074.55</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	134	<b>14TH AVE</b>	8000	<b>ALLEY</b>	164	<b>6TH ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$8,074.55</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	389	<b>ADA ST</b>	196	<b>CRISTIE CIR</b>	169	<b>ALVIN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
2 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			44	SF	\$40	<b>\$1,760</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
12 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			55	SF	\$40	<b>\$2,200</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			11	SF	\$40	<b>\$440</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
33 to 34 feet	PR26B	<b>Vertical Change</b>	0.8"			6	SF	\$25	<b>\$138</b>
34 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			77	SF	\$40	<b>\$3,080</b>
36 to 37 feet	PR26AREF	<b>Vertical Change</b>	-0.7"			6	REF		
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
68 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
78 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
88 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			33	SF	\$40	<b>\$1,320</b>
96 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			55	SF	\$40	<b>\$2,200</b>
108 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			44	SF	\$40	<b>\$1,760</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$440</b>
126 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$440</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			22	SF	\$40	<b>\$880</b>
138 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			66	SF	\$40	<b>\$2,640</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$352</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of ADA ST</i>	<i>Starting at: CRISTIE CIR</i>					<b>\$26,449.50</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	389	<b>ADA ST</b>	196	<b>CRISTIE CIR</b>	169	<b>ALVIN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>								<b>\$26,449.50</b>		

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	1180	<b>SHAW PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			9	SF	\$40	<b>\$360</b>
4 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
30 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
40 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	<b>\$3,240</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
78 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
96 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
142 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
165 to 191 feet		Driveway				119			
168 to 170 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
170 to 172 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
172 to 176 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
178 to 180 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
186 to 190 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
196 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
222 to 230 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
232 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			108	SF	\$40	<b>\$4,320</b>
272 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
280 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			243	SF	\$40	<b>\$9,720</b>
334 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
336 to 342 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	1180	<b>SHAW PL</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
342 to 344 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
344 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	<b>\$3,240</b>		
364 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
368 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
370 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>		
386 to 390 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>		
390 to 394 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
394 to 398 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>		
398 to 400 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>		
402 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
412 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>		
420 to 422 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$288</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>GARDEN DR</b>		<i>Starting at:</i> <b>3RD PL</b>				<b>\$48,168.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1179	<b>GARDEN DR</b>	161	<b>3RD PL</b>	1180	<b>SHAW PL</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$48,168.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>E</b>	134	<b>14TH AVE</b>	241	<b>FRONT ST</b>	241	<b>132' N/O FRONT</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
69 to 70 feet	PR26B	<b>Vertical Change</b>	1.1"			12	SF	\$25	<b>\$300</b>		
70 to 72 feet	PR11A	Running Slope	9.0-10.0%			24	SF	\$40	<b>\$960</b>		
72 to 73 feet	PR26B	<b>Vertical Change</b>	-1.2"			12	SF	\$25	<b>\$300</b>		
74 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			96	SF	\$40	<b>\$3,840</b>		
84 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
106 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>		
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of 14TH AVE</i>	<i>Starting at: FRONT ST</i>					<b>\$15,000.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	134	<b>14TH AVE</b>	241	<b>FRONT ST</b>	241	<b>132' N/O FRONT</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$15,000.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	168	<b>ALMOND ST</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
22 to 26 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
25 to 45 feet		Driveway			79				
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
28 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
40 to 52 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
58 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
62 to 64 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
64 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		56	SF	\$40	<b>\$2,240</b>	
67 to 84 feet		Driveway			67				
78 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
90 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		112	SF	\$40	<b>\$4,480</b>	
116 to 130 feet		Driveway			56				
118 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
124 to 126 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
126 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
128 to 132 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
132 to 140 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
140 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
144 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
154 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
164 to 170 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
200 to 214 feet		Driveway			55				
200 to 206 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
214 to 220 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
234 to 240 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
248 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	168	<b>ALMOND ST</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
256 to 258 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
258 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>	
268 to 270 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
270 to 274 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
274 to 286 feet		Driveway				48				
278 to 280 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
280 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			16	SF	\$40	<b>\$640</b>	
284 to 286 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
286 to 304 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			72	SF	\$40	<b>\$2,880</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
326 to 334 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>	
334 to 336 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
344 to 348 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>	
357 to 366 feet		Driveway				36				
358 to 360 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>	
360 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	7.0-8.0%			16	SF	\$40	<b>\$640</b>	
364 to 367 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			11	SF	\$40	<b>\$448</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>ALMOND ST</b>		<i>Starting at:</i> <b>14TH AVE</b>				<b>\$41,088.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	168	<b>ALMOND ST</b>	134	<b>14TH AVE</b>	300	<b>MANZANITA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALMOND ST</b>								<b>\$41,088.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	173	<b>ASPEN CIR</b>	173	<b>ASPEN END</b>	300	<b>MANZANITA ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
10 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
12 to 26 feet		Driveway			58				
14 to 16 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
16 to 18 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
18 to 22 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
22 to 24 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
32 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
38 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
53 to 67 feet		Driveway			58				
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
58 to 64 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
64 to 68 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
68 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
96 to 110 feet		Driveway			56				
96 to 100 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
100 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
102 to 104 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
104 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
108 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
116 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
126 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
140 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	173	<b>ASPEN CIR</b>	173	<b>ASPEN END</b>	300	<b>MANZANITA ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
160 to 162 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
192 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of ASPEN CIR</i>		<i>Starting at: ASPEN END</i>		<b>\$17,920.00</b>			

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	173	<b>ASPEN CIR</b>	300	<b>MANZANITA ST</b>	173	<b>ASPEN END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
8 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
12 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
36 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		32	SF	\$40	<b>\$1,280</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
46 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
48 to 50 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
52 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
72 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
78 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
79 to 90 feet		Driveway			45				
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
84 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
86 to 90 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%		16	SF	\$40	<b>\$640</b>	
90 to 92 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
94 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
96 to 98 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
102 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
106 to 108 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
108 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
114 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
116 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
128 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		40	SF	\$40	<b>\$1,600</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	173	<b>ASPEN CIR</b>	300	<b>MANZANITA ST</b>	173	<b>ASPEN END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
139 to 154 feet		Driveway				60					
142 to 144 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
144 to 146 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
146 to 148 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
148 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
150 to 152 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
152 to 154 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
154 to 156 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of ASPEN CIR</i>		<i>Starting at: MANZANITA ST</i>				<b>\$22,080.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	173	<b>ASPEN CIR</b>	300	<b>MANZANITA ST</b>	173	<b>ASPEN END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ASPEN CIR</b>													<b>\$40,000.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	253	<b>HANFORD ARMONA</b>	253	<b>14141 HANFORD ARMONA</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
18 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>		
34 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
44 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>		
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
68 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>		
72 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>		
88 to 90 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
90 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
101 to 109 feet		Curb Ramp				32					
122 to 124 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of HANFORD ARMONA RD</i>		<i>Starting at: 14141 HANFORD ARMONA</i>				<b>\$9,920.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	253	<b>HANFORD ARMONA</b>	253	<b>14141 HANFORD ARMONA</b>	396	<b>DAN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HANFORD ARMONA RD</b>													<b>\$9,920.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	300	<b>MANZANITA ST</b>	300	<b>11441 MANZANITA</b>	173	<b>ASPEN CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
16 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
27 to 40 feet		Driveway				51			
30 to 34 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			16	SF	\$40	<b>\$640</b>
34 to 36 feet	PR10A	<b>Cross Slope (Driveway)</b>	6.0-7.0%			8	SF	\$40	<b>\$320</b>
36 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%			8	SF	\$40	<b>\$320</b>
38 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%			8	SF	\$40	<b>\$320</b>
42 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
46 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
50 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
64 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
74 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
92 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
98 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
104 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<b>side of MANZANITA ST</b>		<b>Starting at: 11441 MANZANITA</b>				<b>\$15,040.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	300	<b>MANZANITA ST</b>	300	<b>11441 MANZANITA</b>	173	<b>ASPEN CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MANZANITA ST</b>													<b>\$15,040.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	171	<b>APRIL CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
4 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
8 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
28 to 30 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
30 to 34 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
36 to 40 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			16	SF	\$40	<b>\$640</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
172 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
182 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
186 to 188 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
188 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	<b>\$1,920</b>
200 to 202 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
202 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
206 to 208 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
208 to 210 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
210 to 214 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
214 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
224 to 228 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
228 to 234 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
234 to 238 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
238 to 240 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
240 to 242 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	171	<b>APRIL CIR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
242 to 244 feet	PR05A	Cross Slope (PAR)	6.0-7.0%			8	SF	\$40	<b>\$320</b>		
244 to 246 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>		
246 to 248 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
250 to 256 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
256 to 258 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
258 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
264 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
274 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>		
282 to 296 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>MATTHEW WAY</b>	<i>Starting at:</i> <b>ROSEMARY CIR</b>					<b>\$25,280.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	304	<b>MATTHEW WAY</b>	342	<b>ROSEMARY CIR</b>	171	<b>APRIL CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATTHEW WAY</b>													<b>\$25,280.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	342	<b>ROSEMARY CIR</b>	304	<b>MATTHEW WAY</b>	304	<b>B/O 11251 MATTHEW</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
28 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
44 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
62 to 64 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	7.0-8.0%			8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>ROSEMARY CIR</b>		<i>Starting at:</i> <b>MATTHEW WAY</b>				<b>\$5,760.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	342	<b>ROSEMARY CIR</b>	304	<b>MATTHEW WAY</b>	304	<b>B/O 11251 MATTHEW</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ROSEMARY CIR</b>													<b>\$5,760.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	379	<b>2ND PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
6 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$360</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
75 to 103 feet		Driveway			126				
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
78 to 80 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
80 to 82 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
82 to 84 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
98 to 100 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
100 to 102 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
108 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
122 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
139 to 140 feet	PR04B	Continuous Width	30" to overgrowth		5	JOB	\$50	<b>\$225</b>	
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
148 to 150 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
164 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
175 to 200 feet		Driveway			113				
176 to 178 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
178 to 182 feet	PR11AREF	Running Slope	6.0-7.0%		18	REF			
194 to 196 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
194 to 196 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
196 to 198 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
198 to 200 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
202 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
208 to 242 feet		Driveway			156				
210 to 212 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	379	<b>2ND PL</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
212 to 214 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF			
212 to 214 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
214 to 216 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
236 to 238 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
240 to 242 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF			
338 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
378 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
384 to 386 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
386 to 388 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
388 to 390 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>	
396 to 402 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>	
406 to 408 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>	
408 to 410 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			9	SF	\$40	<b>\$360</b>	
410 to 412 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>	
412 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$324</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>GARDEN DR</b>		<i>Starting at:</i> <b>1ST PL</b>				<b>\$17,469.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	1179	<b>GARDEN DR</b>	378	<b>1ST PL</b>	379	<b>2ND PL</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$17,469.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	262	<b>HOOD AVE</b>	134	<b>14TH AVE</b>	396	<b>DAN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
24 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
30 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
114 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
218 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
236 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
254 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
266 to 270 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
280 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
284 to 286 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
288 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
304 to 308 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
312 to 318 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
324 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
332 to 338 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
338 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
340 to 352 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>	
352 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
356 to 360 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
362 to 364 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
364 to 374 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
388 to 392 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
404 to 406 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
408 to 414 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
416 to 422 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
428 to 432 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
434 to 438 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
438 to 442 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
442 to 444 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
444 to 448 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	262	<b>HOOD AVE</b>	134	<b>14TH AVE</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
448 to 450 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
450 to 452 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
452 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			48	SF	\$40	\$1,920		
466 to 476 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	\$1,600		
478 to 484 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	\$960		
486 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
490 to 492 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
492 to 494 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
496 to 500 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
502 to 518 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	\$2,560		
520 to 522 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
522 to 524 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
524 to 526 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
546 to 548 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
552 to 554 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
558 to 562 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
562 to 564 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
564 to 572 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280		
574 to 578 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
580 to 582 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	\$320		
582 to 584 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	\$320		
584 to 586 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
586 to 588 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
600 to 608 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280		
647 to 648 feet	PR26B	<b>Vertical Change</b>	0.6"			4	SF	\$25	\$100		
684 to 688 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	\$640		
708 to 710 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
710 to 718 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	\$1,280		
722 to 724 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
740 to 742 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	\$320		
742 to 744 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF				
742 to 744 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	\$320		
742 to 743 feet	PR26BREF	<b>Vertical Change</b>	0.7"			4	REF				
745 to 746 feet	PR26B	<b>Vertical Change</b>	-0.6"			4	SF	\$25	\$100		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	262	<b>HOOD AVE</b>	134	<b>14TH AVE</b>	396	<b>DAN DR</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
746 to 748 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>		
748 to 756 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>		
756 to 758 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
758 to 762 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>HOOD AVE</b>	<i>Starting at:</i> <b>14TH AVE</b>					<b>\$44,680.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	262	<b>HOOD AVE</b>	134	<b>14TH AVE</b>	396	<b>DAN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HOOD AVE</b>													<b>\$44,680.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	241	<b>FRONT ST</b>	241	<b>13946 FRONT</b>	134	<b>14TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
12 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
18 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
30 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
44 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
58 to 59 feet	PR26B	<b>Vertical Change</b>	0.6"			5	SF	\$25	<b>\$113</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
60 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
60 to 61 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			5	REF		
64 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	<b>\$3,240</b>
69 to 70 feet	PR26AREF	<b>Vertical Change</b>	-0.5"			5	REF		
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>FRONT ST</b>	<i>Starting at:</i> <b>13946 FRONT</b>					<b>\$11,272.50</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	241	<b>FRONT ST</b>	241	<b>13946 FRONT</b>	134	<b>14TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FRONT ST</b>													<b>\$11,272.50</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
<b>W</b>	146	<b>EMPIRE ST</b>	8000	<b>ALLEY</b>	671	<b>1ST ST</b>

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total	
90 to 91 feet	PR03A	Continuous Width	27" to power pole	4	SF	\$40	<b>\$153</b>	
94 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	23	SF	\$40	<b>\$919</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	8	SF	\$40	<b>\$306</b>	
102 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	31	SF	\$40	<b>\$1,226</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	8	SF	\$40	<b>\$306</b>	
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$352</b>	
<b>TOTAL COST FOR:</b>						<b>W</b>	<b>\$3,263.16</b>	
<i>side of</i>						<b>EMPIRE ST</b>	<i>Starting at:</i>	<b>ALLEY</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	146	<b>EMPIRE ST</b>	8000	<b>ALLEY</b>	671	<b>1ST ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>													<b>\$3,263.16</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	262	<b>HOOD AVE</b>	367	<b>VISTA DR</b>	134	<b>14TH AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
23 to 24 feet	PR04B	Continuous Width	15" to succulents		4	JOB	\$50	<b>\$200</b>		
24 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
48 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
60 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>		
80 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
84 to 86 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
86 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
94 to 96 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
96 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>S</b>	<i>side of</i> <b>HOOD AVE</b>	<i>Starting at:</i> <b>VISTA DR</b>	<b>\$9,160.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	262	<b>HOOD AVE</b>	367	<b>VISTA DR</b>	134	<b>14TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HOOD AVE</b>													<b>\$9,160.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	304	<b>MATTHEW WAY</b>	197	<b>CHRISTOPHER ST</b>	342	<b>ROSEMARY CIR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
118 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
133 to 134 feet	PR04B	Continuous Width	Hedges reduced to 12"		4	JOB	\$50	<b>\$200</b>	
136 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
144 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>	
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
158 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
174 to 178 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
200 to 204 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
204 to 206 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
212 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
222 to 226 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
226 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
232 to 238 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
238 to 246 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
239 to 240 feet	PR04B	Continuous Width	End 12" restriction		4	JOB	\$50	<b>\$200</b>	
246 to 250 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
250 to 254 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>	
254 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
256 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>MATTHEW WAY</b>		<i>Starting at:</i> <b>CHRISTOPHER ST</b>				<b>\$16,720.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	304	<b>MATTHEW WAY</b>	197	<b>CHRISTOPHER ST</b>	342	<b>ROSEMARY CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATTHEW WAY</b>													<b>\$16,720.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	367	<b>VISTA DR</b>	323	<b>PALM CIR</b>	396	<b>DAN DR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
2 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>		
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
20 to 32 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		48	SF	\$40	<b>\$1,920</b>		
31 to 32 feet	PS24B	<b>Protruding Object</b>	73" to tree		4	JOB	\$75	<b>\$300</b>		
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
34 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
46 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
58 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>		
78 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
82 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		88	SF	\$40	<b>\$3,520</b>		
104 to 106 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
106 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>		
112 to 116 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		16	SF	\$40	<b>\$640</b>		
116 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		48	SF	\$40	<b>\$1,920</b>		
128 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
136 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	<b>\$3,520</b>		
160 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
174 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
192 to 194 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
194 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
200 to 202 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>		
204 to 208 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>VISTA DR</b>	<i>Starting at:</i> <b>PALM CIR</b>	<b>\$25,900.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	367	<b>VISTA DR</b>	323	<b>PALM CIR</b>	396	<b>DAN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: VISTA DR</b>													<b>\$25,900.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	204	<b>CORNELIA DR</b>	197	<b>CHRISTOPHER ST</b>	413	<b>PIMO ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
8 to 10 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
10 to 12 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			8	SF	\$40	<b>\$320</b>
16 to 24 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
24 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			96	SF	\$40	<b>\$3,840</b>
48 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
58 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
80 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
88 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
106 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
124 to 130 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			24	SF	\$40	<b>\$960</b>
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
132 to 134 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
136 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
144 to 148 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
150 to 158 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
158 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
166 to 176 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			40	SF	\$40	<b>\$1,600</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	204	<b>CORNELIA DR</b>	197	<b>CHRISTOPHER ST</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>	
178 to 180 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>	
180 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>	
184 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
186 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>	
192 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>	
204 to 218 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>	
220 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
226 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>	
240 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
242 to 244 feet	PR11AREF	Running Slope	5.0-6.0%			8	REF			
243 to 244 feet	PR26A	<b>Vertical Change</b>	0.5"			4	LF	\$25	<b>\$100</b>	
244 to 246 feet	PR11AREF	Running Slope	7.0-8.0%			8	REF			
244 to 246 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>	
246 to 250 feet	PR11AREF	Running Slope	5.0-6.0%			16	REF			
250 to 252 feet	PR11AREF	Running Slope	6.0-7.0%			6	REF			
250 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			6	SF	\$40	<b>\$256</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>CORNELIA DR</b>		<i>Starting at:</i> <b>CHRISTOPHER ST</b>				<b>\$35,556.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	204	<b>CORNELIA DR</b>	197	<b>CHRISTOPHER ST</b>	413	<b>PIMO ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CORNELIA DR</b>													<b>\$35,556.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	1679	<b>HWY 198 WB ONRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
42 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
76 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
116 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,560</b>
128 to 129 feet	PR26AREF	<b>Vertical Change</b>	-0.6"			4	REF		
132 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
133 to 134 feet	PR26BREF	<b>Vertical Change</b>	0.6"			4	REF		
140 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
142 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
144 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
154 to 156 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
158 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
170 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
178 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
182 to 184 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
184 to 192 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			32	SF	\$40	<b>\$1,280</b>
192 to 196 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
196 to 200 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
202 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,280</b>
210 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			40	SF	\$40	<b>\$1,600</b>
220 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
222 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
224 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
228 to 232 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
232 to 234 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
234 to 236 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
236 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
238 to 240 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
240 to 244 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
244 to 248 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
248 to 250 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
250 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
252 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
256 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	1679	<b>HWY 198 WB ONRAMP</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
258 to 264 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>		
264 to 266 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
266 to 268 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>		
268 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
282 to 284 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
312 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>		
320 to 322 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
344 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>		
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$288</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of 14TH AVE</i>	<i>Starting at: HOOD AVE</i>					<b>\$25,888.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	262	<b>HOOD AVE</b>	1679	<b>HWY 198 WB ONRAMP</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$25,888.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	186	<b>CALLIE DR</b>	304	<b>MATTHEW WAY</b>	186	<b>CALLIE END</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
10 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
16 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
22 to 34 feet		Driveway			46				
24 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
28 to 30 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
30 to 38 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		32	SF	\$40	<b>\$1,280</b>	
38 to 54 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		64	SF	\$40	<b>\$2,560</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
60 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
65 to 81 feet		Driveway			62				
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		8	SF	\$40	<b>\$320</b>	
76 to 78 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
78 to 86 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		32	SF	\$40	<b>\$1,280</b>	
90 to 104 feet		Driveway			59				
96 to 98 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
98 to 102 feet	PR10A	<b>Cross Slope (Driveway)</b>	5.0-6.0%		16	SF	\$40	<b>\$640</b>	
102 to 110 feet	PR10A	<b>Cross Slope (Driveway)</b>	4.0-5.0%		32	SF	\$40	<b>\$1,280</b>	
107 to 108 feet	PR26AREF	<b>Vertical Change</b>	-0.7"		4	REF			
110 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
114 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
128 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
134 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		15	SF	\$40	<b>\$592</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of CALLIE DR</i>		<i>Starting at: MATTHEW WAY</i>		<b>\$17,552.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	186	<b>CALLIE DR</b>	304	<b>MATTHEW WAY</b>	186	<b>CALLIE END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CALLIE DR</b>													<b>\$17,552.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	262	<b>HOOD AVE</b>	262	<b>13922 HOOD</b>	134	<b>14TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>	
1 to 10 feet		Driveway			34				
6 to 8 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
8 to 12 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		16	SF	\$40	<b>\$640</b>	
12 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>	
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
36 to 51 feet		Driveway			61				
60 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
63 to 72 feet		Driveway			38				
74 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
110 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
113 to 114 feet	PR26BREF	<b>Vertical Change</b>	0.7"		4	REF			
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
116 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		8	SF	\$40	<b>\$320</b>	
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
118 to 135 feet		Driveway			68				
120 to 122 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
122 to 124 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
170 to 174 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
180 to 207 feet		Driveway			108				
184 to 186 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
245 to 266 feet		Driveway			84				
274 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
280 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
310 to 329 feet		Driveway			78				
341 to 367 feet		Driveway			105				
362 to 364 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
408 to 410 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	262	<b>HOOD AVE</b>	262	<b>13922 HOOD</b>	134	<b>14TH AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>HOOD AVE</b>	<i>Starting at:</i> <b>13922 HOOD</b>					<b>\$11,840.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	262	<b>HOOD AVE</b>	262	<b>13922 HOOD</b>	134	<b>14TH AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HOOD AVE</b>													<b>\$11,840.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	304	<b>MATTHEW WAY</b>	171	<b>APRIL CIR</b>	186	<b>CALLIE DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
10 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
18 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>	
30 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
62 to 63 feet	PR26B	<b>Vertical Change</b>	0.7"		4	SF	\$25	<b>\$100</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
112 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>	
124 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>	
130 to 132 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>	
170 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>	
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>MATTHEW WAY</b>		<i>Starting at:</i> <b>APRIL CIR</b>		<b>\$8,100.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	304	<b>MATTHEW WAY</b>	171	<b>APRIL CIR</b>	186	<b>CALLIE DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MATTHEW WAY</b>													<b>\$8,100.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1179	<b>GARDEN DR</b>	379	<b>2ND PL</b>	378	<b>1ST PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
16 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		81	SF	\$40	<b>\$3,240</b>	
35 to 66 feet		Driveway			141				
38 to 42 feet	PR11AREF	Running Slope	5.0-6.0%		18	REF			
44 to 46 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
56 to 58 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
58 to 60 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
60 to 64 feet	PR11AREF	Running Slope	6.0-7.0%		18	REF			
60 to 62 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
68 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
86 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
105 to 136 feet		Driveway			141				
108 to 112 feet	PR11AREF	Running Slope	6.0-7.0%		18	REF			
130 to 132 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
132 to 134 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
134 to 136 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
138 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
146 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>	
156 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
188 to 190 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
195 to 224 feet		Driveway			129				
200 to 204 feet	PR11AREF	Running Slope	5.0-6.0%		18	REF			
220 to 222 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
234 to 236 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
240 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
250 to 258 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	<b>\$1,440</b>	
254 to 283 feet		Driveway			130				
258 to 260 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
260 to 262 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1179	<b>GARDEN DR</b>	379	<b>2ND PL</b>	378	<b>1ST PL</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
282 to 284 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
298 to 300 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
312 to 316 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>		
322 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>		
330 to 332 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
354 to 356 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
360 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
364 to 366 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>GARDEN DR</b>	<i>Starting at:</i> <b>2ND PL</b>				<b>\$16,560.00</b>		

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1179	<b>GARDEN DR</b>	1180	<b>SHAW PL</b>	161	<b>3RD PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
4 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		63	SF	\$40	<b>\$2,520</b>	
22 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
28 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
32 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		54	SF	\$40	<b>\$2,160</b>	
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
52 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
61 to 92 feet		Driveway			137				
66 to 68 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
68 to 70 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
86 to 88 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
88 to 90 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
92 to 108 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>	
108 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
110 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
113 to 141 feet		Driveway			126				
114 to 116 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
116 to 118 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
118 to 120 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			
118 to 120 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
134 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
136 to 138 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
140 to 150 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		45	SF	\$40	<b>\$1,800</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
152 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
156 to 166 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	<b>\$1,800</b>	
160 to 186 feet		Driveway			117				
164 to 166 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
166 to 168 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
182 to 188 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		27	SF	\$40	<b>\$1,080</b>	
184 to 186 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
188 to 213 feet		Driveway			114				
190 to 192 feet	PR11AREF	Running Slope	7.0-8.0%		9	REF			
192 to 194 feet	PR11AREF	Running Slope	5.0-6.0%		9	REF			

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1179	<b>GARDEN DR</b>	1180	<b>SHAW PL</b>	161	<b>3RD PL</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
208 to 210 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
210 to 212 feet	PR11AREF	Running Slope	6.0-7.0%			9	REF		
214 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
222 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			135	SF	\$40	<b>\$5,400</b>
248 to 275 feet		Driveway				121			
252 to 254 feet	PR11AREF	Running Slope	7.0-8.0%			9	REF		
254 to 256 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
254 to 256 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
262 to 264 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
266 to 268 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
270 to 274 feet	PR11AREF	Running Slope	5.0-6.0%			18	REF		
270 to 274 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
276 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
278 to 284 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
284 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
288 to 298 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
298 to 304 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
304 to 312 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
312 to 320 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>
315 to 343 feet		Driveway				126			
318 to 322 feet	PR11AREF	Running Slope	7.0-8.0%			18	REF		
322 to 324 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			9	SF	\$40	<b>\$360</b>
326 to 330 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			18	SF	\$40	<b>\$720</b>
336 to 340 feet	PR11AREF	Running Slope	6.0-7.0%			18	REF		
336 to 346 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%			45	SF	\$40	<b>\$1,800</b>
340 to 342 feet	PR11AREF	Running Slope	5.0-6.0%			9	REF		
346 to 348 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
348 to 362 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			63	SF	\$40	<b>\$2,520</b>
364 to 368 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
368 to 370 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
370 to 374 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			18	SF	\$40	<b>\$720</b>
374 to 376 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
376 to 378 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
380 to 382 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	1179	<b>GARDEN DR</b>	1180	<b>SHAW PL</b>	161	<b>3RD PL</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
384 to 386 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$288</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>GARDEN DR</b>		<i>Starting at:</i> <b>SHAW PL</b>		<b>\$42,768.00</b>			

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1179	<b>GARDEN DR</b>	1180	<b>SHAW PL</b>	161	<b>3RD PL</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: GARDEN DR</b>													<b>\$59,328.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA CIR</b>	1749	<b>HWY 41 NB ONRAMP</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
4 to 12 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			40	SF	\$40	<b>\$1,600</b>
12 to 14 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
14 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
16 to 18 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
18 to 20 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
20 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
26 to 28 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
28 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			120	SF	\$40	<b>\$4,800</b>
32 to 34 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
46 to 48 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
50 to 52 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
54 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			30	SF	\$40	<b>\$1,200</b>
64 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
68 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
70 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			10	SF	\$40	<b>\$400</b>
72 to 74 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
72 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			110	SF	\$40	<b>\$4,400</b>
84 to 86 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
90 to 92 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
94 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>
96 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			60	SF	\$40	<b>\$2,400</b>
104 to 106 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
108 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
114 to 116 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF		
114 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>
118 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>
120 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			50	SF	\$40	<b>\$2,000</b>
122 to 124 feet	PR11AREF	Running Slope	6.0-7.0%			10	REF		
128 to 132 feet	PR11AREF	Running Slope	5.0-6.0%			20	REF		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA CIR</b>	1749	<b>HWY 41 NB ONRAMP</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
130 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			10	SF	\$40	<b>\$400</b>		
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
134 to 140 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			30	SF	\$40	<b>\$1,200</b>		
138 to 140 feet	PR11AREF	Running Slope	5.0-6.0%			10	REF				
140 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			20	SF	\$40	<b>\$800</b>		
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>BERNARD DR</b>		<i>Starting at:</i> <b>DANA CIR</b>				<b>\$27,600.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1325	<b>BERNARD DR</b>	1274	<b>DANA CIR</b>	1749	<b>HWY 41 NB ONRAMP</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BERNARD DR</b>													<b>\$27,600.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>N</b>	241	<b>FRONT ST</b>	318	<b>390' E/O OAK ST</b>	318	<b>OAK ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
2 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		153	SF	\$40	<b>\$6,120</b>	
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
30 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		51	SF	\$40	<b>\$2,040</b>	
36 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$680</b>	
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
40 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		34	SF	\$40	<b>\$1,360</b>	
44 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		68	SF	\$40	<b>\$2,720</b>	
54 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		51	SF	\$40	<b>\$2,040</b>	
60 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		51	SF	\$40	<b>\$2,040</b>	
66 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		34	SF	\$40	<b>\$1,360</b>	
70 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		51	SF	\$40	<b>\$2,040</b>	
78 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
82 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$680</b>	
100 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		34	SF	\$40	<b>\$1,360</b>	
114 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		51	SF	\$40	<b>\$2,040</b>	
122 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		136	SF	\$40	<b>\$5,440</b>	
138 to 142 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		34	SF	\$40	<b>\$1,360</b>	
142 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		51	SF	\$40	<b>\$2,040</b>	
150 to 152 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
170 to 172 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
190 to 192 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
194 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
230 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$680</b>	
372 to 380 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		68	SF	\$40	<b>\$2,720</b>	
380 to 382 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$680</b>	
390 to 392 feet	PR11A	Running Slope	5.0-6.0%		17	SF	\$40	<b>\$680</b>	
<b>TOTAL COST FOR:</b>		<b>N</b>	<i>side of</i> <b>FRONT ST</b>	<i>Starting at:</i> <b>390' E/O OAK ST</b>				<b>\$44,200.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	241	<b>FRONT ST</b>	318	<b>390' E/O OAK ST</b>	318	<b>OAK ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: FRONT ST</b>													<b>\$44,200.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1180	<b>SHAW PL</b>	356	<b>TEMPLE DR</b>	1179	<b>GARDEN DR</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
8 to 12 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		18	SF	\$40	<b>\$720</b>	
12 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$360</b>	
20 to 22 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		9	SF	\$40	<b>\$360</b>	
22 to 24 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$360</b>	
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
72 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
78 to 98 feet		Curb Ramp			88				
82 to 86 feet	PR11A	Running Slope	5.0-6.0%		18	SF	\$40	<b>\$720</b>	
92 to 94 feet	PR11A	Running Slope	5.0-6.0%		9	SF	\$40	<b>\$360</b>	
94 to 96 feet	PR11AREF	Running Slope	6.0-7.0%		9	REF			
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$360</b>	
102 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	<b>\$720</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>SHAW PL</b>	<i>Starting at:</i> <b>TEMPLE DR</b>				<b>\$6,480.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1180	<b>SHAW PL</b>	356	<b>TEMPLE DR</b>	1179	<b>GARDEN DR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SHAW PL</b>													<b>\$6,480.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	164	<b>6TH ST</b>	369	<b>WALNUT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
23 to 46 feet		Driveway			114				
24 to 26 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
26 to 28 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
28 to 32 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
36 to 40 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
66 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
68 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
72 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		90	SF	\$40	<b>\$3,600</b>	
90 to 92 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		10	SF	\$40	<b>\$400</b>	
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
103 to 139 feet		Driveway			182				
124 to 128 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
132 to 136 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
138 to 140 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
140 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
142 to 146 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		20	SF	\$40	<b>\$800</b>	
146 to 148 feet	PR05A	Cross Slope (PAR)	5.0-6.0%		10	SF	\$40	<b>\$400</b>	
148 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
150 to 156 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		30	SF	\$40	<b>\$1,200</b>	
156 to 158 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
<b>TOTAL COST FOR: W side of 14TH AVE Starting at: 6TH ST</b>							<b>\$14,000.00</b>		

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	134	<b>14TH AVE</b>	1680	<b>HWY 198 EB ONRAMP</b>	168	<b>ALMOND ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
24 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			56	SF	\$40	<b>\$2,240</b>
38 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
44 to 46 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
46 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			56	SF	\$40	<b>\$2,240</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
62 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
66 to 70 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			16	SF	\$40	<b>\$640</b>
70 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
80 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
86 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			48	SF	\$40	<b>\$1,920</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
100 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
106 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,280</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
116 to 120 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
120 to 122 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
122 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			24	SF	\$40	<b>\$960</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
130 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			16	SF	\$40	<b>\$640</b>
134 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			16	SF	\$40	<b>\$640</b>
138 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			47	SF	\$40	<b>\$1,888</b>
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of 14TH AVE</i>	<i>Starting at: HWY 198 EB ONRAMP</i>				<b>\$20,768.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	1680	<b>HWY 198 EB ONRAMP</b>	168	<b>ALMOND ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>													<b>\$34,768.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	146	<b>EMPIRE ST</b>	384	<b>5TH ST</b>	1318	<b>SHORT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
4 to 6 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
6 to 12 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
14 to 18 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
22 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
30 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			81	SF	\$40	<b>\$3,240</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
62 to 68 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			18	SF	\$40	<b>\$720</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
74 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
80 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
88 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
96 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>
102 to 110 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			36	SF	\$40	<b>\$1,440</b>
110 to 112 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
114 to 116 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
118 to 128 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			45	SF	\$40	<b>\$1,800</b>
128 to 130 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$360</b>
130 to 134 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
138 to 142 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>
142 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>
144 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	146	<b>EMPIRE ST</b>	384	<b>5TH ST</b>	1318	<b>SHORT ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
146 to 150 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>		
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
154 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
156 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
160 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>		
164 to 186 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			99	SF	\$40	<b>\$3,960</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>EMPIRE ST</b>		<i>Starting at:</i> <b>5TH ST</b>				<b>\$31,320.00</b>		

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	146	<b>EMPIRE ST</b>	1318	<b>SHORT ST</b>	164	<b>6TH ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
6 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,386</b>
14 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
22 to 24 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
24 to 26 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
26 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
32 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
38 to 42 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			17	SF	\$40	<b>\$693</b>
42 to 64 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			95	SF	\$40	<b>\$3,810</b>
64 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
66 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
78 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
86 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
94 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			121	SF	\$40	<b>\$4,850</b>
122 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
126 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
136 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
140 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,386</b>
150 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
158 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
164 to 168 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
168 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,386</b>
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
180 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$745</b>
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i> <b>EMPIRE ST</b>		<i>Starting at:</i> <b>SHORT ST</b>				<b>\$29,149.56</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	146	<b>EMPIRE ST</b>	1318	<b>SHORT ST</b>	164	<b>6TH ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: EMPIRE ST</b>									<b>\$60,469.56</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	164	<b>6TH ST</b>	134	<b>14TH AVE</b>	164	<b>13957 6TH ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
14 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		20	SF	\$40	<b>\$800</b>	
36 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
50 to 75 feet		Driveway			125				
64 to 66 feet	PR10A	<b>Cross Slope (Driveway)</b>	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
74 to 76 feet	PR10A	<b>Cross Slope (Driveway)</b>	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
90 to 96 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		30	SF	\$40	<b>\$1,200</b>	
96 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
98 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		10	SF	\$40	<b>\$400</b>	
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		10	SF	\$40	<b>\$400</b>	
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of 6TH ST</i>	<i>Starting at: 14TH AVE</i>				<b>\$6,400.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	164	<b>6TH ST</b>	134	<b>14TH AVE</b>	164	<b>13957 6TH ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 6TH ST</b>													<b>\$6,400.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	169	<b>ALVIN ST</b>	166	<b>ALEN WY</b>	402	<b>LYN ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
22 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			64	SF	\$40	<b>\$2,558</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
42 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			11	SF	\$40	<b>\$426</b>
52 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			21	SF	\$40	<b>\$853</b>
56 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			32	SF	\$40	<b>\$1,279</b>
74 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			96	SF	\$40	<b>\$3,838</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
94 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			21	SF	\$40	<b>\$853</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			11	SF	\$40	<b>\$426</b>
102 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			53	SF	\$40	<b>\$2,132</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of ALVIN ST</i>		<i>Starting at: ALEN WY</i>				<b>\$16,203.20</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	169	<b>ALVIN ST</b>	166	<b>ALEN WY</b>	402	<b>LYN ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ALVIN ST</b>									<b>\$16,203.20</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	175	<b>BALM OF GILEAD</b>	175	<b>10689 BALM OF GILEAD</b>	175	<b>10669 BALM OF GILEAD</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
8 to 10 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
28 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			14	SF	\$40	<b>\$560</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			7	SF	\$40	<b>\$280</b>
34 to 36 feet	PR05A	Cross Slope (PAR)	5.0-6.0%			7	SF	\$40	<b>\$280</b>
36 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			7	SF	\$40	<b>\$280</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>BALM OF GILEAD</b>	<i>Starting at:</i> <b>10689 BALM OF GILEAD</b>				<b>\$1,960.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	175	<b>BALM OF GILEAD</b>	175	<b>10689 BALM OF GILEAD</b>	175	<b>10669 BALM OF GILEAD</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: BALM OF GILEAD</b>													<b>\$1,960.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	253	<b>HANFORD ARMONA</b>	253	<b>HANFORD ARMONA RD</b>	134	<b>14TH AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
5 to 6 feet	PS24B	<b>Protruding Object</b>	63" to tree			4	JOB	\$75	<b>\$300</b>
84 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			24	SF	\$40	<b>\$960</b>
90 to 92 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$320</b>
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of</i> <b>HANFORD ARMONA RD</b>		<i>Starting at:</i> <b>HANFORD ARMONA RD</b>				<b>\$1,900.00</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>S</b>	253	<b>HANFORD ARMONA</b>	412	<b>MAHOGANY ST</b>	317	<b>OAK AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>
2 to 8 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			57	SF	\$40	<b>\$2,280</b>
8 to 30 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			209	SF	\$40	<b>\$8,360</b>
30 to 32 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			19	SF	\$40	<b>\$760</b>
32 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
34 to 38 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
38 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
40 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
44 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>
48 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
52 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			133	SF	\$40	<b>\$5,320</b>
68 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			114	SF	\$40	<b>\$4,560</b>
80 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>
94 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>
100 to 112 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			114	SF	\$40	<b>\$4,560</b>
112 to 114 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>
114 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			57	SF	\$40	<b>\$2,280</b>
120 to 124 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
126 to 130 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
130 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			76	SF	\$40	<b>\$3,040</b>
138 to 164 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			247	SF	\$40	<b>\$9,880</b>
164 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>
168 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			95	SF	\$40	<b>\$3,800</b>
178 to 180 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
180 to 192 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			114	SF	\$40	<b>\$4,560</b>
192 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>
194 to 198 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			38	SF	\$40	<b>\$1,520</b>
198 to 202 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>S</b>	253	<b>HANFORD ARMONA</b>	412	<b>MAHOGANY ST</b>	317	<b>OAK AVE</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
202 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			95	SF	\$40	<b>\$3,800</b>	
212 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>	
216 to 218 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
218 to 222 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>	
224 to 226 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>	
226 to 228 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
228 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>	
232 to 244 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			114	SF	\$40	<b>\$4,560</b>	
244 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			76	SF	\$40	<b>\$3,040</b>	
254 to 256 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
256 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			152	SF	\$40	<b>\$6,080</b>	
272 to 274 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
274 to 292 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			171	SF	\$40	<b>\$6,840</b>	
292 to 300 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			76	SF	\$40	<b>\$3,040</b>	
300 to 306 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			57	SF	\$40	<b>\$2,280</b>	
306 to 308 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
308 to 310 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			19	SF	\$40	<b>\$760</b>	
310 to 312 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>	
312 to 314 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
314 to 346 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			304	SF	\$40	<b>\$12,160</b>	
348 to 350 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>	
360 to 370 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			95	SF	\$40	<b>\$3,800</b>	
374 to 376 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>	
378 to 384 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			57	SF	\$40	<b>\$2,280</b>	
418 to 424 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			57	SF	\$40	<b>\$2,280</b>	
426 to 438 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			114	SF	\$40	<b>\$4,560</b>	
438 to 440 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
440 to 456 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			152	SF	\$40	<b>\$6,080</b>	
456 to 462 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			57	SF	\$40	<b>\$2,280</b>	
462 to 464 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>	
464 to 466 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
466 to 478 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			114	SF	\$40	<b>\$4,560</b>	
478 to 480 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>	
480 to 490 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			95	SF	\$40	<b>\$3,800</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>S</b>	253	<b>HANFORD ARMONA</b>	412	<b>MAHOGANY ST</b>	317	<b>OAK AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
492 to 496 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>		
500 to 506 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			57	SF	\$40	<b>\$2,280</b>		
532 to 540 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			76	SF	\$40	<b>\$3,040</b>		
542 to 566 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			228	SF	\$40	<b>\$9,120</b>		
566 to 576 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			95	SF	\$40	<b>\$3,800</b>		
576 to 580 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>		
580 to 582 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>		
582 to 586 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			38	SF	\$40	<b>\$1,520</b>		
586 to 588 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			19	SF	\$40	<b>\$760</b>		
588 to 590 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			19	SF	\$40	<b>\$760</b>		
590 to 604 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			133	SF	\$40	<b>\$5,320</b>		
604 to 606 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			19	SF	\$40	<b>\$760</b>		
606 to 608 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			19	SF	\$40	<b>\$760</b>		
608 to 611 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			32	SF	\$40	<b>\$1,292</b>		
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of HANFORD ARMONA RD</i>		<i>Starting at: MAHOGANY ST</i>				<b>\$196,612.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>S</b>	253	<b>HANFORD ARMONA</b>	412	<b>MAHOGANY ST</b>	317	<b>OAK AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: HANFORD ARMONA RD</b>													<b>\$198,512.00</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>E</b>	300	<b>MANZANITA ST</b>	173	<b>ASPEN CIR</b>	168	<b>ALMOND ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
2 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
6 to 8 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
8 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
14 to 16 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
16 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>		
22 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		56	SF	\$40	<b>\$2,240</b>		
36 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		56	SF	\$40	<b>\$2,240</b>		
54 to 72 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	<b>\$2,880</b>		
72 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
74 to 84 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
84 to 98 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		56	SF	\$40	<b>\$2,240</b>		
98 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
102 to 104 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
104 to 106 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
106 to 108 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>		
108 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
112 to 120 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		32	SF	\$40	<b>\$1,280</b>		
128 to 138 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>		
140 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		16	SF	\$40	<b>\$640</b>		
152 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>		
<b>TOTAL COST FOR:</b>							<b>E</b>	<b>side of MANZANITA ST Starting at: ASPEN CIR</b>		<b>\$20,480.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	300	<b>MANZANITA ST</b>	372	<b>WILLOW CIR</b>	300	<b>11441 MANZANITA</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
0 to 2 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			8	SF	\$40	<b>\$320</b>
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			8	SF	\$40	<b>\$320</b>
6 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			40	SF	\$40	<b>\$1,600</b>
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of</i> <b>MANZANITA ST</b>		<i>Starting at:</i> <b>WILLOW CIR</b>				<b>\$2,240.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	300	<b>MANZANITA ST</b>	372	<b>WILLOW CIR</b>	300	<b>11441 MANZANITA</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: MANZANITA ST</b>													<b>\$22,720.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	317	<b>OAK AVE</b>	389	<b>ADA ST</b>	389	<b>96' S/O ADA</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
8 to 40 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		176	SF	\$40	<b>\$7,040</b>		
40 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	<b>\$880</b>		
44 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
46 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
48 to 50 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
50 to 52 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
52 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	<b>\$880</b>		
58 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	<b>\$440</b>		
70 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		55	SF	\$40	<b>\$2,200</b>		
80 to 82 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	<b>\$440</b>		
82 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		33	SF	\$40	<b>\$1,320</b>		
88 to 95 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		41	SF	\$40	<b>\$1,628</b>		
<b>TOTAL COST FOR:</b>							<b>W</b>	<b>side of OAK AVE Starting at: ADA ST</b>		<b>\$17,028.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	317	<b>OAK AVE</b>	389	<b>ADA ST</b>	389	<b>96' S/O ADA</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: OAK AVE</b>													<b>\$17,028.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>N</b>	389	<b>ADA ST</b>	237	<b>FLORA WAY</b>	196	<b>CRISTIE CIR</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total		
8 to 16 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
26 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	\$880		
32 to 44 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	\$2,640		
44 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	\$2,200		
54 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	\$880		
58 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	\$440		
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	\$440		
62 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	\$880		
66 to 70 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	\$880		
70 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	\$2,200		
80 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
88 to 90 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	\$440		
90 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	\$880		
96 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		22	SF	\$40	\$880		
102 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	\$440		
106 to 108 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	\$440		
110 to 118 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
120 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	\$440		
126 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
138 to 154 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		88	SF	\$40	\$3,520		
154 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	\$440		
156 to 170 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		77	SF	\$40	\$3,080		
170 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		55	SF	\$40	\$2,200		
180 to 182 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		11	SF	\$40	\$440		
182 to 186 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		22	SF	\$40	\$880		
186 to 194 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
198 to 206 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		44	SF	\$40	\$1,760		
208 to 220 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		66	SF	\$40	\$2,640		
222 to 224 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		11	SF	\$40	\$440		
224 to 227 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$726		
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of ADA ST</i>	<i>Starting at: FLORA WAY</i>	<b>\$39,886.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	389	<b>ADA ST</b>	237	<b>FLORA WAY</b>	196	<b>CRISTIE CIR</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: ADA ST</b>													<b>\$39,886.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side St. ID# 1 Survey Street Name St. ID# 2 Starting Street Name St. ID# 3 EndStreet Name

**S** 413 **PIMO ST** 1416 **YALE WAY**

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
6 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
10 to 14 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>
18 to 20 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
20 to 22 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
24 to 30 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	27	SF	\$40	<b>\$1,080</b>
32 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	27	SF	\$40	<b>\$1,080</b>
40 to 42 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
50 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	45	SF	\$40	<b>\$1,800</b>
60 to 62 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
62 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	27	SF	\$40	<b>\$1,080</b>
68 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	18	SF	\$40	<b>\$720</b>
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
78 to 80 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
80 to 82 feet	PR05A	Cross Slope (PAR)	4.0-5.0%	9	SF	\$40	<b>\$360</b>
82 to 84 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	4.0-5.0%	18	SF	\$40	<b>\$720</b>
88 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	36	SF	\$40	<b>\$1,440</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
100 to 104 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>
108 to 114 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	27	SF	\$40	<b>\$1,080</b>
122 to 130 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	36	SF	\$40	<b>\$1,440</b>
134 to 136 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
144 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>
188 to 196 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	36	SF	\$40	<b>\$1,440</b>
206 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>
210 to 214 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	18	SF	\$40	<b>\$720</b>
214 to 232 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	81	SF	\$40	<b>\$3,240</b>
232 to 234 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>
234 to 238 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>
240 to 242 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>S</b>	413	<b>PIMO ST</b>	1416	<b>YALE WAY</b>								
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total			
248 to 252 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
252 to 254 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
254 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>			
260 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
262 to 264 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
264 to 266 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
266 to 272 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>			
272 to 276 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			18	SF	\$40	<b>\$720</b>			
276 to 280 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
280 to 286 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			27	SF	\$40	<b>\$1,080</b>			
286 to 288 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
288 to 290 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
290 to 294 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
310 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
326 to 328 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
332 to 336 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
338 to 340 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
<b>TOTAL COST FOR:</b>		<b>S</b>	<i>side of PIMO ST</i>		<i>Starting at: YALE WAY</i>				<b>\$35,640.00</b>			

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name
-------------	-----------	--------------------	-----------	----------------------	-----------	----------------

<b>S</b>	413	<b>PIMO ST</b>	1416	<b>YALE WAY</b>		
----------	-----	----------------	------	-----------------	--	--

Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
-------------------	--------	--------------	-------------------------	-----	------	------	-------

<b>TOTAL COST: MID-BLOCK BARRIERS FOR: PIMO ST</b>						<b>\$35,640.00</b>	
--	--	--	--	--	--	--------------------	--

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>N</b>	1101	<b>CHRISTOPHER CIR</b>	204	<b>CORNELIA DR</b>	1101	<b>CHRISTOPHER END</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total			
0 to 2 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>			
4 to 6 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>			
14 to 24 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>			
26 to 36 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>			
38 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		40	SF	\$40	<b>\$1,600</b>			
48 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		24	SF	\$40	<b>\$960</b>			
54 to 56 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>			
56 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>			
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>			
62 to 66 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		16	SF	\$40	<b>\$640</b>			
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		8	SF	\$40	<b>\$320</b>			
68 to 70 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		8	SF	\$40	<b>\$320</b>			
70 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		24	SF	\$40	<b>\$960</b>			
<b>TOTAL COST FOR:</b>							<b>N</b>	<i>side of</i> <b>CHRISTOPHER CIR</b>		<i>Starting at:</i> <b>CORNELIA DR</b>	<b>\$9,920.00</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>N</b>	1101	<b>CHRISTOPHER CIR</b>	204	<b>CORNELIA DR</b>	1101	<b>CHRISTOPHER END</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: CHRISTOPHER CIR</b>													<b>\$9,920.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1180	<b>SHAW PL</b>	356	<b>S/O TEMPLE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total		
0 to 2 feet	PR05A	Cross Slope (PAR)	4.0-5.0%	9	SF	\$40	<b>\$360</b>		
2 to 4 feet	PR05A	Cross Slope (PAR)	3.0-4.0%	9	SF	\$40	<b>\$360</b>		
4 to 8 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>		
5 to 31 feet		Driveway		118					
34 to 38 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>		
48 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>		
54 to 60 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	27	SF	\$40	<b>\$1,080</b>		
62 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	18	SF	\$40	<b>\$720</b>		
70 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	36	SF	\$40	<b>\$1,440</b>		
80 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>		
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	9	SF	\$40	<b>\$360</b>		
98 to 107 feet	PR05A	Cross Slope (PAR)	2.0-3.0%	41	SF	\$40	<b>\$1,638</b>		
<b>TOTAL COST FOR:</b>							<b>\$8,478.00</b>		
	<b>W</b>	<i>side of</i> <b>SHAW PL</b>	<i>Starting at:</i> <b>S/O TEMPLE</b>						

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name						
<b>W</b>	1180	<b>SHAW PL</b>	1179	<b>GARDEN DR</b>	356	<b>TEMPLE DR</b>						
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total			
50 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$360</b>			
62 to 66 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
70 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
76 to 80 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
82 to 86 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>			
86 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>			
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			8	SF	\$40	<b>\$324</b>			
<b>TOTAL COST FOR:</b>							<b>W</b>	<i>side of</i>	<b>SHAW PL</b>	<i>Starting at:</i>	<b>GARDEN DR</b>	<b>\$3,924.00</b>

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>W</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL (ACROSS)</b>	264	<b>HOUSTON AVE</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
0 to 20 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		90	SF	\$40	\$3,600	
20 to 22 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
24 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	\$1,800	
34 to 36 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
36 to 46 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	\$1,800	
46 to 48 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
48 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
56 to 58 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
60 to 76 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		72	SF	\$40	\$2,880	
78 to 82 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
88 to 90 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
92 to 94 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
94 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
104 to 106 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
106 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		45	SF	\$40	\$1,800	
118 to 122 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
130 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	\$1,080	
142 to 144 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
156 to 158 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
162 to 168 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	\$1,080	
172 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
182 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
190 to 210 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		90	SF	\$40	\$3,600	
210 to 212 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
212 to 216 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
216 to 220 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		18	SF	\$40	\$720	
220 to 228 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		36	SF	\$40	\$1,440	
234 to 260 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		117	SF	\$40	\$4,680	
260 to 262 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	\$360	
262 to 268 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	\$1,080	
274 to 278 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	
280 to 282 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	\$360	
284 to 290 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		27	SF	\$40	\$1,080	
294 to 298 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		18	SF	\$40	\$720	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL (ACROSS)</b>	264	<b>HOUSTON AVE</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
298 to 300 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
300 to 306 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			27	SF	\$40	<b>\$1,080</b>		
310 to 314 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			18	SF	\$40	<b>\$720</b>		
314 to 316 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$360</b>		
316 to 324 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			36	SF	\$40	<b>\$1,440</b>		
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of</i>	<b>SHAW PL</b>	<i>Starting at:</i> <b>11899 SHAW PL (ACROSS)</b>				<b>\$40,680.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	1180	<b>SHAW PL</b>	1180	<b>11899 SHAW PL (ACROSS)</b>	264	<b>HOUSTON AVE</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: SHAW PL</b>													<b>\$53,082.00</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1317	<b>RAILROAD ST</b>	164	<b>6TH ST</b>	1318	<b>SHORT ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes		Qty	Unit	Cost	Total	
14 to 34 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		87	SF	\$40	<b>\$3,464</b>	
34 to 44 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
44 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		17	SF	\$40	<b>\$693</b>	
48 to 50 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
50 to 52 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
52 to 54 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
54 to 56 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
56 to 60 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
60 to 62 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
62 to 72 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
72 to 74 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
74 to 76 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
76 to 78 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
80 to 88 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,386</b>	
90 to 92 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
94 to 100 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		26	SF	\$40	<b>\$1,039</b>	
102 to 110 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		35	SF	\$40	<b>\$1,386</b>	
110 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		95	SF	\$40	<b>\$3,810</b>	
132 to 134 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
134 to 138 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
138 to 140 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
140 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		17	SF	\$40	<b>\$693</b>	
144 to 146 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
146 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		43	SF	\$40	<b>\$1,732</b>	
156 to 158 feet	PR05A	Cross Slope (PAR)	4.0-5.0%		9	SF	\$40	<b>\$346</b>	
158 to 174 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		69	SF	\$40	<b>\$2,771</b>	
174 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		9	SF	\$40	<b>\$346</b>	
176 to 178 feet	PR05A	Cross Slope (PAR)	3.0-4.0%		9	SF	\$40	<b>\$346</b>	
178 to 184 feet	PR05A	Cross Slope (PAR)	2.0-3.0%		25	SF	\$40	<b>\$1,005</b>	
<b>TOTAL COST FOR:</b>		<b>E</b>	<i>side of RAILROAD ST Starting at: 6TH ST</i>					<b>\$28,023.76</b>	

Year to be Completed **TBD**Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name			
<b>E</b>	1317	<b>RAILROAD ST</b>	1318	<b>SHORT ST</b>	384	<b>5TH ST</b>			
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total
2 to 4 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
4 to 10 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
10 to 18 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			35	SF	\$40	<b>\$1,386</b>
26 to 28 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
42 to 52 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			43	SF	\$40	<b>\$1,732</b>
54 to 56 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
66 to 68 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
68 to 74 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
74 to 76 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
76 to 78 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
78 to 84 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			26	SF	\$40	<b>\$1,039</b>
84 to 88 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
88 to 90 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
90 to 96 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			26	SF	\$40	<b>\$1,039</b>
96 to 98 feet	PR05A	Cross Slope (PAR)	4.0-5.0%			9	SF	\$40	<b>\$346</b>
98 to 100 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
100 to 102 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
102 to 112 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			43	SF	\$40	<b>\$1,732</b>
112 to 116 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
116 to 118 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
118 to 124 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			26	SF	\$40	<b>\$1,039</b>
124 to 126 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
126 to 128 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
128 to 132 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>
132 to 136 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
136 to 144 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>
144 to 148 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
148 to 156 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			35	SF	\$40	<b>\$1,386</b>
156 to 160 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			17	SF	\$40	<b>\$693</b>
160 to 162 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
162 to 164 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			9	SF	\$40	<b>\$346</b>
164 to 166 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			9	SF	\$40	<b>\$346</b>
166 to 176 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			43	SF	\$40	<b>\$1,732</b>
176 to 180 feet	PR05A	Cross Slope (PAR)	3.0-4.0%			17	SF	\$40	<b>\$693</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total							
<b>E</b>	1317	<b>RAILROAD ST</b>	1318	<b>SHORT ST</b>	384	<b>5TH ST</b>															
<b>TOTAL COST FOR:</b>													<b>E</b>	<i>side of</i>	<b>RAILROAD ST</b>	<i>Starting at:</i>	<b>SHORT ST</b>				<b>\$24,940.80</b>

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>E</b>	1317	<b>RAILROAD ST</b>	1318	<b>SHORT ST</b>	384	<b>5TH ST</b>								
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: RAILROAD ST</b>													<b>\$52,964.56</b>	

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name					
<b>W</b>	134	<b>14TH AVE</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>					
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total		
46 to 48 feet	PR05A	Cross Slope (PAR)	2.0-3.0%			10	SF	\$40	<b>\$400</b>		
94 to 121 feet		Driveway				135					
128 to 145 feet		Driveway				82					
<b>TOTAL COST FOR:</b>		<b>W</b>	<i>side of 14TH AVE</i>		<i>Starting at: HANFORD ARMONA RD</i>				<b>\$400.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name				
<b>W</b>	134	<b>14TH AVE</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>				
Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes			Qty	Unit	Cost	Total	
<b>TOTAL COST: MID-BLOCK BARRIERS FOR: 14TH AVE</b>								<b>\$400.00</b>		

Year to be Completed **TBD**

Priority **4**

Street Side	St. ID# 1	Survey Street Name	St. ID# 2	Starting Street Name	St. ID# 3	EndStreet Name	Dist. from Corner	P-Code	Barrier Type	As-is Measurement/Notes	Qty	Unit	Cost	Total
<b>W</b>	134	<b>14TH AVE</b>	253	<b>HANFORD ARMONA RD</b>	413	<b>PIMO ST</b>								
<b>Total Costs for</b>												<b>Year to be Completed: TBD</b>	<b>\$8,735,388.43</b>	
												<b>Total Cost for PROW - Mid-Blocks:</b>	<b>\$9,441,511.26</b>	